



# Loading Equipment

## for Getinge Aquadis 44 Washer-Disinfectors



- 1** Loading trolley and storage table (P. 5-6)

---

- 2** Wash carts and MIS accessories (P. 7-21)

---

- 3** AN wash rack (P. 22-24)

---

- 4** Lab wash carts and accessories (P. 25-36)

---

- 5** Dental tray and injector (P. 37-38)

---

- 6** Stands for miscellaneous items (P. 39-43)



# 1 Loading trolley and storage table

Our loading trolley and storage table provide excellent ergonomic handling of wash carts. The loading equipment is designed with hygiene in mind, with easy-to-wipe surfaces and good runoff.

1

2

3

4

5

6

## Loading trolley and storage table

The storage table can be used for wash carts being loaded/unloaded or for storing when not in use. All our storage tables are made of high-quality, stainless steel, with surfaces that are easy to keep clean.



### Trolley 44

For Aquadis 44

**Art. No.: 6024936001**

Max. load: 75 kg

Drain bottle for trolley

**Art. No.: 6001277202**



### Storage table 44

For Aquadis 44

**Art. No.: 499314400**

Max. load: 75 kg



## 2 Wash carts and MIS accessories

Instrument sets and trays come in various sizes and configurations. Instead of struggling to make your washer-disinfector adapt to varying load needs, Getinge's line of loading equipment offers flexibility without compromise.

Shelves and spray arms are removable without the use of tools to accommodate trays of varying heights that maximizes the load amount. Integrated lumen connector ports make it possible to process mixed sets with limited cannulated instruments in the standard instrument wash cart.

2

3

4

5

6

# Flexibility

## that does not compromise results

### Save space and money with fewer wash carts

The flexibility of the system means that fewer carts are required, which saves money and space in the facility. The ability to combine different types of instruments makes it easier to keep instrument sets together and maximizes the efficiency of the washer-disinfector.



### Flexible

The wash carts can be adapted to most situations. For example, small instruments and large bowls can be easily loaded with the same cart.





**No tools needed**

The dockings are easy-closing with fixed gliding plates. No tools are needed to remove or replace spray arms.



2

3

4

5

6

## Wash carts

For maximum cleaning efficacy and efficiency this system delivers pressurized cleaning and rinse solutions to the instruments both from above and below. To further increase loading space each upper shelf and underneath spray arm can be removed. Sterilization baskets and DIN trays need to be ordered separately.

For more detailed information, please refer to the product specification or consult your Getinge representative.



### Upper basic wash cart (UBC)

#### Single door

Upper basic wash cart for single-door model, guide rails and spray arm included.

**Art. No.: 6043436101**

#### Capacity

2 DIN trays

Maximum available shelf space for loading:  
592x512 mm (DxW)



### Upper basic wash cart (UBC)

#### Pass-through

Upper basic wash cart for double-door model, guide rails and spray arm included.

**Art.No.: 6043436201**

#### Capacity

2 DIN trays

Maximum available shelf space for loading:  
592x512 mm (DxW)



## Lower basic wash cart (LBC)

The wash cart is intended to be used when cleaning and disinfecting bulky non-critical and non-invasive items, which do not fit in the standard wash carts (for example sterilization baskets).

**Art.No.: 6043434101**

---

Maximum available shelf space for loading:  
592x512 mm (DxW)



## 2-level wash cart

The WC2 wash carts has 2 shelves for loading. One removable shelf and spray arm.

**Art.No.: 6028512301**

### Capacity

---

4 DIN trays

---

Maximum available shelf space for loading:  
592x488 mm(DxW)

## Wash carts



### 3-level wash cart

The WC3 wash cart has three shelves for loading.

**Art. No.: 6043434201**

#### Capacity

6 DIN trays

Maximum available shelf space for loading:  
592x488 mm (DxW)



### 3-level MIS wash cart

The WC3-MIS wash cart has three shelves for loading.

**Art-No.: 6043434501**

#### Capacity

1-2 MIS I, L or center wash rack

Maximum available shelf space for loading:  
592x488 mm (DxW)



## 4-level wash cart

The WC4 wash cart has four shelves for loading.

**Art-No.: 6043435301**

### Capacity

8 DIN trays

Maximum available shelf space for loading:  
592x488 mm (DxW)



## 3-level wash cart Wide

The WC3-Wide wash cart has three shelves for loading.

**Art. No.: 6043435201**

### Capacity

6 US trays

Maximum available shelf space for loading:  
592x515 mm (DxW)

2

3

4

5

6

## Complementary equipment to wash carts



### Lumen hose kit

**Art. No.: 6028543701**

The manifolds on the instrument wash carts are prepared for 6 hose nipple connections. These connections are used to clean and disinfect a larger flush port on instrument on a regular wash cart without the need of a MIS rack.  
Note! Remember to always use the silicon cap when no instrument is connected to the hose nipple.



### Lumen hose kit on wash cart



### Hose jets

This hose jet is used for connecting hoses and fit different inner diameters and are available in two sizes. The jet is screwed onto the rack or wash cart with 1/8" male thread.

**Hose jet, 8-16 mm**

**Art. No.: 468946600**

**Hose jet 12-21 mm**

**Art. No.: 498846100**






## Docking cover plate

When a spray arm is removed from 3-level Wide wash wash cart (WC3-Wide) the docking cover is used to block the open spray wing port. This maintains good circulation pressure for effective cleaning.

Note: Only needed for WC3-Wide wash carts.

**Art. No.: 504249300**



## Load support, Spring

This spring is mounted in the instrument tray and holds down the instruments and various smaller pieces during the washing process. The spring can also be used to affix instruments or plastic pieces directly to the wash cart.

**Art. No.: 123618 (length: 105 mm)**

**Art. No.: 468525000 (length: 160 mm)**



## Fine-mesh filters

**150 mesh filter: Art. No.: 503390200**

**34 mesh filter: Art. No.: 6043084501**



## Funnel for small lumen instruments

**Art. No.: 503299200**



## Tool for replacing MIS adapters

**Art. No.: 6002271501**

2


3

4

5

6





### Configuration

The MIS modules come in various versions and up to two modules can be used simultaneously with the WC3-MIS wash cart to meet your needs.



### Hygienic

All equipment has been carefully designed to be easy to clean, both on the inside and outside.

# Combine as you like change when you need

The Getinge MIS accessories are based on a modular platform where different racks easily complement existing WC2 or WC3-MIS wash carts with additional functionality. The modular concept comes in four versions; I, L, and a Center rack, all equipped with connection pipe for the wash cart. The racks connect to the wash carts to efficiently circulate cleaning and rinsing solutions through the inside of lumens for thorough cleaning.

Luer fittings, holding tubes, silicone hoses, needle injectors, and instrument support provide maximum flexibility in the number of connections, used within the wash cart.

The MIS accessories ensure that the loading equipment can adapt as your department needs change. All MIS accessories include gasket and filter to enable selection depending on type of lumen instruments.

## A system with four pre-configured MIS accessories for Aquadis 44-series




### I-rack

Includes connecting pipe for WC2 and WC3-MIS wash carts.



### L-rack

Includes connecting pipe for WC2 and WC3-MIS wash carts.



### Mini-MIS Center rack

Recommended for WC2 and WC3-MIS wash carts



# MIS wash racks


In this section, the articles for each kind of configuration are listed. Each wash cart can be equipped with one or two racks to be placed on different levels. One spray arm shall be used under each shelf.

Please note that the MIS racks are recommended for WC2 and WC3-MIS instrument wash carts, but also fits the 4-level wash cart (WC4).

Note: The MIS accessories are not compatible with the WC3-Wide wash cart.

Consult your local Getinge representative for more information.

I-rack



L-rack



MIS I for WC2 and WC3-MIS wash carts  
**Art. No. :6043285302**

| Quantity                                                     | Article                                              |
|--------------------------------------------------------------|------------------------------------------------------|
| 1x Connecting pipe for wash cart including gasket and filter |                                                      |
| 1x Luer module:                                              |                                                      |
|                                                              | 1x Luer jet female, G8                               |
|                                                              | 4x Luer jet male, G8                                 |
|                                                              | 2x Silicone hoses with luer jet female               |
| 1x MIS module:                                               |                                                      |
|                                                              | 2x Injectors 4 mm with open top                      |
|                                                              | 1x Split with 4 silicon hoses                        |
|                                                              | 2x Holders for lumen instruments with silicone cover |

MIS L for WC2 and WC3-MIS wash carts  
**Art. No.: 6029070302**

| Quantity                                                     | Article                                              |
|--------------------------------------------------------------|------------------------------------------------------|
| 1x Connecting pipe for wash cart including gasket and filter |                                                      |
| 1 x Product support for 10 pcs of lumen instruments          |                                                      |
| 1x Luer module:                                              |                                                      |
|                                                              | 1x Luer jet female, G8                               |
|                                                              | 4x Luer jet male, G8                                 |
|                                                              | 2x Silicone hoses with luer jet female               |
| 1x MIS module:                                               |                                                      |
|                                                              | 2x Injectors 4 mm with open top                      |
|                                                              | 1x Split with 4 silicon hoses                        |
|                                                              | 2x Holders for lumen instruments with silicone cover |

Mini MIS center rack



Mini MIS center wash rack for WC2 and WC3-MIS wash carts  
**Art. No.: 6043095901**

| Quantity | Article                                                   |
|----------|-----------------------------------------------------------|
| 1x       | Connecting pipe for wash cart including gasket and filter |
| 4x       | Holders for lumen instruments with silicone cover         |
| 2x       | Silicone hoses, 500 mm                                    |
| 2x       | Silicone hoses, 500 mm with luer jet male                 |
| 2x       | Injectors 4 mm with open top                              |

## Configuration examples

No matter how big or small volumes of tubular instruments you need to process, your MIS wash carts can easily be selected to suit your needs perfectly.

We offer configurations shown below and on page 21.

Please note that MIS racks and wash carts need to be ordered separately.



### **WC2 wash cart with MIS I and DIN trays**

For limited throughput of tubular instruments and maximum space for other items, we recommend an I-rack. Well suited in a CSSD or medical clinic.

### **MIS I for WC2 and WC3-MIS wash carts**

**Art. No.: 6043285302**

### **WC2 wash cart**

**Art. No.: 6028512301**



### **WC3-MIS wash cart with MIS I and DIN trays**

For limited throughput of tubular instruments and maximum space for other items, we recommend an I-rack. Well suited in a CSSD or medical clinic.

### **MIS I for WC2 and WC3-MIS wash carts**

**Art. No.: 6043285302**

### **WC3-MIS wash cart**

**Art. No.: 6043434501**

**Note! Other combinations of configured racks or change of adapters must be tested at site to verify a successful reprocessing.**

## Configuration examples



### **WC3-MIS wash cart with Mini-MIS center rack and DIN trays**

For limited throughput of tubular instruments, we recommend a Mini-MIS center rack. Well suited in a CSSD or medical clinic.

#### **Mini-MIS center rack for WC2 and WC3-MIS wash carts** **Art. No.: 6043095901**

#### **WC3-MIS wash cart** **Art. No.: 6043434501**



### **WC2 wash cart with MIS L and DIN trays**

For limited throughput of tubular instruments, we recommend an L-rack. Well suited in a CSSD or medical clinic.

#### **MIS L for WC2 and WC3-MIS wash carts** **Art. No.: 6029070302**

#### **WC2 wash cart** **Art. No.: 6028512301**



### **WC3-MIS wash cart with MIS L and DIN trays**

For limited throughput of tubular instruments, we recommend an L-rack. Well suited in a CSSD or medical clinic.

#### **WC3-MIS wash cart** **Art. No.: 6043434501**

**Note!** Other combinations of configured racks or change of adapters must be tested at site to verify a successful reprocessing.

2

3

4

5

6





# 3 AN wash rack and mask holder

Getinge anesthesia wash carts provide excellent cleaning results by filling the hoses from below. Carts for integrated drying – all fitted with a variable number of injectors for bags, bellows, suction bottles, and smaller hoses.

3

4

5

6



## Anesthetic (AN) wash rack (SD)

The AN rack is a medium capacity wash rack to be used together with the 2-level wash cart (WC2) to process AN equipment. It can process up to three AN hoses together with a number of additional AN items such as bellows, bags, and smaller hoses.

The upper wash cart on guide rails including spray arm can only be combined with the AN rack for single door units. For double door models the upper wash cart with spray arm needs to be removed

**Art. No.: 6028512501**

Note: The upper wash cart with spray arm only fits with the single door (SD) version. Wash rack only, WC2 to be ordered separately.



## Holder for 8 masks

The tray is suitable for eight AN masks and can be fitted in any type of 2 to 5-level wash cart, including the AN wash cart.

Measurements: 340x250x52 mm.

**Art. No.: 500740900**

# 4 Lab wash carts and accessories

Getinge's lab wash carts are designed with a unique concept for easy loading. The same cart can be fitted with different cassettes for different types of laboratory glassware. Using the cassette system for everything from small injection glasses to giant vials and pipettes, you can tailor the lab cart precisely to your department's needs.

## Injection wash carts



### Injection wash cart

For large flask with laboratory glassware

The injector wash cart is intended for various glassware. On the wash cart, separate cassettes are attached, on which the glass items are placed.

Note: The injection wash cart and the adapter kit are ordered separately.

**Art. No.: 6028338001**

Flask holders are not included.



### Injection wash cart

For large flask with adaptors for Erlenmeyer flasks

**Art. No.: 6028338001**

Flask holders are not included.




## Injection wash cart

For large flask with adaptors for 3L flat-bottom flasks

**Art. No.: 6028338001**

Flask holders are not included.



## Adaptor ring kit separate

This holder can be fitted in the injector cart 6028338001).  
A maximum of 4 holders can be fitted on each injection cart.

**Art. No.: 6028338003**

## Wash carts for glassware



### Lower injection wash cart

- 62 injectors

The large injection wash cart intended for glassware and baby bottles, is also suitable as a large capacity laboratory items wash cart. The items are placed on injectors specially designed to hold glassware such as bottles in place. It has a capacity of 62 bottles.

This cart can be used for all Aquadis 44 models, including those using the Upper Guide rails option.

The injectors have three holders with a height of 175 mm and the injector length is 160 mm.

For additional injectors, see pages 32-36.

**Art. No.: 6028512601**



### Lower injection wash cart

- 28 injectors

The lower injection wash cart with medium capacity is fitted with 28 electro polished injectors for holding various laboratory glassware.

This wash cart can be used for all Aquadis 44 models, including those using the Upper Guide rails option.

The injectors have three holders with a height of 175 mm and the injector length is 160 mm.

For additional injectors, see pages 32-36.

**Art. No.: 6028510601**



## Upper injection wash carts (SD)

The upper injection wash carts are used for machines with the Upper Guide rails option. The wash cart is placed in the upper section of the chamber. The wash cart enables one of the lower injection wash carts to be used in combination, creating an extra-large capacity during a single process. The injectors hold 5 – 50 ml flasks.




### Upper injection wash carts (SD)

- 56 injectors

Note: Only fits the single door (SD) version.  
Guide rails included

**Art. No.: 6043615601**



### Half upper injection wash carts (SD)

- 28 injectors

Note: Only fits the single door (SD) version.  
Guide rails included

**Art. No.: 6043615401**

## Wash racks

Wash racks are used together with laboratory wash carts for cleaning, disinfection and drying.



### Petri dish wash rack on a 2-level wash cart (WC2)

This wash rack is suitable for washing different sized petri dishes with a thickness of 20 mm. It can be placed on a 2 to 3-level instrument wash cart (WC2 to WC3).

**Art. No.: 468794002**

## Baskets

These baskets are suitable for washing and disinfecting test tubes. They come in three versions with different heights.

| Art. No.: | Size               |
|-----------|--------------------|
| 477063301 | 120 x 120 x 60 mm  |
| 477063300 | 120 x 120 x 120 mm |
| 477063302 | 120 x 120 x 220 mm |



## Adjustable lid for baskets

This adjustable lid is for 120 x 120 mm baskets and fits 477063300 and 477063301.


**Art. No.: 498866800**



## Tube test basket

Basket for cleaning test tubes. It is placed on a 3 or 4-level instrument wash cart (WC3 or WC4). When 4 test-tube baskets are placed together, they form a circle. This ensures an effective water spray coverage by the spray wing.

**Art. No: 468794400 (1 pcs)**



4x Test tube baskets

# Injectors and accessories

The following injectors and accessories are available for injectors and AN wash carts. The injectors can optionally be equipped with nozzles, protection, and /or spring clamps (see article numbers below).



|                            |        |
|----------------------------|--------|
| <b>Art. No.: 477223201</b> |        |
| Injector Ø                 | 6 mm   |
| Injector length            | 175 mm |



|                            |        |
|----------------------------|--------|
| <b>Art. No.: 477242600</b> |        |
| Injector Ø                 | 10 mm  |
| Injector length            | 195 mm |



|                            |        |
|----------------------------|--------|
| <b>Art. No.: 477242500</b> |        |
| Injector Ø                 | 10 mm  |
| Injector length            | 340 mm |



|                            |        |
|----------------------------|--------|
| <b>Art. No.: 477242602</b> |        |
| Injector Ø                 | 10 mm  |
| Injector length            | 195 mm |
| with additional holes      |        |



|                            |        |
|----------------------------|--------|
| <b>Art. No.: 477242503</b> |        |
| Injector Ø                 | 10 mm  |
| Injector length            | 340 mm |
| with additional holes      |        |

The injectors used for certain wash carts and wash racks (e.g., AN wash rack), can optionally be equipped with supports and spring clamps, if the item processed needs to be lifted from the base of the injector. The following accessories are available, and they fit ø10 mm Injectors. Note! The ø6 mm injector cannot hold any of the supports.



Conical support  
**Art. No.: 502800100**



Rounded support  
**Art. No.: 502892900**



Spring clamp  
**Art. No.: 498886003**



Conical support secured by spring clamp on an injector.



Example: Rounded support secured by spring clamp on an injector.

The Ø10 mm injectors have a G1/8" thread at the top and a suitable nozzle should be selected. Use any of the nozzles below depending on the goods to be processed. Note! The Ø6 mm injector does not use separate nozzles.



Standard spray nozzle  
(POM)

**Art. No.: 477242700**



Multi spray nozzle  
(POM)

**Art. No.: 502679200**




Nozzle for breathing bags  
(Stainless steel)

**Art. No.: 499440400**



Nozzle for bellows  
(Stainless steel)


**Art. No.: 499440500**



## Long injectors with three holders

These holders with long injectors are suitable for taller or wider goods. The holders are available in two different lengths. The holder is electropolished, i.e., coated using a special method that prevents scratching of the glass. Pipe diameter 6 mm. Fits glass cassettes 3x6 and 4x8.

| Art. No.: | Holder length | Injector length |
|-----------|---------------|-----------------|
| 501348310 | 170 mm        | 160 mm          |
| 501348410 | 200 mm        | 197 mm          |



## Short injectors with longer holders

The electropolished holders with short injectors are suitable for goods such as long tubular glassware. Pipe diameter 6 mm. Fits glass cassettes 3x6 and 4x8.

| Art. No.: | Holder length | Injector length |
|-----------|---------------|-----------------|
| 501348110 | 105 mm        | 95 mm           |



## Injector without holder

Suitable for very narrow glassware. Pipe diameter 6 mm.

| Art. No.: | Injector length |
|-----------|-----------------|
| 498887003 | 160 mm          |
| 498971200 | 65 mm           |



## Injector with one holder for flasks 5-25 ml

Injector holder with only one holder, suitable for flasks 5-25 ml. This injector is electropolished. Pipe diameter 3 mm. Fits glass cassettes 3x6 and 4x8.

| Art. No.: | Holder length | Injector length |
|-----------|---------------|-----------------|
| 501348010 | 105 mm        | 100 mm          |



## Injector with one holder and cut plastic profile

The electropolished holder with cut plastic profiles is mainly used for 5x9 cassettes, but can also be used for 3x6 or 4x8 cassettes. Pipe diameter 3 mm.

| Art. No.: | Holder length | Injector length |
|-----------|---------------|-----------------|
| 501348011 | 105 mm        | 100 mm          |

## Injectors with G1/8" threaded connection



### Injector with one holder

Pipe diameter 6 mm

| Art. No.: | Holder length | Injector length |
|-----------|---------------|-----------------|
| 501347910 | 105 mm        | 95 mm           |



### Injector with three holders

Pipe diameter 6 mm

| Art. No.: | Holder length | Injector length |
|-----------|---------------|-----------------|
| 502206310 | 105 mm        | 170 mm          |



### Injector with three holders

Pipe diameter 6 mm

| Art. No.:  | Holder length | Injector length |
|------------|---------------|-----------------|
| 502206311* | 160 mm        | 170 mm          |

\*=Injector has a cut plastic base profile (ø60 mm instead of ø80 mm).



# 5 Dental tray and injector

Dental tray wash rack and injection pipe with well-thought-out, proven function. They ensure safe placement in the washer-disinfector and complete cleaning of instruments and small parts.

## Dental tray and injector



### Dental tray wash rack

The dental tray wash rack is used to process dental trays. It holds up to 9 trays.

**Art. No.: 501115400**



### Injection pipe for 18 injectors

The V-shaped injection pipe assures safe cleaning and disinfection of up to 18 handpieces. Use dental rack on the 3-level MIS wash cart (WC3-MIS)

**Art. No.: 6028509701**

# 6 Stands for miscellaneous items

Getinge has a wide range of holders and inserts for various types of bowls, shoes, and baby bottles. Our smart design effectively exposes the goods to the water jets, ensuring efficient cleaning.

The standing position of the goods allows quick runoff and effective drying.

## Stands for bowls

These stands are designed to provide the best possible capacity of different sizes of bowls and at the same time secure excellent cleaning and disinfection results. Up to 2 stands are placed in an OP cart on one wash level in Getinge Aquadis 44..



Image shows WC3 wash cart with stand for kidney bowls




### Stand for kidney bowls

Capacity: 14 pcs

Dimensions: 494x317x40 mm

**Art. No.: 498850200**



---

### Stand for bowls 211 mm

Capacity: 10 pcs

Dimensions: 494x407x40 mm

**Art. No.: 498850300**



Image shows WC3 wash cart with stand for bowls



## Stand for bowls 111 mm

Capacity: 18 pcs

Dimensions: 494x317x40 mm

**Art. No.: 498859600**



---

## Stand for bowls 151 mm

Capacity: 12 pcs

Dimensions: 494x317x40 mm

**Art. No.: 498859700**

## Wash cart for glassware

- 62 injectors



The large injection wash cart intended for glassware and baby bottles, is also suitable as a large capacity laboratory items wash cart. The items are placed on injectors specially designed to hold glassware such as bottles in place. It has a capacity of 62 bottles.

This cart can be used for all Aquadis 44 models, including those using the Upper Guide rails option.

The injectors have three holders with a height of 175 mm and the injector length is 160 mm.

**Art. No.: 6028512601**




Image shows wash cart with stand for baby bottles

## Stand for small baby bottles

This stand for baby bottles is designed to optimize capacity while delivering great cleaning and disinfection results. The stand is equipped with handles for easy loading and unloading of the cart.

Capacity: 24 bottles Ø52 mm.

**Art. No.: 500696300**



Note! For bottles with an opening diameter less than 20 mm, an injector wash cart is recommended for optimal water distribution and cleaning.


## Stands and wash carts for OR shoes



Images show upper and lower basic carts with OR soles and OR shoes



Image shows wash cart with stand for OR shoes



### Stand for OR shoes

Operational (OR) shoe wash rack, together with wash carts, are used to clean and disinfect OR shoes and soles. It can process up to 10 pairs. Recommended to be used together with 3 to 5-level wash carts (some loading levels and spray arms might have to be removed). Also suitable together with the 2-level wash cart (WC2) for Aquadis 44 using the Upper Guide rails option.

Capacity: up to 10 pairs

**Art. No.: 6028093601**



This document is intended to provide information to an international audience outside of the US.

This information is aimed exclusively at healthcare professionals or other professional audiences and is for informational purposes only, is not exhaustive and therefore should not be relied upon as a replacement of the Instructions for Use, service manual or medical advice. Getinge shall bear no responsibility or liability for any action or omission of any party based upon this material, and reliance is solely at the user's risk.

Any therapy, solution or product mentioned might not be available or allowed in your country. Information may not be copied or used, in whole or in part, without written permission by Getinge.

The products presented may be pending regulatory approvals to be marketed in your country.

Note that color tonality may vary between visuals and real-life products.

Contact your Getinge representative for more information.

**Manufacturer:** Getinge Disinfection AB • Ljungadalsgatan 11 • 352 46 Växjö • Sweden • +46 10 335 06 00 • • info@getinge.com

© 2025 Getinge | Getinge and **GETINGE**  are trademarks or registered trademarks of Getinge AB, its subsidiaries or affiliates.

DMS-0013358-rev1 | All rights reserved.

[www.getinge.com](http://www.getinge.com)