

Section 1. Identification of the material and the supplier

Product:	DLC
Product Code:	N/A
Product Use:	A detergent for the cleaning of heat-sensitive endoscopes in automatic endoscope washer disinfectors only. Not for use via manual methods
New Zealand Distributor:	Getinge Australia (New Zealand Branch)
Address:	600 Great South Road Building B, Level 2, Ellerslie, Auckland, 1051 New Zealand
Telephone:	+64 9 272 9039
Emergency Telephone:	+64 9 272 9039 or 0800 764 766 (National Poison Centre)
Australian Supplier:	Getinge Australia Pty Ltd
	Suite 701, Level 7 11 Help Street Chatswood, NSW, 2067 AUSTRALIA
Tel:	1800 438 464
Australian Emergency No	1800 74234 13 11 26 (National Poison Centre)
Date of SDS Preparation:	4 August 2025 v2

Section 2. Hazards Identification

Australia:

Classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia

New Zealand:

This substance is hazardous according to the EPA Hazardous Substances (Classification) Notice 2020

EPA Approval Code:

Cleaning Products (Corrosive) Group Standard 2020 – HSR002526

Pictograms



Signal Word: **DANGER**

GHS Classification and Category	Hazard Code	Hazard Statement
Corrosive to metals Cat. 1	H290	May be corrosive to metals.
Skin corrosion Cat. 1B	H314	Causes severe skin burns and eye damage.
Serious eye damage Cat. 1	H318	Causes serious eye damage.

Prevention Code	Prevention Statement
P102	Keep out of reach of children.
P103	Read carefully and follow all instructions.
P234	Keep only in original packaging.
P260	Do not breathe dust, fumes, gas, mist, vapours or spray.
P264	Wash hands thoroughly after handling.
P280	Wear protective clothing as detailed in Section 8.

Response Code	Response Statement
P101	If medical advice is needed, have product container or label at hand.
P310	Immediately call a POISON CENTER or doctor/physician.
P363	Wash contaminated clothing before reuse.
P390	Absorb spillage to prevent material damage.
P301 + P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303 + P361+P353	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304 + P340	IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.
P305 + P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Storage Code	Storage Statement
P405	Store locked up.
P406	Store in corrosive resistant container with a resistant inner liner.

Disposal Code	Disposal Statement
P501	Dispose of according to Local Regulations or Authorities

Section 3. Composition / Information on Ingredients

Ingredients	Wt%	CAS NUMBER.
Potassium silicate	5 - 15	1312-76-1
Sodium metasilicate pentahydrate	5 - 15	6834-92-0
Trisodium nitrilotriacetate	1 - 5	5064-31-3

Section 4. First Aid Measures

Routes of Exposure:

If in Eyes	Rinse cautiously with water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.
If on Skin	Wash with plenty of soap and water. Take off contaminated clothing and wash before re-use. Seek immediate medical attention.
If Swallowed	Rinse mouth. Do NOT induce vomiting. Never give anything to the mouth of an unconscious person. Give small amounts of water to drink. If vomiting occurs, place victim face downwards, with the head turned to the

side and lower than the hips to prevent vomit entering the lungs. Call a POISON CENTER or doctor/physician if you feel unwell.

If Inhaled

Remove person to fresh air. Remove contaminated clothing and loosen remaining clothing. Allow person to assume most comfortable position and keep warm. Keep at rest until fully recovered. Get medical advice if breathing becomes difficult.

Most important symptoms and effects, both acute and delayed

Symptoms:

Ingestion: Not applicable.

Inhalation: Breathing spray mist will cause irritation.

Skin: Causes severe skin burns.

Eye: Causes serious eye damage.

Section 5. Fire Fighting Measures

Hazard Type	Not flammable or combustible
Hazards from combustion products	No specific hazards arising from the mixture.
Suitable Extinguishing media	Use extinguishing media appropriate for primary source of fire.
Precautions for firefighters and special protective clothing	No special measures arising from the mixture.
HAZCHEM CODE	2X

Section 6. Accidental Release Measures

Wear protective equipment as detailed in Section 8. Clear area of any unprotected personnel. Ensure adequate ventilation. Avoid contact with skin and eyes. Spillage may make floors slippery.

Prevent spills from entering water courses.

Small quantities, mop up or use an inert absorbent or flush to foul sewer with a large quantity of water.

Large quantities, contain and absorb or pump into suitable containers for disposal.

Dispose of according to Local Regulations detailed in Section 13.

Section 7. Handling and Storage

Shelf life: 24 months in original sealed containers.

Precautions for Handling:

- Read carefully and follow all instructions.
- Keep only in original packaging.
- Do not breathe dust, fumes, gas, mist, vapours or spray.
- Wash hands thoroughly after handling.
- Wear protective clothing as detailed in Section 8.
- Do not mix with other products.
- Observe good industrial hygiene.

Precautions for Storage:

- Keep out of reach of children.
- Store locked up.

- Store in corrosive resistant container with a resistant inner liner.
- Store in a cool, dry place protected from frost and away from alkalis and strong oxidising agents.
- Store upright in original containers.
- Recommended storage temperature 5–30 °C.

Specific end use(s):

- For machine use only- not for use by hand.
- Use via automatic injection at a concentration of 10ml per litres of water.
- Use in conjunction with Lancer Aperlán or other high level disinfectants.

Section 8 Exposure Controls / Personal Protection

WORKPLACE EXPOSURE STANDARDS (provided for guidance only)

Substance	TWA		STEL	
	ppm	mg/m ³	ppm	mg/m ³

No ingredient has exposure limits

Workplace Exposure Standard – Time Weighted Average (WES-TWA). The time-weighted average exposure standard designed to protect the worker from the effects of long-term exposure. Workplace Exposure Standard – Short-Term Exposure Limit (WESSTEL). The 15-minute average exposure standard. Applies to any 15- Minute period in the working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA; both the short-term and time-weighted average exposures apply. Workplace Exposure Standards and Biological Exposure Indices FEB 2025 15TH EDITION. AUST: Workplace Exposure Standards for Airborne Contaminants Oct 2022

Engineering Controls

These measures are suggested on the basis of general use methods and may not be appropriate to all potential uses of the product. The user is responsible for carrying out a full risk assessment of their specific processes and systems of work.

Personal Protection Equipment:



Eyes	Wear eye protection appropriate to the process according to BS EN 166.
Hands	Wear PVC or latex gloves. Exact choice of glove depends on specific risk assessments.
Skin	Choose body protection to prevent contact.
Respiratory	Not required.
Hygiene Measures	Wash hands before breaks and after work. Avoid contact with skin and eyes.

Section 9 Physical and Chemical Properties

Appearance	Liquid
Colour	Colourless
Odour	Strong acidic
Odour Threshold	Not available
pH (typical)	12.01% in water (typical)
Boiling Point	100°C
Melting Point	Not available
Freezing Point	Not available
Flash Point	Not available
Flammability	Not flammable
Upper and Lower Explosive Limits	Not available

Vapour Pressure	17.5 mmHg @ 20°C
Vapour Density	Not available
Relative Density @ 20°C	1.186 (typical)
Water Solubility	Miscible with water
Partition Coefficient:	Not available
Auto-ignition Temperature	Not available
Viscosity	Free flowing
Particle Characteristics	Not applicable

Section 10. Stability and Reactivity

Stability of Substance	This product is stable under normal conditions.
Possibility of hazardous reactions	No hazardous reactions are expected to occur.
Conditions to Avoid	Extremes of temperature.
Incompatible Materials	Incompatible with oxidizing agents, acids and alkali sensitive metals.
Hazardous Decomposition Products	None known.

Section 11 Toxicological Information

Acute Effects:

Swallowed	Does not contain any ingredients classified as acutely toxic however may cause irritation and damage to gastro intestinal tract due to alkalinity.
Dermal	Does not contain any ingredients classified as acutely toxic.
Inhalation	Does not contain any ingredients classified as acutely toxic however breathing spray mist may cause irritation.
Eye	Causes serious eye damage.
Skin	Causes severe skin burns.

Chronic Effects:

Carcinogenicity	Does not contain any ingredients classified as carcinogenic.
Reproductive Toxicity	Does not contain any ingredients classified as toxic for reproduction.
Germ Cell Mutagenicity	Does not contain any ingredients classified as mutagenic.
Aspiration	Does not contain any ingredients classified as Asp Tox.
STOT/SE	Does not contain any ingredients classified as STOT SE.
STOT/RE	Does not contain any ingredients classified as STOT RE.

Section 12. Ecotoxicological Information

Not classified as dangerous for the environment. May affect aquatic organisms due to low pH if released into water courses untreated.

Product:	
Persistence and degradability	All organic ingredients are biodegradable when well diluted.
Bioaccumulation	Not expected to bioaccumulate.
Mobility in Soil	This product has high water solubility.
Other adverse effects	No other adverse effects are anticipated.

Section 13. Disposal Considerations

Product Name: **DLC**
Date of SDS: 4 August 2025

SDS Prepared by: Technical Compliance Consultants (NZ) Ltd
Tel: 64 9 475 5240 www.techcomp.co.nz

Disposal Method:

Dispose of surplus product and packaging via a licensed chemical waste contractor. Empty cleaned containers can be recycled where facilities exist or sent for landfill or incineration where permitted. Process effluent can normally be discharged to foul sewer (subject to consent limits). May require pH neutralization.

Ensure any container holding waste product or contaminated spill media is labelled "Hazardous Waste – Corrosive" and that the label also has the Corrosive Pictogram, waste type identifier, and the business name, address, and phone number.

Disposal methods to avoid: None known.

Section 14	Transport Information
-------------------	------------------------------

This product is classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG Code) (7th edition).

This product is classified as a Dangerous Good for transport in NZ ; NZS 5433:2020 and SNZ HB 5433:2021



Road, Rail, Sea and Air Transport

UN No	3266
Class - Primary	8
Packing Group	III
Proper Shipping Name	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
Marine Pollutant	No
Special Provisions	If the product's individual container is below 5L, it can be transported as a non-DG as long as the product packaging is still labelled as per DG requirements and the driver is given safety information in accordance with Chapter 3.4 of the UNRTDG.

Recommended transport temperature: 5-30°C

Section 15	Regulatory Information
-------------------	-------------------------------

Australia:

Classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia

New Zealand:

This substance is hazardous according to the EPA Hazardous Substances (Classification) Notice 2020

EPA Approval No:

Cleaning Products (Corrosive) Group Standard 2020 – HSR002526

Trigger quantities for this substance:

HSW (HS) Regulations 2017 and EPA Notices	Trigger Quantity
Certified Handler	Not required
Location Certificate	250L
Tracking Trigger Quantities	Not required
Signage Trigger Quantities	250L
Emergency Response Plan	1000L

Product Name: **DLC**
Date of SDS: 4 August 2025

SDS Prepared by: Technical Compliance Consultants (NZ) Ltd
Tel: 64 9 475 5240 www.techcomp.co.nz

Secondary Containment	1000L
Restriction of Use	Only use for the intended purpose.

Section 16 Other Information

Glossary

EC ₅₀	Median effective concentration.
EEL	Environmental Exposure Limit.
EPA	Environmental Protection Authority
HSNO	Hazardous Substances and New Organisms.
HSW	Health and Safety at Work.
LC ₅₀	Lethal concentration that will kill 50% of the test organisms inhaling or ingesting it.
LD ₅₀	Lethal dose to kill 50% of test animals/organisms.
LEL	Lower explosive level.
OSHA	American Occupational Safety and Health Administration.
TEL	Tolerable Exposure Limit.
TLV	Threshold Limit Value-an exposure limit set by responsible authority.
UEL	Upper Explosive Level
WES	Workplace Exposure Limit

Australia:

References:

1. Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice.
2. Standard for the Uniform Scheduling of Medicines and Poisons.
3. Australian Code for the Transport of Dangerous Goods by Road & Rail.
4. Model Work Health and Safety Regulations, Schedule 10: Prohibited carcinogens, restricted carcinogens and restricted hazardous chemicals.
5. Workplace exposure standards for airborne contaminants, Safe work Australia.
6. American Conference of Industrial Hygienists (ACGIH).
7. Globally Harmonised System of classification and labelling of chemicals.

New Zealand:

References:

1. EPA Hazardous Substances (Safety Data Sheets) Notice 2017
2. Workplace Exposure Standards and Biological Exposure Indices April 2022 edition.
3. Assigning a hazardous substance to a HSNO Approval (Aug 2013).
4. Transport of Dangerous goods on land NZS 5433:2020
5. HSW (Hazardous Substances) Regulations 2017

Disclaimer

This document has been prepared by TCC (NZ) Ltd and serves as the suppliers Safety Data Sheet ('SDS'). It is based on information concerning the product which has been provided to TCC (NZ) Ltd or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer. While TCC (NZ) have taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, TCC (NZ) Ltd accept no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS

The information herein is given in good faith, but no warranty, express or implied is made.

Please contact the New Zealand or Australian distributor, if further information is required.

Issue Date: 4 August 2025 Review Date: 4 August 2030