



# OR Tables Accessories

2024 Catalog

GETINGE \*



# Comprehensive expertise

## for everyday clinical needs

A comprehensive range of high-quality accessories for the best possible patient positioning.

Getinge creates products in close collaboration with doctors and hospitals. This helps to optimize workflows, facilitate the work of the OR team, and improve the success of treatments for patients.

Getinge offers a comprehensive range of accessories for the best possible patient positioning. There are a variety of suitable accessories for different needs and types of surgery, be it infusion stands, or metal-

free and radiolucent multi-purpose plates. All accessories ensure safe and comfortable patient positioning and ergonomic working conditions for the surgical team. Nearly all accessories come equipped with special padding for optimum pressure distribution. Individual OR table configuration helps assist the needs of the patient and surgical team, thus ensuring a successful operation.



# Content

## 00 Operating tables 06

Tested and proven around the globe:  
Maquet Operating Table Systems

## 01 General accessories 16

Standard accessories that can be used in multiple surgical disciplines – from leg strap to trolley for accessories.

## 02 Head rests 34

Head positioning accessories for every requirement, from the standard head rest to the radiolucent horseshoe head rest.

## 03 Arm supports 44

Safe, gentle and flexible arm positioning using adjustable accessories and pressure-relieving pads.

## 04 Back and lithotomy positioning 54

Cross-discipline solutions, from radiolucent multi-purpose plates and modular back plates through to seat plate extensions.

## 05 Leg positioning 68

The wide range of leg positioning accessories offers optimum solutions for every discipline.

## About this catalog

This catalog gives an overview of the entire OR table accessory range from Getinge. The accessories are sorted according to practical use (positions) and surgical disciplines. Alongside the description of the accessory, there is also information about product variations plus a list of the corresponding OR tables. These OR tables are described in the following pages. The accessory matrix instantly shows which accessories may be mounted to a chosen OR table and whether any additional accessories are needed.

---

## 06 Orthopedics and traumatology 84

Innovative solutions for orthopedics and traumatology. Shape, material and pads are coordinated to ensure optimum X-ray results.

---

## 07 Neurosurgery 108

Special accessories for safe and precise patient positioning designed to meet the special requirements of neurosurgery.

---

## 08 Positioning aids 122

Gentle and preventive positioning of patients with the help of a variety of positioning aids. Simple to use, easy to clean and available in numerous sizes.

---

## 09 Medical furniture 136

The Resist range of medical furniture consists of reliable and well proven accessories. Instrument tables, infusions stands, step stools and many more items are essential for the work of the OR team.

---

## 10 Accessories matrix and index 146

The desired accessory can be located quickly and you can see, at a glance, which OR tables it is suitable for.

---

# Maquet Operating Table Systems

Tested and proven around the globe

## Maquet Magnus

### For extreme positions and optimum access

With inclination angles of up to 80° and tilt angles of up to 45° (may also be combined), Maquet Magnus enables extreme positions. These ensure optimum X-raying conditions and clear access to the operating field.

Thanks to a wide range of modules and accessories for all kinds of surgical intervention, Maquet Magnus is a highly versatile OR table that offers the greatest of flexibility in everyday clinical use.

### The special features afforded by Magnus:

- Modular concept and components
- Flexible universal table top and carbon table tops for Hybrid ORs
- Backlit hand control with memory function
- Very low minimum height and very high maximum height
- 80° Trendelenburg low head / low feet
- 45° lateral tilt



# Maquet Otesus

## Explore new possibilities

Maquet Otesus features a number of key enhancements developed in collaboration with OR teams, while retaining many tried-and-trusted features of its proven predecessor – minimizing the need for training. The modular operating table system includes 4 columns, a smart universal hand control, a choice of user friendly transporters and a variety of table tops. Surgical staff can tailor the table to each surgery and patient by simply swapping a few modules.

## Comfortable, hygienic cushions

Soft Integral Protective Comfortable (IPC) cushions offer excellent pressure relief performance that is comparable to Soft Foam Core (SFC) cushions. An inner core sandwich design connects 20 mm wear protection and 60 mm visco-elastic foam to a carrier plate, which is then covered with a spray skin. The hygienic, Velcro®-free pads are waterproof. Certain variants of the pads can be mechanically decontaminated and disinfected.



## Patient transport between rooms

The Maquet Otesus Transporters allow surgical staff to maneuver patients with minimal physical effort. Even a motorized version – the transporter Ergodrive – is available. It simplifies the reconnection and disconnection of the table tops to the Maquet Otesus Column to streamline the workflow in the operating room.

## All key operations at your fingertips

The Smart Control places all key table operations right at your fingertips. Bi-directional communication with the column provides real-time information on the current table configuration. The Smart Control continuously receives and displays the table set-up information, which saves time, enhances safety, and simplifies documentation.



# Maquet Mobile Operating Tables

Versatile, tried and tested – real all-rounder

## Maquet Betaclassic

### **High-quality and cost-efficient mobile operating table**

A manually operated hydraulic power unit and ergonomically designed controls are standard on the robust Maquet Betaclassic. A few swift pumps of the pedal-operated selector enable precise adjustment of the table top position. The proven design ensures excellent table stability and unrestricted patient access for the surgical team.

Maquet Betaclassic provides dedicated solutions for military and disaster medicine, as it does not depend on any external power source. Thanks to the large castors, the OR table can be transported regardless of the terrain.



# Maquet Lyra

## A versatile table for all-around use

It's increasingly important to invest in reliable, multi-functional infrastructure. That's why Getinge developed the Maquet Lyra Mobile OR Table. Just one table can meet the needs of most surgical disciplines, and it is compatible with carbon-fiber accessories for excellent intra-operative diagnostics.

The Maquet Lyra Mobile OR Table is designed to work for almost all surgical disciplines, increasing the options for each OR. Plus, it's compatible with all existing Maquet Mobile OR Table accessories that you may already have, maximizing the return on your investment.

The Maquet Lyra Mobile OR Table has a robust design that ensures stability and safety for a broad range of patients. It has an overall load (patient plus accessory) of 360 kg (794 lbs) in central position, and 180 kg (397 lbs) without any restrictions – ideal for most patient populations.



## → Maquet Mobile Operating Tables

# Maquet Meera family

### **High performance, outstanding value**

Hospitals of all sizes struggle with increasing cost pressures. With the Maquet Meera Mobile OR Table family, your hospital can cost-effectively deliver premium patient care.

#### **Maquet Meera:**

##### **A universal mobile table for high-quality care**

The mobile operating table Maquet Meera offers incredible flexibility to support a variety of procedures. The 310 mm motorized longitudinal shift delivers a large radiolucent area for gynecological or urological surgery, without an added seat plate extension. Maquet Meera is a stable OR table that meets the complex demands of bariatric surgery.



#### **Maquet Meera ST:**

##### **A multifunctional table for various types of procedure**

Maquet Meera ST offers the same benefits as the Maquet Meera, without the longitudinal shift. It ensures that your OR will benefit from a solid, functional table, without features that your surgeons do not require.



## **Maquet Meera CL:**

### **Flexibility for many disciplines**

Maquet Meera CL is built with the same stable components as the rest of the Meera range, but on a simplified base with a mechanical locking system. Specially designed castors enable smooth movement in all directions: intermediate operation, straight-line travel, and free-wheeling. Lateral movement capability is ideally suited for the needs of outpatient surgery centers.



→ Maquet Mobile Operating Tables

## Maquet Alphamaxx

### **Maximum load capacity, maximum flexibility and maximum comfort**

The mobile universal OR table offers maximum loads, flexibility and comfort. It can be easily equipped for every surgical discipline and offers a load capacity of up to 450 kg. The motorized longitudinal shift of up to 465 mm

provides an optimal solution in terms of X-ray access and ergonomic use. The optional Autodrive makes moving and maneuvering the table easier and with the Sensor Drive even the speed can be controlled.



# Maquet Corin

## **Meet your new teammate: intuitive, safe, smart and connected**

Maquet Corin is an intelligent guided mobile OR table that can help to streamline processes in the daily routine of your surgical departments. Stay fully focused on patients knowing that your OR table is giving intuitive visual feedback that helps manage risks. Easily set up and position patients for optimized site access and ergonomics.

## **In short, Maquet Corin is your new teammate which helps you to:**

- Facilitate teamwork and communication
- Ensure protection of people and equipment
- Prevent wrong-way errors with intuitive controls like feedback lights and acoustic signals
- Save time
- Stay flexible



## → Maquet Mobile Operating Tables

### Maquet Yuno II

#### **Improves outcomes with advanced surgical workflows in orthopedics, traumatology and neurology**

Maquet Yuno II ensures the positioning and access needed to achieve optimum results in open or minimally invasive interventions. The table can be configured for any discipline, increasing your options and maximizing the functionality of your OR. Easy handling ensures that Maquet Yuno II will simplify positioning for even the most complex techniques to help you focus on what's most important: your patients.

Minimally invasive surgery (MIS) can improve patient outcomes and save costs. Maquet Yuno II supports a variety of positions, bringing the benefits of MIS to

patients of various sizes. Radiolucent carbon-fiber accessories improve intraoperative diagnostics that are critical to achieving optimal outcomes.

When trauma patients arrive in your emergency department, there's no time to lose. Night or day, your OR must be ready. With the flexible Maquet Yuno II Mobile Operating Table, it's easy to quickly configure the table to meet the needs of the procedure and surgeon, even with limited staff on call.





A close-up photograph of a surgeon's face. The surgeon is wearing a light blue surgical cap and a white surgical mask. They are looking directly at the camera through a large, light blue surgical drape that is held in front of their face. In the background, a bright, circular surgical light fixture is visible, illuminating the operating room. The overall color palette is dominated by shades of blue and white.

**01**

Accessories for operating tables  
**General accessories**

**Each position is different, depending on the upcoming operation, the patient and the habits of the OR personnel.**

Alongside the many special accessories, Maquet also offers standard OR table accessories that can be used regardless of the surgical discipline, from anesthesia screens and infusion stands through to body supports.

This chapter also lists general accessories, for example, leg straps for securing the patient to the OR table, side rail accessories, as well as transport and storage solutions.

**1003.61A0****Radial setting clamp**

- For mounting accessories to the side rail
- Quick radial adjustment
- Simultaneous fixation of accessories, radial adjustment and clamping to the side rail

**Technical information**

Width x height x length:  
70 x 140 x 120 mm

For attaching rods with  
a diameter of 16 – 18 mm

EU version

Can be mounted to a side rail

Mechanical cleaning is possible

**1003.23C0****Radial setting clamp**

- For mounting accessories to the side rail
- Quick radial adjustment
- Simultaneous fixation of accessories and radial adjustment

**Technical information**

Width x height x length:  
70 x 140 x 110 mm

For attaching rods with  
a diameter of 16 – 18 mm

Can be mounted to a side rail

Mechanical cleaning is possible

**1003.22C0****Standard clamp**

- For mounting accessories to the side rail

**Technical information**

Width x height x length:  
70 x 140 x 110 mm

For attaching rods with  
a diameter of 16 – 18 mm

Can be mounted to a side rail

Mechanical cleaning is possible

**1002.54A0****Anesthesia frame**

- Individually adjustable
- Can be curved into any desired position

**Technical information**

Can be mounted to a side rail

2 standard clamps may be  
ordered separately

**Recommended combination with**

- standard clamp 1003.22C0



**1002.57AO**  
**Anesthesia screen**

- For holding OR drapes
- Insulated vertical rod protects the patient from grounding
- Height adjustable using standard clamp
- For placement and positioning of the patient's arm in conjunction with arm restraint cuff 1001.4600

**Technical information**

Height adjustment: 470 – 830 mm

Total height: 860 mm

Width of horizontal bar: 620 mm

Mounting to side rail with standard clamp

Standard clamp may be ordered separately

**Recommended combination with**

- anesthesia screen extension 1002.59AO



**1002.59AO**  
**Anesthesia screen extension**

- Extension for anesthesia screen 1002.57AO
- Extension can be swivelled

**Technical information**

Length: 300 mm each

Including: set of 2

**Only in conjunction with**

- anesthesia screen 1002.57AO



**1002.55AO**  
**Tube holder**

- For secure fixation of the breathing tube
- Flexible shaft enables infinite positioning
- May be used for a variety of tube diameters

**Technical information**

Can be mounted to a side rail

Standard clamp may be ordered separately



**1004.15AO**  
**Lateral protection**

- For securing the patient during transportation on the OR table
- Inner surface is padded with SFC
- Can be folded down


**Technical information**

Width x height x length:  
45 x 485 x 725 mm

EU version

Can be mounted to a side rail

Integrated standard clamp

**1005.88A0****Safety side rails**

- For securing the patient during transportation on the OR table
- Can be folded down by 90°

**Technical information**

Width x height x length:  
40 x 370 x 630 mm

Max. workload 20 kg in even distribution corresponding to a 200 kg patient weight

Integrated standard clamp

EU version

Material of device:  
stainless steel, aluminum

Packing unit: 1 pair (2 pieces)

No mechanical cleaning

Can be mounted to a side rail

**1005.89A0****Cover for safety side rails**

- Cover for safety side rails
- Multiple use

**Technical information**

Width x height x length:  
30 x 310 x 630 mm

Material of device: Mfoam

Packing unit: 1 piece

Can be mounted to the safety side rail

**1009.01C0****Infusion stand**

- Ball joint enabling vertical alignment
- 4 metal hooks for holding infusion containers

**Technical information**

Height adjustment: 870 – 1,550 mm

Max. load per hook: 1.25 kg

Can be mounted to a side rail

Integrated standard clamp



**4009.3000**  
**Infusion stand**

- 2 metal hooks for holding infusion containers

**Technical information**

Height adjustment: 875 – 1,300 mm

Max. load per hook: 2 kg

Standard clamp included

Can be set vertically in 15° angles using the radial adjustment

Can be mounted to a side rail



**1003.32C0**  
**Mayo instrument stand**

- Practical shelf for holding instruments during surgery
- Height adjustable
- Flexible position of the shelf
- Angulation possible

**Technical information**

Shelf dimensions width x length:  
260 x 450 mm

Height adjustment: 370 – 560 mm

Max. load: 3 kg

Integrated standard clamp with a ball and socket joint for the rod

Can be mounted to a side rail



**1002.98A0**  
**Instrument table**

- For holding instruments during surgery

**Technical information**

Interior dimensions of shelf surface width x length: 215 x 380 mm

Max. load: 5 kg

Mounting to a pin mounting point of an OR table or a seat plate extension



**1003.44A0**  
**Soiled instrument bowl**

- For collecting OR waste
- Easy to move thanks to swivel mechanism

**Technical information**

Material: CrNi steel

Max. load: 5 kg

Mechanical cleaning is possible

Mounting to a pin mounting point

**1003.46A0****Trolley**

- Transportation and storage of a TUR rinsing set and a bucket

**Technical information**

Including: 1 CrNi steel bucket

Max. load: 20 kg

4 double swivel castors

**Only in conjunction with**

- TUR rinsing set 1003.45D0

**1003.45D0****TUR rinsing set**

- Hygienic intake and drainage of fluids
- Braked guide frame ensures safe use

**Technical information**

Comprises: 1 guide frame, 1 plastic basin, 1 drainage tube, 1 rinsing bowl, 1 sieve cap, 1 sieve, 2 tensioning bars

Mounting to OR table using guide rails

**Recommended combination with**

- trolley 1003.46A0

**1002.40A0****Pin-joint arm for body supports**

- Very flexible positioning using 3 joints
- Quick locking using central handle screw
- High stability and safety

**Technical information**

For mounting of body supports 1002.11X0 and 1002.97A0

Can be mounted to a side rail

Clamp may be ordered separately

**1002.19C0****Fixture for body supports**

- Adjustment options for height and length
- Can be swivelled horizontally

**Technical information**

Width x height: 90 x 340 mm

Length: 280 – 380 mm

Standard clamp included

For mounting body supports 1002.11X0 and 1002.97A0

Can be mounted to a side rail

**1002.11A0****Back / buttocks support**

- Flexible positioning of the pad
- Pad can be rotated on the adapter

**Technical information**

Pad width x length: 120 x 170 mm

Material of pad: PUR

**Combination with**

- fixture for body supports 1002.19C0
- pin-joint arm 1002.40A0

**1002.11B0****Pubis / sternum support**

- Flexible positioning of the pad
- Pad can be rotated on the adapter

**Technical information**

Pad width x length: 85 x 85 mm

Material of pad: PUR

**Combination with**

- fixture for body supports 1002.19C0
- pin-joint arm 1002.40A0

**1002.11C0****Lateral support**

- Flexible positioning of the pad
- Pad can be rotated on the adapter
- Good pressure distribution thanks to slightly concave shape

**Technical information**

Pad width x length: 100 x 210 mm

Material of pad: PUR

**Combination with**

- fixture for body supports 1002.19C0
- pin-joint arm 1002.40A0

**1002.11D0****Supporting roll**

- Flexible positioning of the pad
- Pad can be rotated on the adapter

**Technical information**

Padded roll length: 200 mm

Ø 80 mm

Material of pad: PUR

**Combination with**

- fixture for body supports 1002.19C0
- pin-joint arm 1002.40A0

**1002.11E0****Buttocks support**

- For supporting the patient in lateral position
- Flexible positioning of the pad
- Pad can be rotated on the adapter

**Technical information**

Pad width x length: 240 x 150 mm

Material of pad: SFC

**Combination with**

- fixture for body supports 1002.19C0
- pin-joint arm 1002.40A0

**1002.97A0****Body support**

- For supporting the patient in lateral position
- Oval shape
- Pad can be rotated on the adapter

**Technical information**Pad width x length: 120 x 140 mm  
(at widest point)

Thickness of pad: 35 mm

Material of pad: SFC

**Recommended combination with**

- fixture for body supports 1002.19C0
- pin-joint arm 1002.40A0

**1002.21C0****Lateral support**

- For lateral securing of the patient
- Good pressure distribution thanks to slightly concave shape

**Technical information**

Pad width x length: 100 x 215 mm

Material of pad: PUR

Overall height: 360 mm

Can be mounted to a side rail

Integrated standard clamp

**1002.36A0****Lateral support**

- For supporting the thorax in Beach Chair position
- Good pressure distribution thanks to slightly concave shape

**Technical information**

Pad width x length: 100 x 215 mm

Including: set of 2 (right and left)

Material of pad: PUR

Can be mounted to a side rail

Integrated standard clamp



**1002.17AO**  
**Double lateral support**

- Two individually adjustable pads for stable support, especially in lateral position

**Technical information**

Pad width x length: 85 x 85 mm

Including: standard clamp

Material of pad: PUR

Can be mounted to a side rail



**1002.09C0**  
**Shoulder support**

- Support of the shoulder area, especially in Trendelenburg position
- Individually adjustable to patient's anatomy

**Technical information**

Length of vertical bar: 190 mm

Size of pad width x length:  
100 x 210 mm

Comprises: 2 shoulder supports and  
2 standard clamps

Material of pad: PUR

Can be mounted to a side rail

**Available versions:**

- 1002.09C0

Length of horizontal bar: 190 mm



**1001.75A0**  
**Table width extension, long**

- Good pressure distribution thanks to SFC padding
- With side rail for mounting of additional accessories

**Technical information**

Width x length: 100 x 300 mm

Including: set of 2

Integrated fixation clamp

EU side rail

Can be mounted to a side rail

**1001.76A0****Table width extension, short**

- Good pressure distribution thanks to SFC padding
- With side rail for mounting of additional accessories

**Technical information**

Width x length: 100 x 200 mm

Including: set of 2

Integrated fixation clamp

EU side rail

Can be mounted to a side rail

**1002.94A0****X-ray cassette holder**

- For horizontal positioning and securing of an X-ray cassette underneath the OR table top
- For X-ray cassettes with a short side longer than 180 mm

**Technical information**

Diameter of support plate: 200 mm

Cassette holder height x length: 402 x 497 mm

Can be mounted to a side rail

Integrated standard clamp

**1002.93A0****X-ray cassette slide**

- For accomodating an X-ray cassette
- Width can be adjusted to dimensions of the cassette
- Push rod can be folded in

**Technical information**

Variable width: 360, 390, 400 mm

Length: 506 mm

**Suitable for use with**

- 1118.01, 1118.06, 1118.10
- 1131, 1132, 1133
- 1160.10, 1160.30
- 1433
- 7000, 7200, 7100, 7700
- 1150 table tops except 1150.16/20

**1008.11A0****Radiation protection**

- Flexible X-ray protective curtain
- Lead equivalent value: 0.5 mm
- 2 segments for the lower body mounted on a pivotal arm
- Integrated side rail for mounting accessories
- 3 segments for the upper body
- Upper body protection may be adapted individually

**Technical information**

Weight: 16.9 kg

Suitable for EU and US side rails

No mechanical cleaning

Can be mounted to a side rail

Integrated standard clamp

Kenex catalog no. 312/DS-0412/6



**1009.69A0**  
**Sensor Drive**

- Wireless control unit for OR tables with Autodrive function
- Precise speed regulation using the throttle grip
- Easy movement of the OR table
- Forward and backward motion is possible

**Technical information**

Maximum speed: 3 km/h

Can be mounted to a side rail

**Recommended combination with**

- charging units 1009.70A0 or 1009.71A0/B0

**Suitable for use with**

- tables with Autodrive function
- 1133.22B5, 7200.01B2, 1433.02B0
- 7700, 7700.01B0, B2



**1003.2500**  
**Push bars**

- Comfortable moving of operating tables
- Handle with plastic cover

**Technical information**

Width x height x length:  
50 x 200 x 400 mm

Including: set of 2

Can be mounted to a side rail

Integrated standard clamp



**1180.49A0**  
**Side rail adapter pair**

- To mount the catheter holder and other side rail accessories

**Technical information**

EU side rail

Maximum load per adapter: 10 kg

**Suitable for use with**

- 1180.16X0 CF table tops



**1180.47A0**  
**Catheter holder**

- Catheter holder for secure storage of catheters during surgical interventions
- The side guard prevents catheters from falling down
- Can easily be mounted to a side rail adapter or an OR table top

**Technical information**

Width x height x length:  
600 x 190 x 1,215 mm

Maximum load: 6 kg

**Combination with**

- the pair of side rails 1180.49A0

**Suitable for use with**

- 1180.16X0 CF table tops
- 1160.16AX CF table tops



**1005.40A0**  
**Locking device for side rails**

- For stabilisation of the seat plate,  
e.g. for neurosurgical interventions
- Side rail accessories can be mounted  
as usual

**Technical information**

- Length: 400 mm  
EU side rail  
Can be mounted to a side rail  
2 standard clamps integrated



**1004.91A0**  
**Side rail extension**

- For mounting side rail accessories

**Technical information**

- Length: 490 mm  
EU side rail  
Can be mounted to a side rail  
1 standard clamp integrated



**1001.54A0**  
**Side rail extension**

- Side rail extension with two integrated  
standard clamps

**Technical information**

- Length: 690 mm  
EU side rail  
Can be mounted to a side rail  
2 standard clamps integrated  
**Recommended combination with**
  - OR table top 1150.20**Can be combined with**
  - 1008.11A0



**1004.91B0**  
**Side rail extension**

- For mounting side rail accessories

**Technical information**

- Length: 200 mm  
Material: CrNi steel  
EU side rail  
1 standard clamp integrated  
May only be mounted  
to the end of the side rail

**1005.22A0****Extension rail**

- Extremely long side rail for mounting accessories to the carbon-fiber table top

**Technical information**

Length: 1,700 mm

EU side rail

2 standard clamps integrated

**Only for use in combination with**

- accessory adapters  
1150.70A0 or 1150.72A0
- 1150.16A0

**1001.56A0****Body strap**

- Body strap with metal closure
- Continuously adjustable
- 2 half straps, one long, one short

**Technical information**

Width x length: 120 x 1,500 mm

Material of strap: polyester fabric

Strap is washable (95°C)

Variant 1001.56A1 for Magnus

Can be mounted to a side rail  
with a metal strap holder**1001.56B0****Body strap**

- Body strap with Velcro® closure
- Continuously adjustable
- 2 half straps, one long, one short

**Technical information**

Width x length: 120 x 1,500 mm

Strap is washable (60°)

Variant 1001.56B1 for Magnus

Can be mounted to a side rail  
with a metal strap holder**1001.59A0****Body strap**

- Infinite adjustment
- Secure closure with metal clamp

**Technical information**

Width x length: 120 x 1,500 mm

Material of strap: polyester fabric

Strap is washable (60°)

Can be mounted to a side rail  
with a metal strap holder



**1001.59B0**  
**Body strap**

- Infinite adjustment
- Secure closure with hook and loop fastener

**Technical information**

Width x length: 120 x 1,500 mm

Material of strap: polyester fabric

Strap is washable (60°)

Can be mounted to a side rail  
with a metal strap holder



**1008.12A0**  
**Patient safety strap, medium**

- Body strap with metal closure
- Continuously adjustable from 450 – 1,140 mm
- Gel padded center section

**Technical information**

Width x height x length:  
127 x 12 x 2,430 mm

Maximum patient weight: 227 kg

Material of strap: nylon

No mechanical cleaning

Can be mounted to a side rail

2 clamps integrated

Suitable for use with all OR tables



**1001.58A0**  
**Body strap**

- Body strap with Velcro® fastener
- Continuously adjustable

**Technical information**

Width x length: 120 x 2,200 mm

Material of strap: polyester fabric

Strap is washable (60°)

Suitable for use with all OR tables



**1002.18A0**  
**Support bar**

- Height-adjustable
- Stable stand
- Adaptation to the floor is possible  
via integrated ball joint in the base stand

**Technical information**

Adjustable height: 740 – 1,205 mm

For mounting in round tube  
interface (Ø 18 mm),  
e.g. radial setting clamp

**Recommended combination with**

- pediatric operating table top  
1005.78C0

**1004.07A0****Column protection device**

- Protection against damage at the column cover
- Upper part removable
- Can be mounted to the basis segment of a mobile OR table with three point stand

**Technical information**

Width x height x length:  
70 x 132 x 440 mm

Material of device: stainless steel

Packing unit: 1 set of 4 items

Mechanical cleaning is possible

**Can be combined with**

- Meera 7100, 7200
- Corin 7700

**Suitable for use with**

- Corin 7700.01XX
- Meera 7100.01XX, 7200.01XX

**1132.40A0****Accessory trolley**

- Space saving storage of accessories for mobile operating tables
- Mounting points for head, back and leg plates
- 1 side rail for mounting side rail accessories
- Convenient transport and storage of accessories

**Technical information**

Width x height x depth:  
820 x 1,550 x 805 mm

Up to 3 wire baskets may be mounted

4 double swivel castors,  
2 with brakes

Mechanical cleaning is possible

**1003.48A0****Accessory trolley**

- Space-saving storage of accessories for OR tables
- 2 side rails provided
- Mounting options for leg holders and anesthesia screen

**Technical information**


Width x height x depth:  
900 x 1,450 x 576 mm

Including: 1 wire basket 0802.0783

Up to 4 wire baskets can be mounted

4 double swivel castors,  
2 with brakes

Mechanical cleaning is possible

**0802.0783**  
**Wire basket**

- For accommodating and storing small accessories

**Technical information**

Width x height x length:  
275 x 135 x 835 mm

Mechanical cleaning is possible

**Combination with**

- accessory trolleys 1003.48A0,  
1132.40A0, 1007.06A0

**1007.06A0**  
**Accessory trolley**

- Space saving storage of accessories for the Magnus OR Table

**Technical information**

Width x height x length:  
700 x 1,390 x 900 mm

1 metal basket mounted

2 side rails for mounting accessories

4 double swivel castors,  
2 with brakes

**Recommended combination with**

- wire basket 0802.0783



# 02

Accessories for operating tables  
**Head rests**



**The head rest plays an important role in the anatomically correct positioning of the patient. For this purpose, Maquet offers a wide variety of head positioning accessories: from head rest adapters and simple head rests through to radio-lucent horseshoe head rests.**

All standard head rests and horseshoe head rests have special pads. SFC materials and gel pads ensure optimum distribution of pressure. This enables the OR team to concentrate on the operation with the patient comfortably and safely positioned. Easy Click interfaces enable quick and easy mounting of the head positioning accessories. The requirements of anesthesia and surgical departments are equally met: The anesthesia department requires easy operation with lateral side rails for accessories, whereas surgeons require precise adjustment options.



**1130.54B0**  
**Connection bracket**

- For mounting head positioning accessories, e.g. for neurosurgery

**Technical information**

- |  |
|--|
| Mounting to a small pin mounting point   |
| Square mount for additional head positioning accessories, e.g. fixture 1002.65A0 |
| Round tube mount for Doro® Adjustable Base Unit 1005.50A0                        |



**1180.36A0**  
**Connection bracket**

- Enables attachment of a variety of head positioning accessories
- Easy mounting with Easy Click technology

**Technical information**

- |   |
|---|
| Interface: Magnus basic unit  |
| Round tube mount for Doro® Adjustable Base Unit 1005.50A0             |
| Square mount for head positioning accessories, e.g. fixture 1002.65A0 |
| <b>Suitable for use with</b>  |
| • motorized joint module 1180.11A0                                    |
| • 1180.32A0   |



**1002.07A0**  
**Head rest adapter**

- For mounting standard head rests and horseshoe head rests
- Height and inclination are adjustable
- Securing mechanism to prevent unintentional pull-out

**Technical information**

- |                                      |
|--------------------------------------|
| Mounting to a square interface       |
| <b>Recommended combination with</b>  |
| • connection bracket, e.g. 1130.54B0 |



**1007.16A0**  
**Head rest adapter**

- For mounting standard head rests and horseshoe head rests
- Height and inclination can be adjusted
- Can be rotated
- Securing mechanism to prevent unintentional pull-out

**Technical information**

- |   |
|---|
| Length of height-adjustable bar: 340 mm |
| Length of side rail: 200 mm             |
| Mounting to square mount                |
| <b>Combination with</b>                 |
| • connection bracket 1130.54B0          |

**1002.10AO****Adjustable head rest adapter**

- For mounting standard head rests and horseshoe head rests
- High stability and safety
- Flexible and easy adjustment by using 3 joints
- Quick locking with only one central handle screw

**Technical information**

Maximum patient weight: 250 kg

Width x length:  
200 x 438 mm extended

Safety lever to prevent unintentional pull-out from interface

Mounting to OR tables, table tops and accessories with a round pipe mounting point

**1002.65AO****Fixture**

- Connection element for head rests, e.g. horseshoe or head plate to the OR table
- Side rail for mounting of head rests
- Adjustment by using 3 individually adjustable joints

**Technical information**

Length: 430 mm (extended)

Width of side rail: 250 mm

Mounting to a square mounting point  
Safety lever to prevent unintentional pull-out from interface

**Combination with**

- connection brackets, e.g. 1130.54B0

**1002.73AO****Flat head rest**

- Radiolucent with the exception of the mounting point region
- Support plate can be shifted longitudinally and is fixed with 2 handle screws

**Technical information**

Width x length: 230 x 290 mm

Material of pad: SFC

Mounting to a fixture with side rail mounting point, e.g. 1002.65AO

**1002.72AO****Horseshoe head rest – two-section**

- Width of the two sections can be adjusted
- Can be used in prone and supine positions
- 2 seamless SFC pads

**Technical information**

Width x height x length:  
230 x 120 x 260 mm  
(total width of two sections)

Including: 1 fastening strap incl. forehead pad

Material of pad: SFC

Mounting to fixture (e.g. 1002.65AO) or head rest adapter with a side rail



**1002.66A0**  
**Horseshoe head rest  
with one-handed adjustment**

- For placement and positioning of the patient's head
- Can be used in prone and supine position
- Quick one-handed adjustment
- Infinite adjustment
- SFC pads

**Technical information**

Including: fastening strap and pad

Mounting to a square mounting point

Width x height x length:  
320 x 120 x 460 mm

Safety lever to prevent unintentional pull-out from interface

Locking lever can be slid in and out

**Combination with**

- head rest adapter or trapezoidal shaped head plate (e.g. 1160.35AC)



**1002.81D0**  
**Head rest**

- Good access to the patient's head thanks to the extra-slim design
- Infinite inclination adjustment
- Controlled adjustment via braking mechanism

**Technical information**

Width x length: 210 x 260 mm

Material of pad: PUR

Adjustment angle: ± 50°

Height adjustment: 80 mm

Mounting to a square mounting point



**1130.81A0**  
**Head rest adapter**

- For accommodating head rests and connection brackets to the lower back plate

**Technical information**

1 pair (right, left)

Mounting to a pin mounting point

**Suitable for use with**

- 1118.10
- 1131, 1132, 1133
- 1433
- 7000, 7100, 7200
- 7700
- 1160.10/30



**1132.81A0**  
**Head rest adapter**

- For accommodating head rests and connection brackets on the lower back plate

**Technical information**

1 pair (right, left)

Mounting to a pin mounting point

**Suitable for use with**

- 1118
- 1132

**1130.64G0****Head rest**

- For positioning of the patient's head
- Quick adjustment using a trigger bar
- Equipped with X-ray cassette holder

**Technical information**

Adjustment angle: + 47°/- 61°

Width x height x length:  
508 x 160 x 250 mm  
(without side rails)

Maximum patient weight: 380 kg

Material of pad: SFC

Mounting to a small  
pin mounting point

EU side rail

**Recommended combination with**

- extension plate 1131.31BC
- head rest adapter 1130.81A0 or  
1132.81A0

**Available versions:**

- 1130.64C0 with SFC padding,  
without side rail
- 1130.64G0 with SFC padding,  
with side rail

**1130.53B0****Head rest**

- Controlled adjustment via  
braking mechanism
- Additional adjustment options thanks  
to double joint – head plate can be inclined  
and raised
- Enabling comfortable lateral positioning
- Equipped with X-ray cassette holder

**Technical information**

Adjustment angle: + 33°/- 90°

Width x height x length:  
508 x 160 x 250 mm

Maximum patient weight: 135 kg

Mounting to a small  
pin mounting point**Recommended combination with**

- extension plate 1131.31BC
- head rest adapter 1130.81A0 or  
1132.81A0

**Available versions:**

- 1130.53B0 with SFC padding
- 1130.53D0 with PUR padding

**1130.67B0****Head rest**

- Easy adjustment using pneumatic support
- Adjustment can be set via a release lever
- Equipped with X-ray cassette holder

**Technical information**

Adjustment angle: + 30° / - 45°

Width x height x length:  
540 x 160 x 295 mm

Maximum patient weight: 380 kg

Material of pad: SFC

Mounting to a small  
pin mounting point

EU side rail

**Recommended combination with**

- extension plate 1131.31BC
- head rest adapter  
1130.81A0 or 1132.81A0

**1160.64AC****Head rest**

- Head rest with inclination
- Colour-coded adjustment levers
- IPC pad with integrated base plate – Velcro®-free fixation – available
- Side rail mounted on each outside edge
- Fitted with cassette holder for X-ray cassette slide (1002.93A0)
- Easy mounting with Easy Click technology

**Technical information**

Adjustment angle: + 84° / - 60°

Width x height x length:  
590 x 139 x 300 mm

Maximum patient weight: 454 kg

Mounting to a pin mounting point

1160.64AC suitable for  
mechanical cleaning

EU side rail

**Suitable for use with**

- 1160.10/30
- mobile OR tables 1133.22, 1433, 7000, 7100, 7200, 7700

**Available versions:**

- 1160.64AC with IPC padding
- 1160.64BC with SFC padding

**1160.53AC****Head rest**

- Head rest can be inclined and raised
- Colour-coded adjustment levers
- IPC pad with integrated base plate
  - Velcro®-free fixation – available
- Side rails mounted on each outside edge
- Controlled adjustment via braking mechanism
- Fitted with cassette holder for X-ray cassette slide (1002.93A0)
- Easy mounting with Easy Click technology

**Technical information**

Large adjustment angle: +84° / -60°

Width x height x length:  
590 x 139 x 300 mm

Maximum patient weight: 380 kg

Mounting to a pin mounting point

1160.53AC suitable for  
mechanical cleaning

EU side rail

**Suitable for use with**

- 1160.10/30
- mobile OR tables, 1133.22, 1433, 7000, 7100, 7200, 7700

**Available versions:**

- 1160.53AC with IPC padding
- 1160.53BC with SFC padding

**1180.50A0****Head rest**

- Quick adjustment of inclination via release lever below the plate
- Controlled adjustment via braking mechanism
- Easy mounting with Easy Click technology

**Technical information**

Large adjustment angle: + 36° / - 60°

Width x length:  
580 x 360 mm

Maximum patient weight: 380 kg

Interface: Magnus basic unit

Material of pad: SFC

EU side rail surrounding the plate

**Recommended combination with**

- back plate 1180.31A0

**Suitable for use with:**

- 1180.10A0

**1180.53A0****Head rest**

- Additional adjustment options thanks to double joint – head plate can be inclined and raised
- Anatomical positioning of the patient's head in lateral and supine positions
- Easy mounting with Easy Click technology

**Technical information**

Large adjustment angle: + 117° / - 43°

Width x length: 550 x 350 mm

Maximum patient weight: 380 kg

Interface: Magnus basic unit

Material of pad: SFC

EU side rail

**Recommended combination with**

- extension plate 1180.32A0

**Suitable for use with:**

- 1180.10A0

**1180.46A0****Extension plate**

- For extending the table top
- Metal-free radiolucent

**Technical information**

Width x length: 460 x 390 mm

Maximum patient weight: 250 kg

Material of pad: SFC

Mounting to screw-fitted mounting point

**Recommended combination with**

- carbon-fiber plate 1180.45A0

**1002.15A0****Head support for shoulder operations**

- Side elements can be folded down
- Can be used for a variety of head circumferences
- Stable fixation of the head

**Technical information**Width x height x length:  
200 x 156 x 332 mm

Maximum patient weight: 250 kg

Including: 2 fixture straps

Soft pads are fixed with Velcro® and can be replaced

Mounting to the side rail mounting point

**Recommended combination with**

- shoulder plates

**1150.71C0****Head rest**

- Trapezoidal-shaped head rest
- Metal-free radiolucent
- Lightweight

**Technical information**

Width x height x length:  
340 x 65 x 200 mm

Maximum patient weight: 245 kg

Material of pad: SFC

Mounting to a dovetail  
mounting point

**Recommended combination with**

- carbon-fiber table top 1150.16B0

**Available versions:**

- 1150.71B0 with SFC padding,  
combination with 1150.16B0;  
width x length: 460 x 200 mm
- 1150.71C0,  
combination with back plates  
1150.37B0, 1150.45BC;  
width x length: 340 x 200 mm

# 03

Accessories for operating tables

## Arm supports



**Correct support for the patient's arm plays an important part in a successful procedure. A poorly positioned arm may lead to nerve damage for the patient. Even in short interventions, it may result in pressure points on the skin.**

Maquet accessories with SFC padding minimise this risk. In addition, the exact adjustment mechanisms ensure that the supports can be adapted to suit both patient and OR team so that the patient's arm can be securely and comfortably positioned.

These arm-support accessories meet the requirements of anesthesia and surgical departments alike. The anesthesia team benefits from quick and easy adjustment of the arm, while the work of the OR team is facilitated by using the arm protector 1002.25A0. This arm protector secures the patient's arm and, at the same time, offers the surgeons something to lean on and thus relieve the strain on their spine.



**1001.44E0**  
**Arm support**

- Individually adjustable
- Can be rotated and adjusted in length and height
- Hollow shape of pad supporting secure positioning
- Secure fixation of the arm with 2 fixture straps

**Technical information**

Length of arm rest: 300 mm

Including: 2 fixture straps

Spare part: fastening strap 3100.7614

Can be mounted to a side rail

Integrated standard clamp

**Available versions:**

- 1001.44E0 with SFC padding



**1001.44F0**  
**Arm support**

- Individually adjustable
- Can be rotated and adjusted in length and height
- Hollow shape of pad supporting secure positioning
- Secure fixation of the arm with 2 fixture straps

**Technical information**

Length of arm rest: 450 mm

Including: 2 fixture straps

Spare part: fastening strap 3100.7614

Can be mounted to a side rail

Integrated standard clamp

**Available versions:**

- 1001.44D0 with PUR padding
- 1001.44F0 with SFC padding



**1008.17A0**  
**KTEK Armboard Swivel, large**

- Individually adjustable
- Can be rotated and adjusted in length and height
- Foam pad with integrated padded fixation part for the arm

**Technical information**

Width x height x length:  
317 x 16 x 450 mm

Weight: 2.8 kg

Maximum patient weight: 227 kg

For EU and US side rails

Material of device:  
stainless steel, aluminum

Material of pad: Polyurethane foam

Comprises: 1 piece  
incl. pad with fixation part

No mechanical cleaning

Can be mounted to a side rail

**Clamps to be ordered separately:**

- 1003.22C0 standard clamp
- 1003.23C0 radial setting clamp

**Available versions:**

- 1008.17A0
- 1008.17B0

**1008.17B0****KTEK Armboard Swivel, small**

- Individually adjustable
- Can be rotated and adjusted in length and height
- Foam pad with integrated padded fixation part for the arm

**Technical information**Width x height x length:  
165 x 16 x 450 mm

Weight: 2.7 kg

Maximum patient weight: 227 kg

For EU and US side rails

Material of device:  
stainless steel, aluminum

Material of pad: Polyurethane foam

Comprises: 1 piece  
incl. pad with fixation part

No mechanical cleaning

Can be mounted to a side rail

**Clamps to be ordered separately:**

- 1003.22C0 standard clamp
- 1003.23C0 radial setting clamp

**Available versions:**

- 1008.17A0

**1001.6000****Arm support**

- One-hand operation
- Adjustable both horizontally and vertically
- Self-locking adjustment lever
- Lightweight accessory

**Technical information**Width x height x length:  
180 x 200 x 600 mm

Weight: 3 kg

Maximum patient weight: 135 kg

Adjustment angle: +30° / -40°

Including: 1 standard clamp and  
2 fixture straps

With SFC pad

Spare part: fastening strap 3101.7614

Can be mounted to a side rail

**SU01.04990001****Swivel arm board**

- Pressure distribution thanks to SFC padding
- Can be swivelled horizontally gradually

**Technical information**

Width x height x length:  
145 x 575 x 210/190 mm

Weight: 2.8 kg

Maximum patient weight: 135 kg

Swivel range: 0 – 180°, in 22.5° steps

Including: standard clamp

For EU side rails

Can be mounted to a side rail

**Available versions:**

- SU01.04990001  
with padding height 80 mm
- SU01.04990002  
with padding height 60 mm

**1008.15A0****KTEK Trigger Armboard**

- One-hand operation
- Freely adjustable
- Integrated snap clamp can be mounted on side rails in any position
- Radiolucent

**Technical information**

Width x height x length:  
140 x 75 (pad) x 660 mm

Weight: 1.8 kg

Maximum patient weight: 227 kg

For EU side rails

Material of device: stainless steel,  
aluminum, carbon steel (?)

Material of pad: soft foam

Comprises: 1 armboard, 1 pad,  
2 soft armboard straps

Spare parts: soft arm board straps  
(Kyra prod. no. 8310)

No mechanical cleaning

Can be mounted to a side rail

Integrated snap clamp



**1002.30A0**  
**Trimano Fortis**

- Support arm can be used in various surgical disciplines
- Simple to operate with the Click and Move system
- Flexible positioning also during the operation
- Easy mounting of accessories
- Immediately ready for use without power supply or additional compressed air connection

**Technical information**

- Width x height x length:  
110x 390x 900 mm  
Weight: 6.4 kg  
Maximum patient weight: 250 kg  
Sterile cover sets available  
Can be mounted to a side rail
- Combination with**
- adapter Trimano Fortis 1002.31A0
  - arm support 1002.32A0



**1002.32A0**  
**Arm support**

- Accessory for Trimano Fortis
- Easy mounting with Easy Click technology
- Secure positioning of the arm

**Technical information**

- Width x height x length:  
125 x 90 x 310 mm  
Weight: 0.7 kg  
Maximum patient weight: 250 kg  
Including: 1 fastening strap  
Material of pad: SFC
- Variant:**  
arm rest 1002.43C0 for Trimano 3D



**1002.49A0**  
**Arm rest**

- Very flexible adjustment using 3 joints
- Quick locking using central handle screw
- Colour coding identifies the closure of the handle screw
- Rounded pad for protecting either the bend of the elbow or the axilla

**Technical information**

- Dimensions of arm board pad width x length: 130 x 520 mm  
Extended length of arm rest: 780 mm  
Weight: 4 kg  
Maximum patient weight: 250 kg  
Including: 2 fastening straps  
Adjustable arm: 780 mm  
Can be mounted to a side rail

**Clamp may be ordered separately:**

- 1003.22C0
- 1003.23C0
- 1003.61A0

**1005.30A0****Fisso arm support lateral**

- Flexible positioning by using 3 articulations
- Central locking mechanism for quick fixation
- Pad shaped ergonomically
- Pad mounted directly to carrier plate

**Technical information**

Height adjustment joint arm: 460 mm

Length of the pad: 450 mm

Maximum patient weight: 10 kg

Fixation clamp included

**1001.4600****Arm restraint cuff**

- For fixation of the patient's lower arm to an anesthesia screen
- Enables raised position of the arm
- Secure fixation by hook and loop fastener

**Technical information**

Width x length: 120 x 350 mm

Weight: 0.5 kg

Maximum patient weight: 135 kg

Strap width x length: 120 x 350 mm

Strap is washable (60 °C)

**Only in conjunction with**

- anesthesia screen 1002.57A0

**1001.63A0****Multi-purpose plate for arm surgery**

- Metal-free and radiolucent in the middle section
- Horizontal position of the hand operating table can also be maintained with Trendelenburg position
- Support bar can be mounted on both sides of the table end
- Additional accessories may be mounted on the side rail
- Radiolucency from finger tip to finger tip when using two hand operating tables in combination with a carbon-fiber table top and adapter 1001.64X0

**Technical information**Width x height x length:  
380 x 25 x 845 mm

Weight (plate only): 5 kg

Maximum patient weight: 454 kg

Height adjustment of support bar:  
700 – 1,160 mmComprises: multi-purpose plate,  
1 support bar 3115.1069, 1 T-adapter

EU side rail

Mounting to a side rail  
with radial setting clamp**Clamp may be ordered separately:**

- 1003.22C0
- 1003.23C0
- 1003.61A0

**Recommended combination with**

- adapter for carbon-fiber table top  
1001.64X0

**1005.95A0****Carbon-fiber arm surgery table**

- Carbon-fiber carrier plate
- Soft foam pad
- Center piece is radiolucent
- CF support bar can be mounted on both sides of the table end

**Technical information**

Height adjustment: 720 – 1,150 mm

Width x length: 525 x 820 mm

Weight: 5.6 kg

Maximum patient weight: 270 kg

EU side rail

Material of device: carbon fiber, aluminum, stainless steel

Comprises: 1 multi purpose plate incl. pad, 1 support bar

No mechanical cleaning

Can be mounted to a side rail

2 fixation clamps included

**1001.64X0****Adapter for CF table top**

- For mounting the hand operating table 1001.63A0 to a carbon-fiber multi-purpose plate or OR table top
- Radiolucent

**Technical information**

Including: 1 side rail

EU side rail

**Available versions:**

- 1001.64A0 for CF plate 1150.45BC, 1001.64B0 for CF plate 1180.45A0 and OR table tops 1180.16A1, A2, A5, 1160.16 A1, A0
- 1001.64C0 for CF plate 1132.45AC and OR table tops 1150.16B0, 1180.16A6



**1001.42AO**  
**Arm support**

- Radiolucent through a full 360°
- Easy to slip under the SFC padding
- Radiolucency from spine to hand is possible, e.g. by combining with carbon-fiber multi-purpose plate 1150.45BC

**Technical information**

Posturing plate width x length:  
500 x 1,000 mm

SFC pad width x length:  
250 x 670 mm

Comprises: 1 arm board, 1 SFC pad,  
2 fastening straps

Spare part: fastening strap 3101.8434



**1001.40BO**  
**Arm protector, curved**

- Easy to slip under the SFC padding
- The patient's arm is protected safely
- The curved shape gives extra space for the arm

**Technical information**

Width x height x length:  
275 x 156 x 400 mm

Weight: 1 kg

Material: Plexiglas, transparent

No mechanical cleaning

**Variant:**

- 1001.40AO

**Compatible with**

- all OR table tops with SFC padding with exception of 1150.16B0, 1180.10, 1150.13B0, 1180.13AO



**1001.40AO**  
**Arm protector**

- Easy to slip under the SFC padding
- The patient's arm is protected safely

**Technical information**

Width x height x length:  
225 x 210 x 400 mm

Material: Plexiglas, transparent


No mechanical cleaning

**Compatible with**

- all OR table tops with SFC padding with exception of 1150.16B0, 1180.10, 1150.13B0, 1180.13AO

**1002.25A0****Arm protector**

- Arm protector for positioning and securing the patient's arm
- Sturdy stainless steel guard protecting the arm
- Inlay: SFC padding
- Relieves strain on the back muscles by allowing the surgeon to rest against it

**Technical information**

Width x height x length:  
250 x 190 x 450 mm

Including: 2 straps to secure the arm

Material of pad: SFC

Can be mounted to a side rail

Integrated standard clamp

**1002.24C0****Arm restraint cuff**

- For securing the arm
- Fixation of arm strap with Velcro® fastener
- Strap can be removed and is washable

**Technical information**

Width x height x length:  
70 x 50 x 410 mm

Weight (plate only): 0.7 kg

Spare part: strap 3101.0234


Can be mounted to a side rail

Integrated standard clamp

Strap is washable (60 °C)

# 04

Cross-discipline accessories  
**Back and lithotomy  
positioning**



**The range of back plates supplied by Maquet is extremely versatile. They include from radiolucent multi-purpose plates, modular back plates for shoulder operations, extension plates for very large patients, and trapezoidal shaped plates that improve ergonomic access to patients. Seat plate extensions, for example, for laparoscopy or urological interventions, complete the range.**

All accessories for supine positions have something in common: high quality and durability. As surgical procedures have changed over the years, appropriate OR tables and accessories have been developed in line with the new requirements. They are designed to promote optimum workflow by way of their high modularity, adaptability and short changeover times.

**1160.45XC****Carbon-fiber insertable plate**

- Radiolucent through a full 360°
- Very long X-ray window depending on the version and attached head rests

**Technical information**

Mounting to interface for insertion of 1160 table tops and mobile OR table Corin

Material: carbon fiber

With SFC pad

**Recommended combination with**

- accessory trolley 1003.86A0

**Combination with**

- adapter for CF plates 1001.64B0
- accessory adapter 1180.72A0

**Suitable for use with**

- 1160.10/30
- 7.700.01

**Available versions:**

- Insertable CF plate 1160.45AC without head rest interface, length: 1,850 mm
- Insertable CF plate 1160.45BC with head rest interfaces for screw-fitted and push-fit head rests, length: 1,520 mm

**1433.45BC****Carbon-fiber insertable plate**

- Radiolucent through a full 360°
- Very long X-ray window depending on the version and attached head rests

**Technical information**

Interface for insertion on 1433 of Yuno

With SFC pad

**Recommended combination with**

- accessory trolley 1003.86A0

**Combination with**

- adapter for CF plates 1001.64B0
- accessory adapter 1180.72A0

**Suitable for use with**

- Yuno 1433.01/02

**Available versions:**

- 1433.45AC  
insertable plate (long version), without head rest interface, length: 1,830 mm
- 1433.45BC  
insertable plate (short version), with head rest interfaces for screw-fitted and push-fit head rests, length: 1,535 mm



- 1003.86A0**  
**Accessory trolley for carbon-fiber insertable plates**
- Accessory trolley for storage and transport of carbon-fiber clip-on plates and related pads

#### Technical information

Width x length x height:  
700 x 850 x 1,350 mm

4 double swivel castors,  
2 castors with brakes

#### Suitable for

- carbon-fiber plates for insertion
- 1433.45AC/BC for Yuno II
- 1160.45AC/BC for 1160.10/30 table tops



- 1180.45A0**  
**Carbon-fiber multi-purpose plate**

- Radiolucent through a full 360°
- Pressure distribution thanks to SFC padding
- Easy mounting with Easy Click technology

#### Technical information

Interface: Magnus basic unit

Material of pad: SFC

Radiolucent area width x length:  
460 x 650 mm

Screw-fitted head rest mounting point for additional accessories

#### Suitable for use with

1180.10A0



- 1180.37A0**  
**Carbon-fiber back plate**
- Radiolucent through a full 360°
  - Short side rail for mounting side rail accessories
  - Easy mounting with Easy Click technology

#### Technical information

Interface: Magnus joint module

Material of pad: SFC

EU side rail

Screw-fitted and push-fit head rest mounting points for additional accessories, e.g. accessory adapter 6005.25A0

#### Suitable for use with

- motorized joint module 1180.11A0



- 1180.44AC**  
**Carbon-fiber multi-purpose plate for lithotomy position**

- Radiolucent through a full 360°
- Extra wide sacral cut-out
- Attachment of leg plates or leg holders possible
- Easy mounting with Easy Click technology
- Pin mounting point for leg plates 1133.53, 1133.58, 1118.50B0

#### Technical information

Overall dimensions width x length:  
576 x 852 mm

Radiolucent area width x length:  
400 x 530 mm

Interface: Magnus basic unit

Material of pad: SFC

EU side rail (short)

#### Suitable for use with

- 1180.10A0



**1150.45BC**  
**Carbon-fiber multi-purpose plate**

- Radiolucent through a full 360°
- CT compatible

**Technical information**

Width x length: 600/395 x 900 mm

Material of pad: SFC

Dovetail interface for mounting specific head-positioning accessories, e.g. horseshoe head rest 1002.04B0

Mounting to a pin mounting point

**Recommended combination with**

- accessory adapter 1150.72B0

**Suitable for use with**

- 1150.19/25/30



**1433.33AC**  
**Carbon-fiber back plate**

- Radiolucent through a full 360°
- Attachment of accessories for positioning of the head possible
- Pressure distribution thanks to SFC padding
- Easy mounting with Easy Click technology

**Technical information**

Width x length: 530 x 495 mm

Material of pad: SFC

Screw-fitted and push-fit head rest mounting points for additional accessories, e.g. accessory adapter 6005.25A0 or skull clamp holder 1005.48B0

Mounting to a pin mounting point

**Suitable for use with**

- 1131, 1132, 1133, 1433, 7200, 7100, 1160.10/30, 7700



**1132.45AC**  
**Back plate**

- Radiolucent through a full 360°
- Pressure distribution thanks to SFC padding
- Accessory adapter with side rails can be mounted

**Technical information**

Width x length: 520 x 1,155 mm

Material of pad: SFC

Mounting to a pin mounting point

**Recommended combination with**

- accessory adapter 1150.72A0
- accessory stand 1003.87A0

**Suitable for use with**

- 1118.06/10, 1131, 1132, 1133, 1433, 7000, 7100, 7200, 1160.10/30, 7700



**1003.87A0**  
**Accessory stand for carbon-fiber back plate**

- Space-saving storage of back plate 1132.45AC and related SFC pad

**Technical information**

Width x height x length:  
540 x 900 x 700 mm

4 double swivel castors,  
2 with brakes

**1150.72A0****Accessory adapter**

- For mounting side rail accessories to a carbon-fiber OR table top and carbon-fiber back plates
- Radiolucent in the middle segment

**Technical information**

EU side rail

**Available versions:**

- 1150.72A0 suitable for use with table top 1150.16B0  
(length of side rail: 400 mm)
- CF plate 1132.45AC
- CF table top 1180.16A6
- 1150.72B0 suitable for use with CF plate 1150.45BC  
(length of side rail: 300 mm)

**1150.70A0****Accessory adapter**

- For mounting side rail accessories to OR table top 1150.16B0
- Radiolucent

**Technical information**

Length of side rail: 340 mm

EU side rail

**Suitable for use with**

- 1150.16B0
- 1180.16A6
- 1132.45AC

**1180.72X0****Accessory adapter**

- For mounting accessories to carbon-fiber plates
- Multi-purpose plate 1180.45A0
- Table tops 1180.16X0
- Radiolucent CF bar in the middle segment

**Technical information**

Length of side rail: 300 mm

EU side rail

**Available versions:**

- 1180.72A0 suitable for 1180.16A1/A2/A3/A5, CF plates 1180.45AC, insertable CF plates 1160.45XC, 1433.45XC and 1160.16A0/A1/A2 CF table tops
- 1180.72B0 suitable for transfer table top 1180.12A0

**1180.31A0****Back plate**

- For modular configuration of a Magnus Table Top
- Excellent pressure distribution thanks to hybrid pad
- Easy mounting with Easy Click technology

**Technical information**

Width x length:

580 x 365 mm (with side rail)

Interface: Magnus joint module

EU side rail

**Suitable for use with**

- motorized joint module 1180.11A0



**1160.32AC**  
**Extension plate**

- For configuration of the operating table top
- Mounting to a pin mounting point
- Easy mounting with Easy Click technology

**Technical information**

Width x length x height:  
590 x 250 x 158 mm (with side rail)

EU side rail

**Suitable for use with**

- 1160.10/30,
- mobile OR tables 1118.06/10, 1131, 1132, 1133, 1433, 7200, 7100, 7000, 7700

**Available versions**

- 1160.32AC with IPC padding
- 1160.32BC with SFC padding
- 1160.32DC with IPC pad, washable



**1160.33XC**  
**Extension plate, short**

- For configuration of the operating table top
- Especially for procedures on head and neck
- Mounting of retrofit kit for skull clamp holders possible
- Easy mounting with Easy Click technology

**Technical information**

Width x height x length:  
590 x 158 x 160 mm

Weight: 5.6 kg

Maximum patient weight: 545 kg

EU side rail

Material of pad: SFC, IPC

Mounting to a pin mounting point

**Suitable for use with**

- 1160.10/30
- Mobile OR tables 1118.06/10, 1131, 1132, 1133, 1433, 7200, 7100, 7000, 7700

**Available versions**

- 1160.33BC with SFC padding, EU side rail
- 1160.33DC with IPC padding, EU side rail, washable

**Only in conjunction with**

- 1160.32XC extension plate
- 1160.55XC seat plate extension
- 1131.55BC seat plate extension



**1160.36AO**  
**Retrofit kit for standard holder for Doro® skull clamps**

- For combination with a standard holder for Doro® skull clamps and Doro® Adjustable Base Unit 1005.50AO

**Technical information**

Weight: 0.9 kg

Maximum patient weight: 250 kg

Comprises: 1 pair

**Only in conjunction with**

- 1160.33XC extension plate (may be ordered separately)

**1160.36B0****Retrofit kit for standard holder  
for Sugita Skull Clamps**

- Retrofit kit for combination with a standard holder for Sugita Skull Clamps

**Technical information**

Weight: 0.8kg

Maximum patient weight: 250 kg

Comprises: 1 pair

**Only in conjunction with**

- 1160.33XC extension plate (may be ordered separately)

**1150.31B0****Back plate**

- Back plate with claw and small pin interface

**Technical information**

Width x length: 540 x 300 mm

Adjustment angle +90°/-60°

EU side rail

Mounting to claw mounting point

**Suitable for use with**

- 1150.20/30

**Available versions**

- 1150.31B0 with SFC padding
- 1150.31D0 with PUR padding

**1160.35AC****Back plate**

- Trapezoidal-shaped plate for close access to head and shoulder area
- Enabling procedures on the head, e.g. ENT procedures
- Additional square mounting point for head positioning accessories
- Easy mounting with Easy Click technology
- Square mount for head positioning accessories

**Technical information**

Width x length: 546 x 278 mm

Mounting to a pin mounting point

**Suitable for use with**

- 1160.10/30
- mobile OR tables 1118.06/10, 1133.22, 1433, 7000, 7100, 7200, 7700

**Available versions**

- 1160.35AC with IPC padding, washable
- 1160.35BC with SFC padding

**1180.38A0****Universal extension plate**

- For modular configuration of a Magnus OR Table Top
- Excellent pressure distribution thanks to hybrid pad
- Easy mounting with Easy Click technology

**Technical information**Width x length:  
580 x 550 mm (with side rail)

Interface: Magnus basic unit

Material of pad: SFC

EU side rail

**Suitable for use with**

- basic unit 1180.10A0



**1180.32A0**  
**Extension plate**

- For modular configuration of a Magnus OR Table Top
- Excellent pressure distribution thanks to hybrid pad
- Easy mounting with Easy Click technology

**Technical information**

Width x length:  
580 x 230 mm (with side rail)

Interface: Magnus basic unit

Material of pad: SFC

EU side rail

**Suitable for use with**

- basic unit 1180.10AO



**1131.31BC**  
**Extension plate**

- For extending the table top
- Guide rails for X-ray cassettes
- Easy mounting with Easy Click technology

**Technical information**

Width x length: 590 x 250 mm

Material of pad: SFC

EU side rail

Mounting to a pin mounting point

**Suitable for use with**

- 1118, 1131, 1132.21/22, 1133
- 1433
- 7000, 7100, 7200, 7700
- 1160.10/30



**1180.11A0**  
**Motorized joint module**

- High maneuverability provided by two separately controlled motors
- Excellent pressure distribution thanks to hybrid pad
- Easy mounting with Easy Click technology

**Technical information**

Width x length: 580 x 300 mm

Interface: Magnus basic unit

Material of pad: SFC

Including: 2 joint modules,  
1 padded plate 1180.11A1

EU side rail

**Suitable for use with**

- 1180.10



**1180.11B0**  
**Motorized joint module**

- High maneuverability provided by two separately controlled motors
- Improved pressure distribution thanks to hybrid pad
- Easy mounting with Easy Click technology
- Padded plate with sacral cut-out

**Technical information**

Width x length: 580 x 345 mm

Interface: Magnus basic unit

Material of pad: SFC

Including: 2 joint modules,  
1 padded plate 1180.11B1

EU side rail

**Suitable for use with**

- 1180.10

**1180.11A1****Padded plate**

- Enables the mounting of back plates to the motorized joint module
- Improved pressure distribution thanks to hybrid pad
- Simple to mount

**Technical information**

Width x length: 520 x 320 mm

Material of pad: SFC

**For combination with**

- motorized joint module 1180.11X0

**Suitable for use with**

- 1180.10

**1180.11B1****Padded plate**

- Enables the mounting of leg plates to the motorized joint module
- Improved pressure distribution thanks to hybrid pad
- Simple to mount
- With sacral cut-out

**Technical information**

Width x length: 520 x 345 mm

Material of pad: SFC

**For combination with**

- motorized joint module 1180.11X0

**Suitable for use with**

- 1180.10

**1180.11C1****Urology seat plate**

- For use in conjunction with joint module 1180.11X0
- Padded plate with sacral cut-out enabling good access to the surgical field
- Plate is fitted with guide rails for insertion of a TUR rinsing set
- Good pressure distribution thanks to hybrid pad

**Technical information**

Width x length: 520 x 345 mm

Material of pad: SFC

Mounting to motorized joint module 1180.11X0

**Recommended combination with**

- TUR rinsing set 1003.45D0

**1180.55A1****Universal module**

- Extension of the table top
- With sacral cut-out
- Pressure distribution thanks to SFC padding
- Easy mounting with Easy Click technology

**Technical information**

Width x length: 582 x 379 mm

Interface: Magnus basic unit

Material of pad: SFC

EU side rail

**Suitable for use with**

- 1180.10



**1180.55A0**  
**Universal module**

- Extension of the table top
- With sacral cut-out
- Pressure distribution thanks to SFC padding
- Easy mounting with Easy Click technology

**Technical information**

Width x length: 582 x 160 mm

Interface: Magnus basic unit

Material of pad: SFC

EU side rail

**Suitable for use with**

- 1180.10



**1160.55AC**  
**Seat plate extension**

- For extending the table top e.g. for X-ray and TUR applications
- Seat plate with gyn. cut-out
- Fitted with guide rails for insertion of X-ray cassettes
- Easy mounting with Easy Click technology
- For use with TUR procedures, please order rail set 1160.56A0

**Technical information**

Width x height x length:  
590 x 158 x 250 mm

Maximum patient weight: 454 kg

EU side rail

Mounting to a pin mounting point

**Suitable for use with**

- 1160.10/30
- 1118.06, 1118.10, 1133.22, 1433.02, 7000, 7100, 7200, 7700

**Available versions:**

- 1160.55AC with IPC padding
- 1160.55BC with SFC padding
- 1160.55DC with IPC padding, washable

**May be ordered separately:**

- 1160.56A0 guide rails for TUR rinsing set, pair



**1150.55HC**  
**Seat plate extension**

- For extending the table top
- Especially for X-ray and TUR applications
- With sacral cut-out
- Pressure distribution thanks to SFC padding

**Technical information**

Width x length: 573 x 260 mm

Material of pad: SFC

EU side rail

Mounting to a pin mounting point

**Suitable for use with**

- 1150.19/30

**Variant:**

- 1150.55DC washable

**1131.55BC****Seat plate extension**

- For extending the table top for radiolucency of the pelvic area
- Guide rails for X-ray cassettes or TUR rinsing set
- With gyn. cut-out
- Easy mounting with Easy Click technology

**Technical information**

Width x length: 590 x 250 mm

Including: 2 guide rails for combination with TUR rinsing set 1003.45D0

Material of pad: SFC

EU side rail

Mounting to a pin mounting point

**Suitable for use with**

- 1118, 1131, 1132.21/22, 1133, 1433, 7000, 7100, 7200, 7700, 1160.10/30

**1130.55B0****Seat plate extension**

- For extending the table top for radiolucency of the pelvic area, e.g. for urological interventions
- Guide rail for X-ray cassettes or TUR rinsing set

**Technical information**

Width x length: 573 x 260 mm

EU side rail

Mounting to a pin mounting point

**Recommended combination with**

- TUR rinsing set 1003.45D0

**Suitable for use with**

- 1118.01 and 1118.03

**Available versions:**

- 1130.55A0 with PUR pad
- 1130.55B0 with SFC pad

**1001.74B0****Bariatric OR table set**

- For extension of the table top area
- For placement and positioning of adipose patients
- Set of 3 pair table width extensions and 2 extra wide and extra thick SFC pads

**Technical information**

Maximum patient weight: 545 kg

Width x length of table width extenders: 133 x 300 mm

Width x height x length of SFC pads:

a) 760 x 100 x 870 mm

b) 760 x 100 x 250 mm

EU side rail

Material of pad: SFC

Comprises 3 pair of width extenders and 2 pads

Mounting to side rails or table top

Integrated fixation clamps

**Only in conjunction with**

- 7700, 1160.10, 1160.32BC, 1160.55BC

**Available versions:**

- 1001.74B0 SFC pad



**1005.78C0**  
**Pediatric operating table top**

- For placement and positioning of infants and small children
- Good access thanks to slim construction
- Side rail accessories can be mounted as usual

**Technical information**

Width x height x length:  
410 x 120 x 910 mm

Including: 1 table top and  
1 support bar

Material of pad: SFC

2 EU side rails

Mounting to a pin mounting point

**Suitable for use with**

- OR tables 1118, 1131, 1132, 1133, 7000, 7100, 7200, 7700, 1160.10/30



# 05 Cross-discipline accessories Leg positioning



**Safe and comfortable leg positioning supports optimum treatment outcomes for the patient. At the same time, lightweight leg plates or transfer boards considerably ease the frequent changeover of OR tables, as is usual in, for example, gynaecology.**

For every type of leg position, Maquet offers suitable accessories. From simple leg plates and flexible leg plates in four segments, through to leg holders for gynecological and urological interventions. Special carbon-fiber materials meet the high demands of imaging procedures.

**1003.80A0****Leg holder**

- Adjustable with pneumatic support
- Foot and calf support is automatically adapted when the position of the leg is adjusted
- One-hand operation

**Technical information**

Width x length x height:  
1,027 x 240 x 185 mm

Net weight: 6 kg

Maximum patient weight: 250kg

1 pair supplied

1 pair of blade clamps (1003.24A0) is included in the delivery

**1003.81A0****Knee crutches, standard**

- To position and support the leg in lithotomy position
- Side wings for stable support of the calf and knee area

**Technical information**

Width x length x height:  
220 x 385 x 566 mm

Net weight: 5.1 kg

1 pair supplied

**Suitable for**

- patient weight up to 180 kg

**Only in combination with**

- leg holder (1003.80A0)

**1003.82A0****Knee crutches, adipositas**

- To position and support the leg in lithotomy position
- Side wings for stable support of the calf and knee area
- Particularly suitable for obese patients

**Technical information**

Width x length x height:  
260 x 385 x 566 mm

Net weight: 6.9 kg

1 pair supplied

**Suitable for**

- patients up to 250 kg

**Only in combination with**

- leg holder (1003.80A0)

**1003.24A0****Clamp with blade interface**

- For mounting accessories to the side rail
- Especially for mounting accessories with blade interface
- Enabling close rotation point of the leg holder to the hip joint

**Technical information**

Width x length x height:  
60 x 85 x 130 mm

Maximum load: 49.2 kg



**1008.08A0**  
**KTEK 250 Stirrup – Junior**

- To position and support the leg in lithotomy position
- For small patients
- One-hand operation
- Boot without side wing

**Technical information**

Width x height x length:  
28 x 40 x 100 mm

Weight: 4.6 kg per leg holder

Maximum patient weight: 113 kg

Lithotomy range +85 / - 55°,  
abduction range +25 / -9°

Material of pad: soft foam

Material of strap: silicone strap

Packing unit: 1 pair (2 pieces)

No mechanical cleaning

No clamps integrated

**Recommended combination with**

- KTEK Stirrup Cart 1008.02B0

**Only in combination with**

- secure release clamps 1008.05A0  
for EU side rail  
(may be ordered separately)



**1008.09A0**  
**KTEK Comfort 800 Stirrup**

- To position and support the leg in lithotomy position
- Adjustable with pneumatic support
- Foot and calf support is automatically adapted when the position of the leg is adjusted
- One-hand operation
- Boot with side wing for supporting calf and knee area

**Technical information**

Width x height x length:  
28 x 40 x 100 mm

Weight: 6.6 per leg holder

Maximum patient weight: 363 kg

Lithotomy range +85 / - 55°,  
abduction range +25 / -9°

Material of pad: soft foam

Material of strap: silicone strap

Packing unit: 1 pair (2 pieces)

No mechanical cleaning

No clamps integrated

Can be mounted to a side rail with a blade clamp

**Recommended combination with**

- KTEK Stirrup Cart 1008.02B0

**Only in combination with**

- secure release clamps 1008.05A0  
for EU side rail  
(may be ordered separately)



**1008.05A0**  
**Secure release clamp**

- Clamp with blade interface
- For mounting the KTEK Stirrups to the side rail

**Technical information**

Width x height x length:  
54 x 54 x 76 mm

Packing unit: comprises 1 clamp

**Suitable for**

- combination with KTEK Stirrups



**1008.02B0**  
**KTEK Stirrup Cart**

- For storage and transport of 2 KTEK Stirrups
- With small storage bin for accessories

**Technical information**

Width x height x length:  
549 x 549 x 1035 mm

Weight: 5 kg

1 piece supplied

No mechanical cleaning

**Combination with**

- KTEK Stirrups and secure release clamps

**Only in conjunction with**

- KTEK Stirrups



**1002.2300**  
**Leg holder**

- For holding the leg with heel loops
- Can be adapted for different leg lengths
- Can be rotated

**Technical information**

Height: 865 mm

Comprises: 1 leg holder

Loops are washable

Spare part: loop 3101.0334

Can be mounted to a side rail

Standard clamp may be ordered separately



**1001.65A0**  
**Leg holder**

- To position and support the leg in lithotomy position
- Goepel version
- Good positioning comfort ensured by sufficient positioning space and appropriate geometry
- Adjustment of calf plate via ball joint

**Technical information**

Comprises: 1 leg holder,  
1 support strap

Inlay: SFC padding

Spare part: strap 3101.2754,  
pad 9093.4593

Can be mounted to a side rail with a clamp

Radial setting clamp (1003.23C0)  
may be ordered separately

**1001.73AO****Leg holder**

- Extra wide leg holder
- To position and support the leg in lithotomy position
- Particularly suitable for obese patients

**Technical information**

Comprises: 1 leg holder,  
2 fastening straps

Inlay: SFC padding

Can be mounted to a side rail  
with a setting clamp

Radial setting clamp (1003.23C0)  
may be ordered separately

**1008.10AO****Knee crutch lift assist**

- Gas spring supported adjustment
- Inlay: soft foam pad

**Technical information**

Width x height x length:  
356 x 152 x 720 mm

Weight: 4.6 kg

Maximum patient weight: 227 kg

Material of device:  
stainless steel, aluminium

Material of pad: soft foam

Packing unit: 1 pair (2 pieces)

No mechanical cleaning

Can be mounted to a side rail  
with a blade clamp

No clamps integrated

**Only in combination with**

- secure release clamps 1008.05AO  
for EU side rail  
(may be ordered separately)

**1130.65AO****Transfer board**

- For placement and positioning of legs
- Radiolucent
- Lightweight accessory
- Quick and easy mounting and dismounting

**Technical information**

Width x length (with pins):  
505 x 700 mm

Material of pad: SFC

Mounting to a pin mounting point

**Suitable for use with**

- 1118.01, 1118.06, 1118.10
- 1131, 1132, 1133
- 1433
- 7000, 7100, 7200
- 7700
- 1160.10/30



**1132.65A0**  
**Transfer board**

- For pre- and post-operative positioning of the legs in lithotomy position
- Lightweight accessory for back-friendly working
- Quick and easy to mount and remove

**Technical information**

Width x length (without pins):  
493 x 930 mm

Mounting to a pin mounting point

**Suitable for use with**

- 1118.01, 1118.06, 1118.10
- 1131, 1132, 1133
- 1433
- 7000, 7100, 7200
- 7700
- 1160.10/30



**1180.57A0**  
**Transfer board**

- For pre- and post-operative positioning of the legs in lithotomy position
- Lightweight accessory for back-friendly working
- Quick and easy to mount and remove thanks to Easy Click technology

**Technical information**

Width (with pad) x length:  
577 x 925 mm

Interface: Magnus joint module

**Recommended combination with**

- transfer board pad 1180.56A0

**Suitable for use with**

- motorized joint module 1180.11B0
- universal module 1180.55A0/A1



**1180.56A0**  
**Transfer board pad**

- SFC pad for improved positioning comfort of the legs

**Technical information**

**Recommended combination with**

- transfer board 1180.57A0



**1180.51A0**  
**Adapter clamp with transfer board**

- Lightweight transfer board enables quick and easy attachment and detachment
- For pre- and post-operative positioning of legs in lithotomy position

**Technical information**

Transfer board width x length:  
510 x 900 mm

Interface: Magnus joint module  
1180.11B0

Comprises: 2 adapter clamps,  
1 transfer board

Material of pad: SFC

EU side rail

**Suitable for use with**

- motorized joint module 1180.11B0

**1130.70AC****Maquetmatic leg plate**

- Anatomical positioning of the legs using a four-segment leg plate
- Enables good positioning comfort in lithotomy position
- Leg plates can be folded independently and abducted outwards
- Thigh and calf plates can be removed
- Knee and calf crutches can be mounted in place of thigh and calf plates

**Technical information**

Width x length: 785 x 940 mm

Material of pad: SFC

EU side rail

Mounting to a pin mounting point

**Recommended combination with**

- knee crutches 1005.01B0
- filler piece 1130.71B0

**Suitable for use with**

- 1118.01, 1118.06, 1118.10
- 1131, 1132, 1133
- 1433
- 7000, 7100, 7200
- 7700
- 116010/30

**1130.71B0****Filler piece**

- Pressure distribution thanks to SFC padding

**Technical information****Only in conjunction with**

- Maquetmatic 1130.70AC

**1005.01B0****Knee crutches**

- To support and position the legs of a patient

**Technical information**

Comprises: 1 pair of knee crutches and 2 support straps

Spare part: strap 3101.2754, pad 9093.4593

**Combination with**

- Maquetmatic leg plates

**1180.48B0****Lightweight leg plate**

- Easy access thanks to abductable leg plates
- Lightweight leg plate supports back-friendly working
- Pressure distribution thanks to SFC padding

**Technical information**

Width

- with pad: 540 mm

- with side rail: 585 mm

Length: 922 mm

Interface: Magnus joint module

Material of pad: SFC

EU side rail

**Suitable for use with**

- motorized joint module 1180.11B0

**1118.60B0****Pair of leg plates**

- Gentle adjustment with pneumatic support
- With joint for abduction
- Recommended for use with operating tables without motorized leg adjustment

**Technical information**

Width x length: 570 x 750 mm

Adjustment angle:  
abduction 90°/downwards 90°

Maximum patient weight: 250 kg

Material of pad: SFC

EU side rail

Mounting to a pin mounting point

**Suitable for use with**

- 1118.06, 1118.10
- 7000.01, 7100, 7200
- 1133.22
- 1433.02
- 1160.10/30
- 7700

**1150.73BC****Pair of leg plates**

- Multi-functional four-piece leg plate
- Can be used for knee-elbow position
- Thigh and calf plate can be adjusted separately
- Calf plate can be removed
- Particularly stable

**Technical information**

Width x length: 548 x 923 mm

Maximum patient weight: 380 kg

Weight: 11 kg/plate

EU side rail

Mounting to a pin mounting point

**Suitable for use with**

- 1150.19/30

**Available versions:**

- 1150.73BC with SFC padding
- 1150.73DC with PUR padding

**1118.50B0****Pair of leg plates**

- Gentle adjustment with pneumatic support
- Abduction of leg plates via the leg plate mounting point
- Recommended for use with operating tables without motorized leg adjustment

**Technical information**

Width (with side rail) x length:  
570 x 750 mm

Weight: 11 kg per plate

Maximum patient weight: 135 kg

Material of pad: SFC

EU side rail

Mounting to a pin mounting point

**Recommended combination with**

- 1118.01B0/K0, 1118.06B0/K0

**Suitable for use with**

- 1118.01, 1118.06, 1118.10
- 1131, 1132, 1133
- 1433
- 7000, 7100, 7200
- 1160.10/30

**1133.67BC****Carbon-fiber pair of leg plates**

- Lightweight 2-piece leg plate
- Radiolucent through a full 360°
- Can be abducted
- Pressure distribution thanks to SFC padding

**Technical information**

Width x length: 235 x 910 mm

Maximum patient weight: 225 kg

Material of pad: SFC

Material of plate: carbon fiber

Mounting to a pin mounting point

**Suitable for use with**

- 1118.10
- 1131, 1132, 1133
- 1433
- 7000, 7100, 7200
- 7700
- 1160.10/30

**1007.42AC****Pair of leg plates**

- Good pre- and post-operative positioning comfort for the patient
- Increased working comfort for medical staff during pre- and post-operative period
- Removable filler pieces enable easy adaptation to 1-hole and 3-hole CF plate
- Dedicated leg plate for Yuno II

**Technical information**

Width x height x length:  
253 x 166 x 1,320 mm

Weight: 14 kg (pair)

Maximum patient weight: 250 kg

EU and US side rail

Material of pad: SFC

Mounting to a pin mounting point

**Recommended combination with**

- Yuno II
- Carbon-fiber extension plate  
1433.66AC/BC

**Suitable for use with**

- 1433.02

**1160.50AC****Pair of leg plates**

- Double joint abduction enables good access between the legs of the patient
- Weight-optimized leg plate allows back-friendly mounting to OR table

**Technical information**

Width x length: 580 x 850 mm

Weight: 19.5 kg (pair)

Maximum patient weight: 545 kg

Material of pad: IPC, SFC

EU side rail

Cleaning options:  
1160.50DC mechanical cleaning

Mounting to a pin mounting point

**Suitable for use with**

- 7000, 7100, 7200
- 7700
- 1433.02
- 1160.10/30

**Available versions:**

- 1160.50AC with IPC pad
- 1160.50BC with SFC pad
- 1160.50DC with IPC pad, washable

**1133.58BC****Leg plate**

- One-piece leg plate
- Pressure distribution thanks to SFC padding
- Quick and easy to mount

**Technical information**

Width x height x length:

585 x 175 x 651 mm

Material of pad: SFC

Maximum patient weight: 454 kg

EU side rail

Mounting to a pin mounting point

**Suitable for use with**

- 1118.06, 1118.10
- 1131, 1132, 1133
- 1433
- 7000, 7100, 7200
- 7700
- 1160.10/30

**1150.64B0****Pair of leg plates**

- For positioning of legs in conjunction with procedures with traction
- Lightweight leg plates
- Quick unlocking for detachment

**Technical information**

Width x length: 250 x 680 mm

Weight: 9 kg (pair)

Maximum patient weight:  
225kg, 1150.64E0 = 250kg

Material of pad: SFC

Mounting to square mount  
of OR table or traction device

Packing unit: 1 pair

**Combination with**

- 1118, 1132, 1133, 7000, 7100, 7200  
with extension device 1419.X0
- 1150.19/30  
with extension device 1150.59AC
- 1180.10  
with extension device 1180.19A0
- 1150.64E0 only in combination  
with adapter plate for traction  
1433.41AC or support plate for  
extension 1160.59AC

**Suitable for use with**

- 1150.20

**Available versions:**

- 1150.64B0 with SFC padding 80 mm
- 1150.64E0 with SFC padding 40 mm

**1133.53BC****Pair of leg plates**

- Double joint abduction enables good access between the legs of the patient
- Pressure distribution thanks to SFC padding

**Technical information**

Width x length: 250 x 680 mm

Weight: 9.5 kg / plate

Maximum patient weight: 454 kg

Material of pad: SFC

EU side rail

Mounting to a pin mounting point

**Suitable for use with**

- 1118.06, 1118.10
- 1133
- 1433
- 7000, 7100, 7200
- 7700
- 1160.10/30

**1180.54A0****Pair of leg plates**

- Multi-functional four-piece leg plate
- Can be used for knee-elbow position
- Thigh and calf plate can be adjusted separately
- Calf plate can be removed
- Particularly stable
- Simple mounting using Easy Click technology

**Technical information**Width with pad: 520 mm,  
width with side rail: 580 mm,  
length: 922 mm

Interface: Magnus joint module

Weight: 12.5 kg / plate

Maximum patient weight 380 kg

EU side rail

**Suitable for use with**

- motorized joint module 1180.11B0

**Available versions:**

- 1180.54A0 with PUR pad
- 1180.54B0 with SFC pad

**1180.41AO****Pad for rectal positioning**

- Body support for knee-elbow position
- For anatomical positioning during rectal interventions
- Supports the pelvis and reduces abdominal pressure

**Technical information**

Width x length x height:  
627 x 380 x 395 mm

Material of pad: SFC

**Combination with**

- joint module 1180.11X0
- leg plates 1180.54X0

**1133.73BC****Pair of leg plates**

- Multi-functional four-piece leg plate
- Can be used for knee-elbow position
- Thigh and calf plate can be adjusted separately
- Calf plate can be removed

**Technical information**

Width x length: 583 x 850 mm

Weight: 12 kg per plate

Maximum patient weight: 454 kg

Material of pad: SFC

EU side rail

Mounting to a pin mounting point

**Suitable for use with**

- 1133
- 1433
- 7000, 7100, 7200
- 7700
- 1160.10/30



**1133.73AC**  
**Pair of leg plates**

- Multi-functional four-piece leg plate
- Can be used for knee-elbow position
- Thigh and calf plate can be adjusted separately
- Calf plate can be removed

**Technical information**

Width x length: 853 x 882 mm

Weight: 12 kg per plate

Maximum patient weight: 454 kg

Material of pad: IPC

**Suitable for use with**

- 1133.22
- 1433.02
- 7000, 7100, 7200
- 7700
- 1160.10/30



**1001.86C0**  
**Foot plate**

- Foot support in a standing position
- Axially correct setting using rotating joint
- In standing position additional support of the leg with a leg strap is needed, e.g. leg strap 1001.53A0
- Set of 2

**Technical information**

Width x height x length:  
335 x 380 x 315 mm

Foot plate width x length:  
300 x 300 mm

Weight: 7.3 kg

Maximum patient weight: 250 kg

Material of pad: SFC

Can be mounted to a side rail

Integrated standard clamp



**1001.66A0**  
**Leg support**

- For placement and positioning of the patient's leg during skin disinfection
- Foot holder can be moved
- Height adjustable using the clamp

**Technical information**

Bar width x length: 410 x 710 mm

Height of pad: 80 mm

Material of pad: PUR

Can be mounted to a side rail with a clamp

Standard clamp may be ordered separately



**1008.06B0**  
**KTEK Nissen Straps, standard**

- Securing of the patient's leg in the thigh area
- Pressure relief thanks to soft padding

**Technical information**

Width x height x length:  
125 x 12 x 2430 mm

Product weight: 2 pieces = 9kg

Weight: 4.5 kg/strap

Maximum patient weight: 227 kg

Packing unit: 1 pair including  
2 side rail clamps

No mechanical cleaning



**1008.06D0**  
**KTEK Nissen Straps, bariatric**

- Securing of the patient's leg in the thigh area
- Pressure relief thanks to soft padding

**Technical information**

Width x height x length:  
126 x 13 x 2430 mm

Product weight: 2 pieces = 9kg

Weight: 12 kg per plate

Maximum patient weight: 363 kg

Packing unit: 1 pairs and 4 clamps

No mechanical cleaning



**1001.57A0**  
**Leg strap**

- For fixing the patient's legs on a multiple-section leg plate

**Technical information**

Width x length: 120 x 1,300 mm

Comprises: 1 leg strap

Material of strap: polyester fabric

Strap is washable (60 °C)

**Compatible with**

- 2-piece and 4-piece leg plates



**1001.4700**  
**Leg restraint cuff**

- For securing the lower leg on a split leg plate


**Technical information**

Comprises: 1 leg restraint cuff

Strap is washable (60 °C)

**Compatible with**

- 2-piece and 4-piece leg plates

A close-up photograph of a medical professional, likely a surgeon or orthopedist, wearing a white lab coat and glasses. He is examining a detailed anatomical model of a human spine. His hands are visible, one pointing to a specific part of the model while the other holds it steady. A blue stethoscope hangs around his neck. The background is blurred, suggesting a clinical or hospital setting.

**06**

Accessories for operating tables  
**Orthopedics and  
traumatology**

**Modern orthopedics and traumatology require particularly demanding positions and accessories that are coordinated for interventions.**

Maquet's accessories for orthopedics and traumatology cover the full range of standard applications. In conjunction with experts and users, innovative solutions are developed which support new surgical procedures. More advanced imaging procedures, such as 3D X-ray technology, again increase the demands placed on OR tables and accessories in orthopedics. Maquet accessories for orthopedics and traumatology meet the requirements for optimum X-ray results: from high-quality carbon-fiber materials through to the shape of the modules and to the radiolucency of the pad material.

**1003.60D0****Clip-on device for minimally invasive surgery**

- For hip arthroscopy and minimally invasive hip endoprosthesis
- Radiolucent CF bar
- High stability thanks to wide tracking castors
- Back-friendly handling thanks to pneumatic support
- Adjustment of CF bar horizontally and vertically possible
- Can be adapted to the length of the patient's leg and foot position by infinite sliding of the skid
- Mounting to a table top or extension device

**Technical information**

Length of carbon-fiber bar: 1,465 mm

Comprises: 1 carbon-fiber bar, 1 sled with screw tension device and rotating and tilting clamp, 1 hypomochlion

**Recommended combination with**

- traction boot 1003.75A0 and/or foot plate 1001.97A0

**Suitable for use with**

- 1150.20, table tops for extension 1160.59, 1433.41
- traction devices 1419.01X0 1150.59, 1180.19

**1180.19A0****Extension device**

- Quick conversion of a universal Magnus Table Top into a table top for traction
- Simple mounting of bars
- Good C-arm access
- Simple transportation and mounting using the trolley
- Space-saving storage of all accessories in the trolley

**Technical information**

Interface: Magnus basic unit

Including: 1 trolley, 2 telescopic bars (1 short, 1 long), 2 bar extensions, 1 screw tension device, 1 foot plate mount, 1 countertraction post, 1 side rail extension, 1 rotating and tilting clamp, 1 traction stirrup clamp with rotation, 1 support bar, 1 radial setting clamp

Material of pad: SFC

EU side rail

**Recommended combination with**

- traction boot 1003.75A0
- foot plate 1001.97A0
- pair of leg plates 1150.64B0

**Suitable for use with**

- 1180.10



### 1150.59AC

#### Extension device

- Quick conversion of a universal OR table to a traction table
- Easy mounting to OR table
- Good C-arm access
- Combination with leg plates (1150.64B0) possible
- Simple transportation and mounting using the trolley
- Space-saving storage of all accessories in the trolley

#### Technical information

Comprises: 1 pair of adapters, 1 support frame, telescopic bars (1 short, 1 long), 1 screw tension device, 2 bar extensions, 1 foot plate mount, 1 countertraction post, 1 side rail extension, 1 rotating and tilting clamp, 1 traction stirrup clamp with rotation, 1 radial setting clamp, 1 support bar, 1 trolley

Material of Pad: SFC

EU side rail

#### Recommended combination with

- traction boot 1003.75A0

#### Suitable for use with

- 1150.19/30



### 1419.01X0

#### Traction device

- Quick conversion of a normal OR table to an extension table
- Attachment of leg plates during preparation phase possible
- Simple mounting of traction bars
- Good C-arm access
- Space-saving storage of all accessories in the trolley
- Back-friendly mounting using the trolley

#### Technical information

Comprises: 1 trolley with basket, 1 pair of adapters, telescopic bars (1 short, 1 long), 1 screw tension device, 1 foot plate mount, 2 support bars, 2 radial setting clamps, 1 countertraction post, 1 padded roll for countertraction post, 1 side rail extension

Material of pad: SFC

#### Recommended combination with

- traction boot 1003.75A0
- foot plate 1001.97A0
- leg plates 1150.64X0

#### Available versions:

- 1419.01B0 suitable for 7000, 7100, 7200 on reverse mounting point only
- 1419.01JC suitable for 7000, 7100, 7200 on normal and reverse mounting point
- 1419.01C0 suitable for 1118.01, 1118.06, 1118.10
- 1419.01HC suitable for 1133.22 on reverse mounting point

**1160.59BC****Support plate for extension**

- Table top for orthopedic procedures
- Quick and easy conversion of a universal OR table top into a table top for procedures with traction

**Technical information**

Mounting to interface for insertion

Material of pad: SFC

**Recommended combination with**

- pair of leg plates 1150.64E0
- traction boot 1003.75A0
- foot plate 1001.97A0

**Suitable for use with**

- 1160.10/30
- 7700

**Available versions:**

- 1160.59AC without accessories
- 1160.59BC including accessories:  
1 trolley, 1 table top for traction,  
1 set of traction bars, telescopic  
bars (1 short, 1 long), 1 counter-  
traction post, 1 padded roll, 1 left  
adapter bar, 1 right adapter bar,  
1 bar elongation, 1 screw tension  
device, 1 foot plate mount,  
1 side rail extension, 1 rotating  
and tilting clamp, 1 traction stirrup  
clamp

**1433.41AC****Adapter plate for extension**

- Simple mounting of traction bars
- Good C-arm access
- Combination with existing extension accessories possible
- Easy to use

**Technical information**

Material of pad: SFC

2 removable seat plate segments

Mounting to interface for insertion

**Suitable for use with**

- 1433.01 and 1433.02

**Available versions:**

- 1433.41AC  
without accessories for traction
- 1433.41BC  
with accessories for traction:  
telescopic bars (1 short, 1 long),  
1 screw tension device, 1 foot plate  
mount, 2 support bars, 2 radial  
setting clamps, 1 countertraction  
post, 1 side rail extension, 2 bar  
extensions, 1 rotating and tilting  
clamp, 1 traction stirrup clamp  
with rotation

**Recommended combination with**

- 1160.57A0 accessory trolley  
(may be ordered separately)



**1160.57AO**  
**Accessory trolley**

- Space-saving storage of accessories for traction

**Technical information**

Including: 1 wire basket

Width x length: 850 x 650 mm

4 double swivel castors,  
2 with brakes

**Recommended combination with**

- 1160.59AC and 1433.41AC



**1433.66AC**  
**Carbon-fiber extension plate with 3 holes**

- Radiolucent through 360°
- Good access to pelvis thanks to variable positioning of the countertraction post
- 2 removable seat plate segment items possible to be mounted: countertraction post
- Countertraction post included

**Technical information**

Width x height x length:

515 x 80 x 1,150 mm

Weight: 6.8 kg

Maximum patient weight: 250 kg

Material: carbon fiber, with SFC pad

No mechanical cleaning

Mounting to interface for insertion

**Suitable for use with**

- 1433.01/02



**1433.66BC**  
**Carbon-fiber extension plate with 1 hole**

- Radiolucent through 360°
- Pressure distribution thanks to SFC padding
- 2 removable seat plate segment items possible to be mounted: countertraction post
- Countertraction post included

**Technical information**

Width x length x height:

515 x 1,150 x 80 mm

Weight: 6.9 kg

Maximum patient weight: 250 kg

Material: carbon fiber, with SFC pad

No mechanical cleaning

Mounting to interface for insertion

**Suitable for use with**

- 1433.01/02



**1007.40AO**  
**Traction bar with ball joint**

- For hip arthroscopy and minimally invasive hip procedures
- For femur fractures
- Adjustment of bar: horizontally and vertically
- Can be adapted to the length of the patient's leg by sliding the sled
- Carbon-fiber bar is radiolucent

**Technical information**

Length: 2,471 mm

Material of bar: carbon-fiber

**Recommended combination with**

- screw tension device 1007.43AO
- accessory trolley for traction bars 1007.47AO

**Suitable for**

- Yuno II 1433.02



**1007.41A0**  
**Traction bar**

- For hip arthroscopy and femur fractures
- Adjustment of bar: horizontally
- Can be adapted to the length of the patient's leg by sliding the sled
- Carbon-fiber bar is radiolucent

**Technical information**

Length: 2,454 mm

Material: carbon fiber

**Recommended combination with**

- screw tension device 1007.43A0
- vertical adjustment 1007.51X0
- screw tension device 1003.7300
- accessory trolley for traction bars 1007.47A0

**Suitable for**

- Yuno II 1433.02



**1007.46A0**  
**Trolley for traction bar**

- For storage and transportation
- Enables easy mounting of traction bars to Yuno II

**Technical information**

Comprises: 1 trolley

**Only in combination with**

- traction bars 1007.40A0 and 1007.41A0



**1007.44A0**  
**Sliding clamp with side rail**

- The side rail of the clamp can be used to mount accessories to a traction bar

**Technical information**

EU side rail

**Suitable for**

- traction bars 1007.40A0 and 1007.41A0



**1007.47A0**  
**Accessory trolley**

- Space-saving storage and transportation of accessories for Yuno II

**Technical information**

Width x height x depth:  
750 x 1,450 x 820 mm

4 double swivel castors,  
2 with brakes

**Suitable for**

- Yuno II accessories



**1433.42AO**  
**Femur hook**

- To hold the thigh bone for minimally invasive hip procedures
- Anatomical design

**Technical information**

Comprises: femur hook (left and right), 1 support arm, 1 clamp with square mount

Material: stainless steel

All components can be sterilized

Mounting to a side rail

**Suitable for use with**

- 1433.01 and 1433.02



**1003.55A0**  
**Traction bar, carbon-fiber version**

- 360° radiolucent with exception of the mounting point area

**Technical information**

Length: 1,374 mm

Including: 1 pair

Material: carbon fiber

**Recommended combination with**

- sliding clamp 1003.58B0 for attachment of screw tension device

**Suitable for use with**

- 1150.20, extension devices 1419.01X0, 1150.59AC, 1180.19A0
- adapter plate for traction 1433.41AC
- support plate for extension 1160.59AC



**1003.58B0**  
**Sliding clamp**

- To mount a screw tension device to a carbon-fiber bar
- With side rail mounting point

**Technical information**

To be used in combination with CF traction bar 1003.55A0 only

EU side rail

**Combination with**

- screw tension device 1003.3700
- screw tension device 1007.43A0 plus vertical adjustment



**1004.85B0**  
**Countertraction post for femur**

- For positioning the patient's thigh during traction in lateral position
- Radiolucent curved perineal support
- Perineal arc is height-adjustable using the hand crank

**Technical information**

Comprises: 1 countertraction post for femur and 1 extension plate

Material of pads: PUR

Mounting to lateral square mount

**Suitable for use with**

- table top 1150.20B0/D0
- extension devices 1419.01X0, 1150.59AC, 1160.59AC, 1180.19A0, 1433.41AC
- adapter clamp 1007.50AC



**1007.50AC**  
**Adapter clamp**

- For combination with additional accessories
- Lateral positioning of the patient during femur treatment is possible

**Technical information**

Suitable for Yuno II

Mounting to a pin mounting point

**Only in conjunction with**

- extension plates 1433.66BC (1 hole) and 1433.66AC (3 holes)
- femur countertraction post 1004.85X0



**1003.57B0**  
**Seat plate extension, carbon fiber**

- Easy access to pelvis thanks to variable positioning of the countertraction post
- Radiolucent through 360°
- Lateral carbon-fiber supporting roll for supporting the femur
- Pressure distribution thanks to SFC padding

**Technical information**

Material: carbon fiber, PUR, SFC

**Recommended combination with**

- clip-on device for MIS interventions 1003.60D0
- extension device 1180.19X0

**Suitable for use with**

- 1150.20
- extension devices 1150.59AC, 1180.19A0
- adapter plate for traction 1433.41AC
- support plate for extension 1160.59AC



**1004.8700**  
**Leg plate clamp**

- To accommodate leg plates on a traction bar
- Support of anatomical leg positioning

**Technical information**

Set of 2

Mounting to standard traction bars of traction table tops and traction devices

**Recommended combination with**

- leg plate 1150.64X0



**1433.67A0**  
**Tibia adapter**

- For mounting the countertraction post for tibia and fibula 1003.50X0

**Technical information**

Including: SFC padding suitable for extension plate with 1 hole

**Only in conjunction with**

- CF extension plates 1433.66AC/BC

**1003.50C0****Countertraction post for tibia and fibula**

- For positioning and securing the leg in the event of calf fractures
- Easy repositioning of the bone using the height and inclination adjustment of the padded roll
- Radiolucent in the padded roll region

**Technical information**

Interface: extension table top

Including: 1 padded roll

Material of pad: PUR

**Suitable for use with**

- 1150.20
- extension devices  
1419.01X0, 1150.59AC, 1180.19A0
- adapter plate for traction  
1433.41AC
- support plate for extension  
1160.59AC

**Available versions**

- 1003.50A0 with horizontal guide (50 x 50 mm) for telescopic bar with 40 mm clear inner dimension
- 1003.50C0 with horizontal guide (40 x 40 mm) for telescopic bar with 35 mm clear inner dimension

**1004.93B0****Condyle fixation**

- For exact fixation of the knee
- Individually adjustable thanks to asymmetrical lateral discs

**Technical information**

Comprises: 2 pieces

Material of Pad: PUR

**Only in conjunction with**

- countertraction post for tibia and fibula 1003.50X0

**1003.5100****Guiding bar**

- For correction of the tensile direction on the calf

**Technical information****Suitable for use with**

- 1150.20
- extension devices  
1419.01X0, 1150.59AC, 1180.19A0
- adapter plate for traction  
1433.41AC
- support plate for extension  
1160.59AC

**1004.42B0****Joint-supporting arm**

- For mounting a telescopic bar and a screw tension device, supporting the execution of traction
- Precise setting thanks to horizontal bar that can be angled

**Technical information****Only in conjunction with**

- countertraction post for tibia and fibula 1003.50C0

**Available versions**

- 1004.42B0 for combination with telescopic bar 35 mm
- 1004.42A0 for combination with telescopic bar 40 mm

**1003.34A0****Rotating and tilting clamp**

- For mounting a traction boot or a foot plate
- Precise setting of the boot using rotation and tilt function

**Technical information**

Mounting to the side rail  
mounting point

**Combination with**

- screw tension device 1003.3700
- foot plate mount 1003.49B0
- screw tension device 1007.43A0

**1003.54A0****Bar extension**

- To shorten or lengthen the telescopic bar during traction positions
- Precise adaptation of the traction bar to the size of the patient, e.g. for children

**Technical information****Recommended combination with**

- screw tension device 1003.3700

**Suitable for use with**

- 1150.20
- extension devices  
1419.01X0, 1150.59AC, 1180.19A0
- adapter plate for traction  
1433.41AC
- support plate for extension  
1160.59AC

**1003.35A0****Traction stirrup clamp with rotation**

- For mounting and positioning of tension bars for traction
- Precise setting of the bar using the rotation function

**Technical information**

Mounting to the side rail  
mounting point

**Combination with**

- screw tension device 1003.3700
- foot plate mount 1003.49B0
- screw tension device 1007.43A0

**1003.3700****Screw tension device**

- For the execution of traction
- Manual fine adjustment of traction using a hand crank
- Adjustable via ball-and-socket joint and vertical telescopic bar
- Side rail for mounting of further accessories

**Technical information****Combination with**

- table tops for traction or traction devices
- rotating and tilting clamp 1003.34A0 possible
- accessories to accomodate the foot
- traction stirrup clamp with rotation 1003.35A0 possible

**1003.49B0****Foot plate mount**

- For holding the healthy leg during traction positions with the help of further accessories

**Technical information****Recommended combination with**

- table tops for traction or traction devices
- foot plate or traction boot

**1007.43A0****Screw tension device**

- Easy execution of fine traction using a hand crank
- Adjustment of the leg by a ball and socket joint
- Precise setting of the leg using integrated rotation and tilt function
- Scale for good orientation while using the rotating function
- Ergonomic rotation possible thanks to star handle design
- Free rotation possible

**Technical information****Recommended combination with**

- traction bars 1007.40A0 and 1007.41A0 in combination with vertical adjustment 1007.51A0/B0
- accessories to accommodate the foot e.g. traction boot 1003.75A0 or foot plate 1001.97A0

**1007.52A0****Bar extension**

- To lengthen traction bar 1007.40A0

**Technical information**

Width x height: 248 x 278 mm

**Combination with**

- traction bar 1007.40A0 only

**1007.51B0****Vertical adjustment, short**

- For accommodation and vertical adjustment of a screw tension device
- For femoral fractures
- Easy to mount

**Technical information**

Length: 500 mm

**Only in conjunction with**

- screw tension device 1007.43AO

**Recommended combination with**

- traction bar 1007.41AO

**1007.51AO****Vertical adjustment, long**

- For accommodation and vertical adjustment of a screw tension device
- For hip arthroscopy and femoral fractures
- Easy to mount

**Technical information**

Length: 800 mm

**Only in conjunction with**

- screw tension device 1007.43AO

**Recommended combination with**

- traction bar 1007.41AO
- telescopic bar 1003.59V0

**1003.59V0****Telescopic bar**

- Combination with a traction device
- To be used instead of a telescopic bar in order to reach higher traction forces e.g. for hip arthroscopy

**Technical information****Combination with**

- 1007.51AO necessary
- traction devices 1419.01X0, 1150.59AC, 1180.19AO
- adapter plate for traction 1433.41AC
- support plate for extension 1160.59AC

**Suitable for use with**

- 1150.20

**Variant:**

- Set of traction bars 1003.59C0

**1004.86B0****Universal support**

- For holding the healthy leg during extension positions
- Secure fixation using 2 fixture straps

**Technical information**

Including: 2 fixture straps

Material of pad: PUR

Spare part: strap 3100.7614

**Recommended combination with**

- screw tension device 1003.3700

**1004.8800****Side rail clamp**

- For mounting accessories to the side rail with the help of a setting clamp

**Technical information**

EU side rail

Mounting to standard metal traction bars

**1007.45A0****Support plate**

- To support the patient's leg
- Can be mounted to the sliding clamp 1007.44A0 using a clamp (e.g. 1003.23C0)

**Technical information**

Plate width x length x height: 252 x 290 x 465

Height adjustment: 465 mm

Material of pad: SFC

**Recommended combination with**

- sliding clamp 1007.44A0 and a standard or radial setting clamp

**Suitable for use with**

- 1433.02

**1007.48A0****Frame for sterile drape**

- For holding sterile drape coverage
- Easy mounting to OR table
- Length of the horizontal bar is adjustable

**Technical information**

Comprises: 2 vertical bars and 1 horizontal bar

Adjustment range of horizontal bar: 1,500 – 2,800 mm

1 setting clamp may be ordered separately

**Combination with**

- traction bars 1007.40/41A0
- traction devices and orthopedic table tops possible

**1007.49A0****Extension frame**

- For holding a patient's leg in lateral and prone position
- Flexible positioning of the leg possible thanks to the adjustment range
- Easy to mount

**Technical information**

Comprises: 1 horizontal and 1 vertical bar

**Only in conjunction with**

- screw tension devices 1003.3700 and 1007.43A0

**Recommended combination with**

- foot plate 1001.97A0
- traction stirrup clamp with rotation 1003.35A0



**1003.3600**  
**Pelvis plaster cast device**

- For supporting the pelvis during the application of a plaster cast
- Can be used for both children and adults
- Easy to apply plaster thanks to height-adjustable countertraction post

**Technical information**

Comprises: 2 removable pelvis rests, 1 adult, 1 child

Mounting to square mount of the OR table

**Suitable for use with**

- traction device 1180.19 and 1419
- OR table top 1150.20
- OR table 1425 and 1433.02
- support plate for extension 1160.59BC
- 1433.41AC



**1001.97A0**  
**Foot plate**

- Secure fixation of the foot with hook and loop fastener via Velcro® straps
- Can be adapted to the width of the foot
- Pad to protect the heel

**Technical information**

Set of 2

Spare part: strap 9300.0943, rubber lining 9010.2444, heel pad 9010.2454

**Recommended combination with**

- rotating and tilting clamp 1003.34A0
- screw tension device 1003.3700
- foot plate mount 1003.49B0
- screw tension device 1007.43A0



**1003.75A0**  
**Traction boot**

- Traction boot for positioning and securing of foot and calf during orthopedic procedures
- Shell is extremely robust
- 2 handles on each side for easy adjustment
- Size 37 – 45

**Technical information**

Comprises: 1 traction boot, 1 pack of 10 x 1003.76A0

Mounting to the side rail mounting point

**Recommended combination with**

- screw tension device 1003.3700, 1007.43A0
- foot plate mount 1003.49B0



**1003.76A0**  
**Disposable inlay and mounting brackets, big size**

- Inlay for traction boot
- Skin-friendly material
- For boots size 37 – 45

**Technical information**

Packing unit: 1 pack of 10 inlays, each with 2 brackets

**Suitable for use with**

- traction boot 1003.75A0 only

**Variant:**

- 1003.76C0  
for traction boot 1003.75C0

**1003.77AO****Reusable inlay**

- Reusable inlay for traction boot
- Skin-friendly material
- Size: 37–45

**Technical information**

Set of 2

Packing unit: 1 set of 2 pieces

**Combination with**

- disposable mounting brackets  
1003.78AO

**Suitable for use with**

- traction boot 1003.75AO only

**1003.78AO****Disposable mounting brackets**

- Stabilizes the patient's foot
- Quick and easy to mount

**Technical information**

Packing unit: 1 pack containing 15 pairs of brackets

Comprises: 1 pack containing 15 pairs of brackets

**Recommended combination with**

- reusable inlay 1003.77AO

**Suitable for use with**

- traction boot 1003.75AO only

**1003.75CO****Traction boot, small**

- Traction boot for positioning and securing of foot and calf during orthopedic procedures
- Shell is extremely robust
- 2 handles on each side for easy adjustment
- For small size boots 32–37

**Technical information**

Comprises: 1 traction boot, 1 pack of 10 x 1003.76CO

Mounting to the side rail mounting point

**Recommended combination with**

- screw tension device 1003.3700, 1007.43AO
- foot plate mount 1003.49BO
- disposable inlay and brackets 1003.76CO

**1001.8700****Foot plate, adult**

- For holding the foot during extension positions

**Technical information**

Supplied individually

**Only in conjunction with**

- traction boot 1001.8800

**Recommended combination with**

- rotating and tilting clamp 1003.34AO
- screw tension device 1003.3700
- foot plate mount 1003.49BO
- screw tension device 1007.43AO

**1001.8800****Traction boot, adult**

- Secure fixation of the foot using 3 buckles on the leather cuff
- Pressure distribution thanks to interior padding

**Technical information**

Set of 2

**Only in conjunction with**

- foot plate 1001.8700

**1001.9000****Foot plate, child**

- For holding the foot during extension positions

**Technical information**

Supplied individually

**Only in conjunction with**

- traction boot for children 1001.9100

**Recommended combination with**

- rotating and tilting clamp 1003.34A0
- screw tension device 1003.3700
- foot plate mount 1003.49B0
- screw tension device 1007.43A0

**1001.9100****Traction boot, child**

- Secure fixation of the foot using 3 buckles on the leather cuff
- Pressure distribution thanks to interior padding

**Technical information**

Set of 2

**Only in conjunction with**

- foot plate 1001.9000

**1001.92C0****Armpit support**

- Radiolucent countertraction post
- Padded axilla support

**Technical information**

Material of pad: PUR

Can be mounted to a side rail

Integrated standard clamp

**Only in conjunction with**

- elbow support 1004.23C0

**1004.23C0****Elbow support**

- For repositioning of elbow fractures
- Range of movement adapted to the anatomy of the patient

**Technical information**

Can be mounted to a side rail

Integrated standard clamp

**Combination with**

- armpit support 1001.92C0
- Weinberger arm restraint cuff 1001.48A0

**1004.9800****Humerus positioning device**

- For repositioning of humerus fractures
- Supporting the implementation of intra-medullary nails for humerus fractures
- Axilla correct positioning of the forearm using inclined side rail

**Technical information**

Comprises: 1 standard clamp, 1 vertical bar, 1 adjustable horizontal bar with a side rail

Can be mounted to a side rail

**Recommended combination with**

- humerus countertraction post 1004.8000
- Weinberger arm restraint cuff 1001.48A0

**1001.48A0****Weinberger arm restraint cuff**

- Secure fixation of the hand

**Technical information**

Material: hand plate and finger fixation made of plastic

Can be sterilized

**Recommended combination with**

- humerus positioning device 1004.9800

**1004.8000****Humerus counter traction post**

- For fitting of intra-medullary nails for humerus fractures
- Radiolucent pad

**Technical information**

Can be mounted to a side rail

Clamp may be ordered separately:

- 1003.22C0 standard clamp
- 1003.23C0 radial setting clamp
- 1003.61A0 radial setting clamp

**Recommended combination with**

- humerus positioning device 1004.9800
- Weinberger arm restraint cuff 1001.48A0



**1001.45C0**  
**Upper arm posturing plate**

- For holding the upper arm in prone position
- Radiolucent, good C-arm access
- May be fitted parallel or at a right-angle

**Technical information**

Width x length: 210 x 260 mm

Height-adjustable: 100 mm

Material of pad: PUR

Standard clamp supplied

Can be mounted to a side rail



**1002.30A0**  
**Trimano Fortis**

- Support arm can be used in various surgical disciplines
- Simple to operate with the Click and Move system
- Flexible positioning also during the operation
- Easy mounting of accessories
- Immediately ready for use without power supply or additional air connection

**Technical information**

Sterile cover sets available

Can be mounted to a side rail

**Combination with**

- adapter Trimano Fortis 1002.31A0
- arm support 1002.32A0



**1002.31A0**  
**Adapter Trimano Fortis**

- Adapter for mounting accessories to Trimano Fortis 1002.30A0
- Can be sterilized

**Technical information**

**Combination with**

- arm support 1002.43A0/B0
- Trimano elbow countertraction post 1002.45A0
- Trimano finger fixation 1002.48A0
- disposable sterile arm rest 1002.52A0

**Variant:**

- adapter 1002.42A0 for Trimano 3D (1002.41A0)



**1002.48A0**  
**Trimano finger fixation**

- Secure fixation of the hand during surgery
- Mounting using Easy Click technology

**Technical information**

Material: hand plate and finger fixation made of plastic

Can be sterilized

Sterile set 1002.44D0 may be ordered separately

**Suitable for use with**

- adapter Trimano Fortis 1002.42A0 and 1002.31A0

**1002.43B0****Arm rest for beach chair position**

- Arm rest for Trimano Support Arm
- For supporting and securing the arm in beach chair position

**Technical information**

Length: 270 mm

Material: steel

Can be sterilized

**Only in conjunction with**

- adapter 1002.42A0 for Trimano 1002.41A0
- adapter Trimano Fortis 1002.31A0 for Trimano 1002.30A0
- sterile set 1002.44A0

**1002.43A0****Arm rest for lateral position**

- Accessory for Trimano Support Arm
- For lateral position

**Technical information**

Length: 270 mm

Material: steel

Can be sterilized

**Only in conjunction with**

- adapter 1002.42A0 for Trimano 1002.41A0
- adapter Trimano Fortis 1002.31A0 for Trimano 1002.30A0
- sterile set 1002.44A0

**1002.45A0****Trimano elbow countertraction post**

- Accessory for Trimano support arm
- For fitting of intra-medullary nails for humerus fractures
- Radiolucent
- Simple mounting using Easy Click technology

**Technical information**

Including: padded roll with 60 mm and 90 mm diameter

Length of countertraction post: 226 mm

Material: PUR and carbon-fiber

Sterile sheath 1002.44C0 may be ordered separately

**Combination with**

- adapter Trimano Fortis 1002.42A0 and 1002.31A0

**1002.52A0****Disposable arm rest**

- Accessory for Trimano 3D and Trimano Fortis
- Light and secure fixation of the arm during surgery
- For single use

**Technical information**

Comprises: disposable arm rest, bandage, sterile cover

Packing unit: Set of 6 (comprises: disposable arm rest, bandage and sterile cover)



### 1180.34AO

#### Shoulder module

- Back plate for shoulder surgery
- Easy access to the shoulder region thanks to removable shoulder modules
- Head mount can be swivelled and inclined
- Inclination adjustment via motorized mounting point
- Pressure distribution thanks to SFC padding
- Side rails enable attachment of additional accessories

#### Technical information

Width x length: 582 x 760 / 870 mm

Interface: Magnus joint module

Including: 1 head rest adapter

EU side rail

#### Recommended combination with

- head support 1002.15A0
- trolley 1180.34T0

#### Suitable for use with

- motorized joint module 1180.11A0



### 1180.34T0

#### Trolley

- For storage and transportation of shoulder module 1180.34A0
- Easy mounting of the back plate to Magnus joint module
- Storage options for leg plates, extension plates and head rests

#### Technical information

Width x height x length:  
850 x 910 x 790 mm

4 double swivel castors,  
2 with brakes



### 1007.18B0

#### Back plate for shoulder operations

- Good access to the shoulder region thanks to removable shoulder modules
- Head mount can be swivelled and inclined
- Inclination adjustment by means of a hand crank
- Pressure distribution thanks to SFC padding

#### Technical information

Width x length: 575 x 550 mm

Including: 1 head rest adapter

Material of pad: SFC

EU side rail

Mounting to a pin mounting point

#### Recommended combination with

- head support 1002.15A0
- trolley 1007.20A0

#### Suitable for use with

- 1118, 1131, 1132, 1133, 1433, 7000, 7100, 7200, 7700



### 1007.20AO

#### Trolley

- For transportation and easy mounting of back plates for shoulder surgery
- Compact storage of back plates
- Attachment of a wire basket for storage of accessories possible

#### Technical information

Width x height x length:  
835 x 725 x 735 mm

For accommodating shoulder plate  
1433.34AC order retrofit kit  
3102.3089

#### Suitable for use with

- shoulder plates  
1007.18B0, 1007.19BC, 1007.21B0

#### May be ordered separately:

- wire basket 0802.0783

**1132.34AO****Back plate for shoulder operations**

- Removable shoulder modules enable good access to the shoulder region
- Head mount can be swivelled and inclined
- Pressure distribution thanks to SFC padding

**Technical information**

Width x length: 530 x 290 mm

Including: 1 head rest adapter

Material of pad: SFC

Mounting to a pin mounting point

**Recommended combination with**

- head support 1002.15A0

**Suitable for use with**

- 1118.06/10, 1131, 1132, 1133, 1160.10/30, 1433, 7000, 7100, 7200, 7700

**1433.34AC****Carbon-fiber back plate  
for shoulder operations**

- Removable shoulder modules enabling good access to shoulder region
- Side rails on shoulder modules can be removed
- Lateral supports can be flexibly adapted to patient's width
- Inclination adjustment via motorized mounting point
- Simple mounting of arm supports by way of additional side rails

**Technical information**Dimensions of the pad  
width x length: 503 x 540 mmIncluding: 2 lateral supports,  
2 side rails

Material of pad: SFC

Transportation and storage possible  
on trolley 1007.20A0 with retrofit kit  
3102.3089

EU side rail

Mounting to a pin mounting point

**Recommended combination with**

- head rest adapter 1002.10A0
- head support 1002.15A0

**Suitable for use with**

- 1131, 1132.21/22, 1133, 1160.10/30, 1433, 7100, 7200, 7700

**1007.19BC****Back plate for shoulder operations**

- Good access to the shoulder region thanks to removable shoulder modules
- Head mount can be swivelled and inclined
- Inclination adjustment via motorized mounting point
- Pressure distribution thanks to SFC padding

**Technical information**

Width x length: 600 x 530 mm

Including: 1 head rest adapter

Material of pad: SFC

EU side rail

Mounting to a pin mounting point

**Recommended combination with**

- head support 1002.15A0
- trolley 1007.20A0

**Suitable for use with**

- 1150.19/25/30

**1007.21B0****Back plate for shoulder operations**

- Easy access to the shoulder region thanks to removable shoulder modules
- Head mount can be swivelled and inclined
- Inclination adjustment via motorized mounting point
- Pressure distribution thanks to SFC padding

**Technical information**

Width x length: 600 x 550 mm

Including: 1 head rest adapter

EU side rail

Mounting to a pin mounting point

**Recommended combination with**

- head support for shoulder operations 1002.15A0
- trolley 1007.20AO

**Suitable for use with**

- 1131
- 1132.21/22
- 1133
- 1433
- 7100, 7200, 7700
- 1160.10/30

**1009.02C0****Meniscus positioning device**

- Flexible positioning of the leg using the radial setting clamp
- Radiolucent padded roll

**Technical information**

Width: 367 mm

Overall height: 600 mm

Material of pad: PUR

Can be mounted to a side rail

Radial setting clamp 1003.23C0 may be ordered separately

**1004.84A0****Knee positioning device**

- Assists the surgeon during procedures on the knee
- Motorized adjustment operated via foot switch
- Secure fixation of the thigh
- Can be adapted to various thigh diameters
- Pressure relief thanks to extra soft gel pad

**Technical information**

Comprises: 1 positioning device, 1 footswitch, 5 straps

Voltage: 220 V

Spare parts: strap 3101.6183, gel pad 4006.1700

Can be mounted to a side rail

**1004.84B0****Knee positioning device**

- Secures the thigh during procedures on the knee
- Manual adjustment using the radial setting clamp
- Secure fixation of the thigh
- Can be adapted to various thigh diameters
- Pressure relief thanks to extra soft gel pad

**Technical information**

Comprises: 1 positioning device, 1 radial setting clamp, 1 gel pad, 1 strap

Spare parts: strap 3101.6183, gel pad 4006.1700

Can be mounted to a side rail

**1008.14C0****Arthroscopic leg holder**

- Secures the thigh during procedures on the knee
- Adjustable width for various diameters of the leg
- Secure fixation of the thigh through secure-lok strap
- Pressure relief thanks to disposable pad

**Technical information**

Width x height x length:  
64 x 190 x 305 mm

Weight: 1.8 kg without clamp

Maximum patient weight: 227 kg

Material of device:  
stainless steel, Polycarbonate

Packing unit: 1 piece without inlay

Comprises: 1 piece with secure lock strap, 1 round post clamp, without disposable inlay

No mechanical cleaning

Can be mounted to a side rail

Integrated round post clamp (EU)

**Recommended combination with**

- 1008.14B0

**1008.14B0****Disposable inlay for arthroscopic leg holder**

- Disposable pad for arthroscopic leg holder
- Antimicrobial coating
- Non-sterile

**Technical information**

EU, US side rails

Material of pad: disposable

Packing unit: 1 unit/box = 12 pieces


Single use

Can be mounted to arthroscopic leg holder

**Recommended combination with**

- 1008.14C0 arthroscopic leg holder

# 07 Accessories for operating tables **Neurosurgery**

A photograph of a woman lying on her back on a medical operating table. She is wearing a white long-sleeved top and dark pants. Her head is secured in a black head frame. A large, black, cylindrical device labeled "Discovery" is positioned over her head. The operating table has a white and black padded surface. In the background, there is a white wall with blue horizontal stripes and a white ceiling with a circular light fixture.

Accessories for operating tables

**Neurosurgery**

**Stable and anatomically precise patient positioning is important for all surgical disciplines, none more so than neurosurgery because any unintentional movement of the OR table could influence the position of the patient and have fatal consequences.**

Special accessories such as the cross-bar attachment 1005.2300 and securing functions like the Neuro-Lock, a feature of the Magnus OR Table System, provides a secure and precise positioning for neurosurgical interventions.

All Maquet OR Tables are designed to give the surgeon optimum access to the patient. The use of modern imaging procedures, for example, 3D X-rays, places increasing demands on the OR table accessories for neurosurgery. With specially designed and radiolucent accessories as well as high-quality pads, our products facilitate optimum X-ray results.

**1005.50A0****Doro® Adjustable Base Unit**

- The adjustable base unit is part of a system to position and secure the patient's head for head and neck surgery
- To fix a skull clamp
- For positioning a patient in prone and supine positions
- For use in non-imaging neuro-surgical applications
- Adjustable base unit including wrench for width adjustment

**Technical information**

Width x height: 547 x 213 mm

Weight: 3.2 kg

Material of device: aluminum

Mounting to round tube mounting point e.g. connection brackets 1130.54B0 and 1180.36A0 and cross-bar attachment 1005.2300

**Combination with**

- Doro® Swivel Adaptor 1005.51A0
- Doro® QR3 Skull Clamp 1005.52C0

**Suitable for use with**

- 1160.36A0 retrofit kit

**1005.52C0****Doro® QR3 Skull Clamp**

- Unique shape grants free space to place the intubation tube, even in prone position.
- No play between archholder and skull clamp base when locked.
- Minimum play between skull clamp base and extension arm ensures high stability and reduced risk to lost navigation.
- Easy to read pressure scale in metric and imperial units.
- Quick rail interface to securely attach retractor systems and navigation tracking devices
- With receptacles for skull pins for rigid cranial fixation

**Technical information**

Height: 284 mm

Weight: 1.8 kg

Material: light alloy and CrNi steel

Pins may be ordered separately:  
Doro® Reusable pins for adults 1005.53B0, Doro® Reusable pins for children 1005.53A0,  
Doro® Sterile Disposable Skull Pins, adult 1005.67A0

**Recommended combination with**

- reusable or disposable pins

**Only in conjunction with**

- Doro® Adjustable Base Unit 1005.50A0
- Doro® Swivel Adaptor 1005.51A0

**1005.53X0****Doro® Reusable Skull Pins, adult**

- Pins for fixing the patient's head in a skull clamp
- For multiple use
- Can be sterilized

**Technical information**

Material: stainless steel

Set of 3

**Combination with**

- skull clamps  
1005.52C0 and 1005.49B0

**Available versions:**

- Doro® Reusable pins for children  
1005.53A0
- Doro® Reusable pins for adults  
1005.53B0

**1005.67A0****Doro® Sterile Disposable Skull Pins, adult**

- For single use
- For adults

**Technical information**

Set of 36

Material: stainless steel

**Combination with**

- skull clamps  
1005.52C0 or 1005.49B0

**1005.56A0****Doro® Swivel Horseshoe Head Rest, adult**

- For anatomical head support
- With extension bar for traction on the spine
- Can be used in prone and supine positions
- Pressure relief thanks to extra-soft gel pad

**Technical information**

Material of pad: Gel

**Only in conjunction with**

- Doro® Adjustable Base Unit  
1005.50A0
- Doro® Swivel Adaptor 1005.51A0

**1005.51A0****Doro® Swivel Adaptor**

- For connecting the adjustable base unit with a skull clamp
- Pivotable by 360°
- Flexible adjustment of the head rest system to the position of the patient

**Technical information**

Material of device: aluminum

**Only in conjunction with**

- Doro® QR3 Skull Clamp 1005.52C0
- Doro® Adjustable Base Unit  
1005.50A0



**1005.2300**  
**Crossbar Attachement**

- Secure fixation of the skull clamp to patients in seated position
- Can be adapted to the OR table width

**Technical information**

Can be mounted to a side rail

2 clamps may be ordered separately:  
1003.22C0, 1003.23C0, 1003.61A0

**Recommended combination with**

- Doro® Adjustable Base Unit  
1005.50A0



**1005.49B0**  
**Doro® Skull Clamp Radiolucent**

- With receptacles for skull pins for rigid cranial fixation
- Metal-free radiolucent

**Technical information**

Maximum patient weight: 250kg

Pins must be ordered separately,  
e.g. disposable pins 1005.67A0 or  
reusable pins 1005.53X0

**Combination with**

- Doro® Swivel Adaptor Radiolucent  
1005.64A0
- Doro® Transitional Member  
1005.63A0, 1005.63B0
- skull clamp holder 1005.48B0



**1005.48B0**  
**Skull clamp holder**

- For mounting a radiolucent skull clamp
- Flexible adjustment via 3 joints
- Metal-free radiolucent
- Easy to mount using Easy Click technology

**Technical information**

Width x height x length:  
399 x 200 x 360 mm

Maximum patient weight: 250kg

Adjustment range: +135°/-110° for  
joint 1, 360° all other joints

Mounting to push-fit head rest  
mounting point

**Combination with**

- carbon-fiber back plates  
1189.37A0, 1433.33AC
- carbon-fiber insertable plates  
1433.45BC, 1160.45BC
- skull clamp radiolucent 1005.49B0
- 1180.16A0/A1/A2/A3/A5  
CF table tops with  
pin mounting point
- 1160.16A0, A2

**Variant:**

- 1005.48A0 for adaptation  
of skull clamp  
(Mayfield® Infinity XR2 or skull  
clamp A-2002 of company Integra)

**1005.71A0****Doro® Table Adaptor Maquet, radiolucent**

- For connecting a Doro® head rest system for surgery on the head with the OR table
- Metal-free radiolucent

**Technical information**

Mounting to dovetail mounting point

**Combination with**

- accessory adapter 6005.25A0
- carbon-fiber multi-purpose plate 1150.45BC
- further head positioning accessories

**1005.63A0****Doro® Transitional Member Radiolucent, long**

- Long version
- Combination with a Doro® Skull Clamp
- Metal-free radiolucent

**Technical information****Combination with**

- Doro® Table Adaptor Maquet, radiolucent 1005.71A0
- Doro® Swivel Adaptor Radiolucent 1005.64A0
- Doro® Transitional Member Radiolucent, short 1005.63B0

**1005.63B0****Doro® Transitional Member Radiolucent, short**

- Short version
- Combination with a Doro® Skull Clamp
- Metal-free radiolucent

**Technical information****Combination with**

- Doro® Table Adaptor Maquet, radiolucent 1005.71A0
- Doro® Swivel Adaptor Radiolucent 1005.64A0
- Doro® Transitional Member Radiolucent, long 1005.63A0

**1005.64A0****Doro® Swivel Adaptor Radiolucent**

- For mounting to a Doro® Skull Clamp
- Radiolucent

**Technical information****Combination with**

- Doro® Transitional Member Radiolucent 1005.63A0/B0
- skull clamp radiolucent 1005.49B0

**1005.72A0****Doro® Interface Skull Clamp Radiolucent**

- For mounting a radiolucent skull clamp to an aluminum swivel adapter
- Metal-free radiolucent

**Technical information****Combination with**

- Doro® Swivel Adaptor 1005.51A0
- skull clamp 1005.49B0 (radiolucent)

**1002.03A0****Horseshoe head rest**

- For anatomically correct head support
- Can be used in prone and supine positions
- Metal-free radiolucent
- Pressure relief thanks to extra soft gel padding
- Individual adaptation to the patient's anatomy by using 3 rotating joints
- Mounting to push-fit head rest mounting point

**Technical information**

Width x height x length:  
399 x 176 x 371 mm

Maximum patient weight: 250 kg

**Combination with**

- CF back plate 1180.37A0
- CF back plate 1433.33AC
- carbon-fiber insertable plates 1160.45BC and 1433.45BC

**Suitable for use with**

- carbon-fiber table tops 1180.16A1/A2/A3/A5
- 1160.16A0, A2

**1007.12A0****Guiding roller for head-side traction**

- Optimum patient positioning due to length and height adjustment

**Technical information**

Mounting to the side rail of the head rest adapter

**Combination with**

- horseshoe head rest 1002.72A0
- fixture 1002.65A0

**1002.83AO****Head rest that can be angled**

- Metal-free radiolucent
- Easy mounting with Easy Click technology

**Technical information**

Width x height x length:  
455 x 155 x 324 mm

Product weight: 2.8 kg

Maximum patient weight: 250 kg

Height: max. 155 mm

Length: max. 428 mm

Inclination: +90°/- 45°

Material of pad: SFC

Mounting to push-fit head rest  
mounting point

**Recommended combination with**

- CF back plates  
1180.37AC, 1433.33AC
- carbon-fiber insertable plates  
1433.45BC, 1160.45BC

**Suitable for**

- carbon-fiber table tops  
1180.16A0/A1/A2/A3/A5
- 1160.16A0, A2

**1002.82AO****Rigid head rest**

- Metal-free radiolucent
- Mounting with Easy Click technology

**Technical information**

Maximum patient weight: 250 kg

Product weight: 2.1 kg

Width x height x length:  
420 x 155 x 303 mm

Material of pad: SFC

Mounting to push-fit head rest  
mounting point

**Recommended combination with**

- CF back plates  
1180.37A0, 1433.33AC
- CF insertable plates  
1433.45BC, 1160.45BC

**Suitable for use with**

- carbon-fiber table tops  
1180.16A0/A1/A3/A5  
with pin mounting point
- 1160.16A0, A2

**1002.04B0****Horseshoe head rest**

- For anatomically correct head support
- Metal-free radiolucent
- Pressure relief thanks to extra soft gel padding
- Individual adaptation to the patient's anatomy by using 2 rotating joints

**Technical information**

Maximum patient weight: 200 kg

Large adjustment angle  $\pm 50^\circ$

Mounting to dovetail mounting point

**Combination with**

- 1180.37A0 and 1433.33BC with accessory adapter 6005.25A0
- carbon-fiber multi-purpose plates 1160.45BC and 1433.45BC with accessory adapter 6005.25A0
- 1180.45BC
- 1150.30BB0/D0 with carbon-fiber multi-purpose plate 1150.45BC

**Suitable for use with**

- 1150.16B0

**1007.24A1****Universal frame for patient positioning**

- For prone, supine and lateral positions
- 360° radiolucent
- Mirror to check the intubation position
- Easy access to surgical field thanks to slim construction
- Slim frame construction enables good X-ray access
- Simple transportation and mounting using the trolley

**Technical information**

Height adjustable: 600 – 900 mm

Including: 1 trolley, 1 pair of adapters, 1 head rest adapter, 1 mirror, 2 arm supports, 1 Plexiglas head rest, 1 pair of adjustable side rails, 1 side rail clamp, 1 filler piece

Square mount for head positioning accessories

Round tube mount for standard holder

Mounting to a pin mounting point

**Suitable for use with**

- 1118.01B0/K0, 1118.06B0/K0, 1118.10B0/K0
- 1133.22B4/B5
- Meera: 7000.01B0, 7100.01B0/B2, 7200.01B0/B2
- 1150.30B0/D0
- 1180.10A0: adapter 1007.27A0 has to be ordered separately
- 7700.01A0, B0, A2, B2
- 1160.16/30



### 6005.25A0

#### Accessory adapter

- For mounting accessories with a dovetail mounting point to a carbon-fiber plate
- Metal-free radiolucent
- Suitable for use in MRI

#### Technical information

Maximum patient weight: 180 kg

Including: 2 screws

Material: carbon fiber

#### Combination possible with

- carbon-fiber insertable plates 1433.45BC, 1160.45BC
- CF multi-purpose plate 1180.45A0
- CF back plate 1180.37A0
- CF back plate 1433.33AC



### 1007.27A0

#### Adapter for universal frame for Magnus

- For mounting the universal frame for patient positioning 1007.24A1 to the Magnus OR Table System

#### Technical information

1 pair

#### Only in conjunction with

- motorized joint module 1180.11A0



### 1007.26A0

#### Short support plate

- For supine and lateral positions
- Good access to the head area
- Metal-free radiolucent

#### Technical information

Length: 850 mm

Material of pad: SFC

#### Combination with

- universal frame for patient positioning 1007.24A1



### 1007.26B0

#### Long support plate

- For prone, supine and lateral positions
- Enables very large imaging window
- Metal-free radiolucent

#### Technical information

Length: 1,350 mm

Material of pad: SFC

#### Combination with

- universal frame for patient positioning 1007.24A1

**1007.28B0****Adjustable positioning elements**

- For positioning the patient in prone position on the universal frame
- Can be adjusted in three planes: vertically, horizontally, laterally
- Small body contact area enables free X-ray channel to the spine

**Technical information**

Comprises: 2 chest elements, 2 hip elements, 1 chest pad

Material of pad: SFC

**Recommended combination with**

- disposable covers 1007.29A0

**Combination with**

- universal frame for patient positioning 1007.24A1

**1007.25A0****Side rail clamp**

- For the adaptation of additional accessories to the side rail mounting point

**Technical information**

Can be mounted to a bar

EU side rail

**Combination with**

- universal frame for patient positioning 1007.24A1

**1007.30A0****Adapter for radiolucent spine surgery frame**

- Enables the adaptation of radiolucent spine surgery frame
- Metal-free radiolucent

**Technical information****Combination with**

- universal frame for patient positioning 1007.24A1

**1008.01A0****KTEK Curve Spine Frame**

- Especially suitable for spinal surgery
- Curve enables necessary space between vertebrae
- Curve can be adjusted by using the hand crank
- Width of curve elements can be adjusted
- Radiolucent

**Technical information**

Width x height x length:  
444 x 254 x 720 mm

Weight: 11 kg

Maximum patient weight: 272 kg

Hand crank included



**1008.02A0**  
**KTEK Curve Cart**

- Storage and transport of the KTEK Curve Spine Frame
- Storage bin for the hand crank in the upper area of the cart
- Small storage bin for accessories in the base segment

**Technical information**

Width x height x length:  
549 x 1035 x 549 mm

Weight: 5 kg

May be ordered separately

**Combination with**

- 1008.01A0  
KTEK Curve Spine Frame



**1008.03A0**  
**Curve comfort covers**

- Disposable comfort covers for use with curve spine frame

**Technical information**

Packing unit: 1 unit = 6 pieces

Comprises: cosmetic foam pad covers, head block, lateral rod pad, arm cushions

**Disposable**

- Combination with 1008.01A0  
KTEK Curve Spine Frame



**1008.03B0**  
**Curve standard cover**

- Disposable standard covers for use with curve spine frame

**Technical information**

Packing unit: 1 unit = 6 pieces

Comprises: standard foam pad covers, head block, lateral rod pad, arm cushions

**Disposable**

- Combination with 1008.01A0  
KTEK Curve Spine Frame



**1008.03C0**  
**Head block**

- Disposable head block to position the head in prone position

**Technical information**

Material of pad: foam

Packing unit: 1 unit = 6 pieces

Comprises: 1 head block

**Disposable**

- Combination with 1008.01A0  
KTEK Curve Spine Frame



**1007.04D0**  
**Kneeling frame**

- For positioning the patient in kneeling position
- Flexible positioning using height-adjustable calf support
- Manual adjustment of calf support using a hand crank
- Mounting to OR table is made comfortable by using a trolley
- Mounting to Magnus joint module

**Technical information**

Maximum patient weight: 135 kg / in combination with 1180.10: 250kg

Interface:  
Magnus joint module 1180.11A0

Material of pad: SFC

EU side rail

**Recommended combination with**

- trolley 1007.07D0
- sitting bracket with pelvis supports 1007.05A0

**Available versions:**

- 1007.04BC suitable for 1131.12B0, 1133.22B4/B5, 7100.01B0/B2, 7200.01B0/B2, 1160.10A0/B0/D0, 1160.30A0/B0/D0, 7700.01A0/B0/A2/B2
- 1007.04D0 suitable for 1180.10A0



**1007.53A0**  
**Kneeling frame**

- For positioning a patient in knee-elbow position
- Height-adjustable calf support
- Manual adjustment of calf support using a hand crank
- Mounting to OR table is made comfortable by using the trolley

**Technical information**

Material of pad: SFC

EU side rail

Mounting to a pin mounting point

**Recommended combination with**

- trolley 1007.54A0
- sitting bracket with pelvis supports 1007.05A0

**Suitable for use with**

- 1118.01B0/K0
- 1118.06B0/K0
- 1133.22B4/B5
- 7000.01B0
- 7100.01B0/B2
- 7200.01B0/B2
- 1160.10A0/B0/D0
- 1160.30A0/B0/D0
- 1433.02B0
- 7700.01A0, B0, A2, B2

**1007.07A0****Trolley**

- For support and transportation of kneeling frame
- Facilitates back-friendly mounting of the kneeling frame

**Technical information**

Including: 1 wire basket

**Available versions:**

- 1007.07A0  
for kneeling frame 1007.04BC
- 1007.07D0  
for kneeling frame 1007.04D0

**1007.54A0****Trolley**

- For support and transportation
- Enables easy mounting of kneeling frame 1007.53A0

**Technical information****Combination with**

- kneeling frame 1007.53A0

**1007.05A0****Sitting bracket with pelvis support**

- For buttocks support during surgery
- Lateral supports secure the thighs
- Width can be adjusted

**Technical information**

Comprises: 1 sitting bracket with padded roll, 2 lateral pelvis supports

Material of pads: PUR

2 setting clamps may be ordered separately:  
1003.22C0, 1003.23C0

**Combination with**

- kneeling frame  
1007.04D0/1007.04BC  
and 1007.53A0

**1004.75A0****Wrist support**

- For supporting the surgeon's hands and arms during surgery
- Wrist support can be flipped 180°
- Height-adjustable

**Technical information**

Width x height: 355 x 240 mm

Including: 1 standard clamp

Mounting to a side rail mounting point

**Recommended combination with**

- head rest adapter 1002.07A0
- fixture 1002.65A0
- head rest adapter 1007.16A0/B0

# **08** Accessories for operating tables **Positioning aids**



**Positioning injuries are potential complications of surgical operations.  
Positioning aids can reduce this risk and help to prevent decubitus during  
the surgery and on the ward.**

In addition to the medical aspect, positioning aids are also ideal for making patients more comfortable on the OR table. When required to lie in a supine position for a long period, patients often complain of backache. Gently raising the legs with the help of a pad, for example, the leg rest 1001.94A0, will take the pressure off the spine.

The positioning aids listed here are simple to use and easy to clean. They are high quality and very durable. For all positions, there are complementary gel cushions or pads in various sizes.

## Head rests

**4006.01A0****Oasis Elite Closed Head Ring Adolescent**

- To support and position the patient's head
- For adolescents, closed version

**Technical information**

Height: 34 mm

Ø 140 mm

Material: Silicone gel

**Suitable for**

- warming in a warming cabinet

**4006.02A0****Oasis Elite Closed Head Ring Adult**

- To support and position the patient's head
- For adults, closed version

**Technical information**

Height: 50 mm

Ø 200 mm

Material: Silicone gel

**Suitable for**

- warming in a warming cabinet

**4006.03A0****Oasis Elite Open Head Ring Adolescent**

- To support and position the patient's head
- For adolescents, small version
- Open on one side

**Technical information**

Height: 34 mm

Ø 140 mm

Material: Silicone gel

**Suitable for**

- warming in a warming cabinet

**4006.04A0****Oasis Elite Open Head Ring Adult**

- To support and position the patient's head
- For adults
- Open on one side

**Technical information**

Height: 54 mm

Ø 200 mm

Material: Silicone gel

**Suitable for**

- warming in a warming cabinet

**4006.19A0****Oasis Elite Prone Head Rest, large**

- For adults
- For support, positioning and protection of the head in prone position
- Lateral cut-outs offer space for ventilation tubes

**Technical information**

Width x height x length:  
240 x 140 x 280 mm

Material: Silicone gel

**Suitable for**

- warming in a warming cabinet

**4006.20A0****Oasis Elite Prone Head Rest, medium**

- For adolescents
- For support, positioning and protection of the head in prone position
- Lateral cut-outs offer space for respiration tubes

**Technical information**

Width x height x length:  
273 x 135 x 220 mm

Material: Silicone gel

**Suitable for**

- warming in a warming cabinet

**4006.21A0****Oasis Elite Supine Head Rest Adult**

- For adults
- For support, positioning and protection of the head in supine position

**Technical information**

Width x height x length:  
237 x 90 x 275 mm

Material: Silicone gel

**4006.22A0****Oasis Elite Supine Head Rest Adolescent**

- For adolescents
- For support, positioning and protection of the head in supine position

**Technical information**

Width x height x length:  
230 x 65 x 275 mm

Material: Silicone gel

**Suitable for**

- warming in a warming cabinet



**4006.23AO**  
**Azure Head Protector**

- To support and position the patient

**Technical information**

Width x height x length:  
250 x 50 x 260 mm

Material: Silicone gel

**Suitable for**

- warming in a warming cabinet



**1000.5700**  
**Head ring**

- For placement and positioning  
of the patient's head

**Technical information**

Height: 40 mm  
Ø 210 mm

Material: PUR

# Operating table pads



**4006.05A0**

## Universal operating table pad

- To cover the flat surface of the operating table
- To ensure even distribution of patient weight

### Technical information

Width x height x length:  
520 x 10 x 520 mm

Material: Silicone gel

### Suitable for

- warming in a warming cabinet



**4006.06A0**

## Oasis 3/4 Length Table Pad

- Long version
- To cover the flat surface of the operating table
- To ensure even distribution of patient weight

### Technical information

Width x height x length:  
520 x 10 x 1,150 mm

Material: Silicone gel

### Suitable for

- warming in a warming cabinet



**4006.07A0**

## Oasis Full Length Table Pad

- Extra-long version
- To cover the flat surface of the operating table
- To ensure even distribution of patient weight

### Technical information

Width x height x length:  
520 x 10 x 1,800 mm

Material: Silicone gel

### Suitable for

- warming in a warming cabinet



**4006.08A0**

## Oasis Torso Section

- To cover a specific area of the operating table
- With sacral cut-out

### Technical information

Width x height x length:  
500 x 10 x 990 mm

Material: Silicone gel

### Suitable for

- warming in a warming cabinet



**4006.09A0**  
**Oasis Perineal Table Pad**

- To cover a specific area of the operating table
- With sacral cut-out

**Technical information**

Width x height x length:  
520 x 10 x 520 mm

Material: Silicone gel

**Suitable for**

- warming in a warming cabinet



**4006.24A0**  
**Azure Sacral Protector, small**

- To support the patient's sacral region
- Ensuring more even weight distribution

**Technical information**

Width x height x length:  
380 x 25 x 400 mm

Material: Silicone gel

**Suitable for**

- warming in a warming cabinet

## Arm supports



**4006.12A0**  
**Oasis Armboard Pad**

- Small version
- For placement and support of the extended arm of a patient

**Technical information**

Width x height x length:  
115 x 10 x 395 mm

Material: Silicone gel



**4006.13A0**  
**Oasis Armboard Pad**

- Large version
- For placement and support of the extended arm of a patient

**Technical information**

Width x height x length:  
200 x 10 x 600 mm

Material: Silicone gel

**Recommended combination with**

- arm posturing device 1001.44D0



**4006.26A0**  
**Azure Arm Protector, short**

- Small version
- For placement and support of the patient's arm

**Technical information**

Width x height x length:  
140 x 30 x 330 mm

Material: Silicone gel



**4006.27A0**  
**Azure Arm Protector, long**

- Large version
- For placement and support of the patient's arm

**Technical information**

Width x height x length:  
180 x 35 x 460 mm

Material: Silicone gel

**Recommended combination with**

- arm posturing device 1001.44D0

## Leg rests and heel protector pads



**4006.14A0**  
**Oasis Crutch Stirrup Pads**

- Additional padding to increase positioning comfort

**Technical information**

Width x height x length:  
220 x 10 x 320 mm

Including: 2 pieces

Material: Silicone gel

**Suitable for**

- warming in a warming cabinet



**4006.15A0**  
**Oasis Crutch Stirrup Pads**

- Additional padding to increase positioning comfort

**Technical information**

Width x height x length:  
245 x 10 x 395 mm

Set of 2

Material: Silicone gel

**Suitable for**

- warming in a warming cabinet



**4006.17A0**  
**Oasis Thigh Pad**

- To relieve pressure

**Technical information**

Width x height x length:  
130 x 10 x 520 mm

Material: Silicone gel

**Suitable for**

- warming in a warming cabinet



**4006.28A0**  
**Azure Leg Protector**

- For placement and support of the patient's leg
- Ensures more even distribution of patient weight

**Technical information**

Width x height x length:  
180 x 40 x 515 mm

Material: Silicone gel

**Suitable for**

- warming in a warming cabinet

**4006.16A0****Oasis Elite Heel Pads**

- To support the leg at the ankle

**Technical information**

Width x height x length:  
100 x 70 x 180 mm

Set of 2

Material: Silicone gel

**Suitable for**

- warming in a warming cabinet

**4006.29A0****Azure Heel Protectors**

- For placement and support of the heel

**Technical information**

Width x height x length:  
175 x 30 x 190 mm

Set of 2

Material: Silicone gel

**Suitable for**

- warming in a warming cabinet

## Leg rests and heel protector pads



**4006.10A0**  
**Oasis Universal Patient Positioner**

- Medium version
- To support the patient's position

**Technical information**

Width x height x length:  
100 x 60 x 290 mm

Material: Silicone gel

**Suitable for**

- warming in a warming cabinet



**4006.11A0**  
**Oasis Universal Patient Positioner**

- Large version
- To support the patient's position

**Technical information**

Width x height x length:  
120 x 70 x 345 mm

Material: Silicone gel

**Suitable for**

- warming in a warming cabinet



**4006.25A0**  
**Oasis Elite Flat Bottom Chest Roll**

- To support the patient's position

**Technical information**

Width x height x length:  
140 x 110 x 505 mm

Material: Silicone gel

**Suitable for**

- warming in a warming cabinet



**1003.7400**  
**Pad**

- Semicircular
- For placement and positioning of the patient

**Technical information**

Width x height x length:  
190 x 115 x 478 mm

Material: PUR

**4006.18A0****Oasis Elite Lateral Positioner**

- To support the patient lying on their side on the OR table
- To prevent the occurrence of nerve damage and pressure points

**Technical information**

Width x length: 500 x 720 mm,  
height up to 160 mm

Material: Silicone gel

**4006.3200****Lateral positioning pad**

- For placement and support of the patient in lateral position

**Technical information**

Width x height x length:  
520 x 230 x 413 mm

Material: Silicone gel / SFC

Fixation to side rails of the operating table possible with the help of Velcro® straps

**1000.77A0****Tunnel cushion**

- For placement and positioning of the patient's legs, especially in lateral position

**Technical information**

Width x height x length:  
400 x 220 x 650 mm

Material of pad: SFC

**1000.6900****Plexus cushion**

- For positioning the patient, especially supporting the neck and shoulder region in supine position

**Technical information**

Width x height x length:  
500 x 100 x 440 mm

Material of pad: SFC

**1001.94A0****Leg rest**

- For positioning the patient, in particular the patient's legs

**Technical information**

Width x height x length:  
450 x 200 x 600 mm

Material of pad: SFC

**1000.5600****Pad**

- For positioning the patient, especially during surgical procedures on the spine

**Technical information**

Outer dimensions  
width x height x length:  
460 x 100 x 840 mm

Abdominal cut-out width x length:  
200 x 370 mm

Material of pad: SFC

**4006.3100****Prone positioning pad**

- For positioning the patient, especially during surgical procedures on the spine

**Technical information**

**Dimensions cut-out:**  
Width chest: 250 mm  
Width pelvis: 190 mm  
Length: 580 mm

**Outer dimensions:**  
Width x length x height:  
480 x 1,014 x 140 mm

Material of pad: Special foam

**1000.68C0****Pad**

- For positioning the patient, especially during surgical procedures on the spine

**Technical information**

Thorax pad width x height x length:  
500 x 160 x 250 mm

Pelvis side width x height x length:  
500 x 160 x 340 mm

Material of pads: SFC



**1000.24AO**  
**Padded roll for countertraction post**

- To pad a countertraction post for positioning the patient

**Technical information**

Ø (external) 180 mm

Height: 190 mm

Material: SFC

**Combination with**

- countertraction post,  
e.g. 1004.90BO



**1000.78AO**  
**Vacuum mattress**

- Microspace filling adapts smoothly to the body shape
- With sacral cut-out
- Latex-free
- Radiolucent
- MRI and CT compatible

**Technical information**

Width x length: 750 x 1,250 mm

Length between shoulder and sacral cut-out: 1,000 mm

Filling: Microspace System

Cover: PUR

Non-slip foil 1101.6864 available

A surgeon in blue scrubs and a mask is shown from the side, holding a pair of surgical scissors over a patient's arm. The patient is lying on an operating table, covered with a white sheet. In the background, another surgeon wearing a blue scrub cap and mask is visible, looking down at the patient. The operating room has white walls and ceiling-mounted surgical lights.

**09**

Accessories for operating tables  
**Medical furniture  
for the operating room**

**The Resist range of medical furniture consists of reliable and well proven accessories. Instrument tables, infusions stands, step stools and many more items are essential for the daily work of the OR team.**

Important technical features are hygienic design, corrosion resistance, durability, tip-proof design, resistance to disinfectants and robustness. The dirt-repellent stainless-steel surfaces are designed to maximize hygiene.

**4403.9302****Instrument stand**

- Instrument table for placing medical instruments during surgery
- Removable non-pivoting shelf
- Manual height adjustment

**Technical information**

Shelf dimensions width x length:  
600 x 400 mm

Height adjustment: 800 – 1,200 mm

Max. load: 30 kg

Material: CrNi steel

4 double swivel castors (Ø 75 mm),  
2 castors with brakes

**4464.98A0****Mayo instruments table**

- Instrument table designed to hold sterile goods containers, instrument trays, instruments, swabs and other small items required for the operation
- Deep-drawn seamless shelf
- Convenient height adjustment via foot pedal

**Technical information**

Hydraulic height adjustment:  
990 – 1,355 mm

Max. load: 30 kg

3 double swivel castors (Ø 75 mm)

**Available versions:**

- 4464.98A0, shelf dimension: 600 x 400 mm
- 4464.98B0, shelf dimension: 700 x 500 mm

**4464.9X00****Instrument stand**

- Instrument table to hold containers for sterile goods, instrument trays, instruments, swabs and other small items required for the operation
- Deep-drawn seamless shelf
- Table top can be swivelled from +90 to -90°
- Table top fixation with a lever below the shelf
- Convenient height adjustment via foot pedal
- Low foot segment

**Technical information**

Hydraulic height adjustment:  
960 – 1,355 mm

Max. load: 30 kg

3 double swivel castors (Ø 50 mm)

**Available versions:**

- 4464.9500, shelf dimensions: 600 x 400 mm
- 4464.9600, shelf dimensions: 700 x 500 mm

**4809.9003****Bowl stand**

- For collecting used consumables, for example medications, liquids, towels and similar products
- 2 removable bowls
- Handle for easy maneuvering

**Technical information**

Height: 825 mm

Base Ø: 635 mm

2 bowls (6 l each)

Max. load per bowl: 4 kg

Material: CrNi steel

5 double swivel castors (Ø 50 mm)



#### 4404.32X3

##### Instrument table

- Hygienic accessory table with 2 removable shelves
- Easy to maneuver in the OR
- Resistant to disinfectants
- Finely polished and dirt-repellent surface

##### Technical information

Shelf dimensions width x length:  
625 x 425 mm

2 removable shelves

Max. load per shelf: 20 kg

4 double swivel castors,  
2 of which with brakes

##### Available versions:

- 4404.32A3, height 800 mm,  
distance between shelves: 500 mm
- 4404.32B3, height 900 mm,  
distance between shelves: 600 mm
- 4404.32C3, height 1,000 mm,  
distance between shelves: 700 mm



#### 4405.32X3

##### Instrument table

- Hygienic accessory table with 2 removable shelves
- Easy to maneuver in the OR
- Resistant to disinfectants
- Finely polished and dirt-repellent surface

##### Technical information

Shelf dimension width x length:  
720 x 625 mm

2 removable shelves

Max. load per shelf: 20 kg

4 double swivel castors,  
2 of which with brakes

##### Available versions:

- 4405.32A3, height 800 mm,  
distance between shelves: 500 mm
- 4405.32B3, height 900 mm,  
distance between shelves: 600 mm
- 4405.32C3, height 1,000 mm,  
distance between shelves: 700 mm



#### 4406.32X3

##### Instrument table

- Hygienic accessory table with 2 removable shelves
- Easy to maneuver in the OR
- Resistant to disinfectants
- Finely polished and dirt-repellent surface

##### Technical information

Shelf dimensions width x length:  
940 x 625 mm

2 removable shelves

Max. load per shelf: 20 kg

4 double swivel castors,  
2 of which with brakes

##### Available versions:

- 4406.32A3, height 800 mm,  
distance between shelves 500 mm
- 4406.32B3, height 900 mm,  
distance between shelves 600 mm
- 4406.32C3, height 1,000 mm,  
distance between shelves 700 mm



#### 4402.9002

##### Hand and arm positioning table

- For positioning the patient's hand and arm
- Table top pivotable  $\pm 45^\circ$
- Table top can be tilted  $\pm 29^\circ$
- Plate is radiolucent
- Can be fixed in a comfortable position  
for patient and surgeon

##### Technical information

Dimensions of table top  
width x length: 450 x 450 mm

Height adjustment: 650 – 950 mm

Max. load: 25 kg

4 castors ( $\varnothing$  75 mm),  
all with brakes

##### Only in combination with

- SFC pad 4000.05A0



#### 4000.05A0

##### Pad

- SFC pad is used in combination with  
hand and arm posturing table 4402.9002
- Radiolucent

##### Technical information

Width x height x length:  
450 x 30 x 450 mm

Velcro® strap below the pad for  
attachment to hand and arm table

**4902.3503****Disposal trolley**

- Mobile unit for collecting waste or fluids in the operating theatre
- Removable bucket

**Technical information**

Height to upper edge of bucket:  
465 mm

Kick-ring base: Ø 466 mm

Capacity of bucket: 15 liter

Max. load: 20 kg

Bucket: CrNi steel

4 double swivel castors

**Available versions:**

- 4901.3503  
trolley without push bar
- 4902.3503  
trolley with push bar,  
height: 800 mm

**4906.9003****OR step stool**

- OR step stool for better access to the surgical field
- 1 step with slip-proof ridged tread
- Step seamlessly welded

**Technical information**

Dimensions width x length:  
603 x 350 mm

Max. load: 125 kg

Material: CrNi steel

Electrostatically conductive  
rubber feet

**Available versions:**

- 4906.9003, height: 130 mm
- 4906.9103, height: 220 mm

**4907.9003****OR step stool**

- OR step stool for better access to the surgical field
- 2 steps with slip-proof ridged tread
- Steps seamlessly welded

**Technical information**

Dimensions width x length:  
605 x 650 mm

Height: 220 / 440 mm

Max. load: 100 kg

Material: CrNi steel

Electrostatically conductive  
rubber feet

**4805.91A3****IV pole MRI**

- Infusion stand suitable for use in MRI areas up to 3 Tesla
- Minimum distance from MRI: 50 cm
- IV pole consisting of antimagnetic parts only
- 4 bottle hooks
- 1 drip glass
- Suitable for gravity infusions

**Technical information**

Height adjustment 1,300 – 2,090 mm  
 Max. load: 2 kg per bottle hook  
 Material: aluminum and plastic  
 Castors are antistatic  
 5 double swivel castors (Ø 50 mm) with brakes

**4805.91B3****Infusion stand**

- IV pole suitable for support of infusion bags, bottles and 1 pump
- One-hand height adjustment is possible
- 4 bottle hooks
- 1 drip glas
- Suitable to support gravity infusions

**Technical information**

Height adjustment: 1,350 – 2,350 mm  
 Max. load: 2 kg per bottle hook  
 Material: CrNi steel  
 Castors antistatic  
 5 castors (Ø 80 mm) with brakes

**4001.59A0****Bowl**

- 5 liter bowl with interior scale for use with the heated bowl holder
- Can be sterilized

**Technical information**

Ø 320 mm  
 Height: 120 mm  
 Material: CrNi steel  
 Mechanical cleaning is possible

**Recommended combination with**

- heated bowl holder 4904.95/96A0
- clamp ring 4001.60A0

**4001.60A0****Clamp ring**

- Clamp ring for fixation of sterile covers in combination with a bowl and the heated bowl holder

**Technical information**

Ø 305 mm  
 Height: 70 mm  
 Material: CrNi steel  
 Mechanical cleaning is possible

**Recommended combination with**

- heated bowl holder 4904.95/96A0
- bowl 4001.59A0

**4904.95A0****Heated bowl holder**

- Warming of physiological saline solutions
- Dampening or warming compresses and towels
- Temperature range 35 – 60 °C set by button
- Temperature monitoring on LED display
- Safety thermostat

**Technical information**

Height adjustment: 1,050 – 1,350 mm

Overall width: 650 mm

Cable length: 5,700 mm

Max. load: 6 kg

Material: CrNi steel

Teflon-coated heating plate

5 double swivel castors (Ø 75 mm),  
3 of which electrically conductive,  
2 of which with brakes**Recommended combination with**

- bowl 4001.59A0
- clamp ring 4001.60A0

**Variant:**

- 4904.96A0 with mains plug  
for Switzerland

**4632.01A0****OR swivel stool pneumatic**

- Mobile swivel stool for flexible use in the operating theatre
- Round padded seat
- Covered castors
- Central brake system
- Foot pedal for convenient height-adjustment

**Technical information**Pneumatic height-adjustment:  
570 – 740 mm

Padded seat: Ø 350 mm, black

Pad thickness: 100 mm

Max. load: 200 kg

Not electrically conductive

5 double castors (Ø 50 mm)

**Available versions:**

- 4632.01A0 without back rest
- 4632.01E0 with padded back rest



**4634.01A0**  
**OR swivel stool hydraulic**

- Mobile swivel stool for flexible use in the operating theatre
- Round padded seat
- Covered castors
- Central brake system
- Foot pedal for convenient height-adjustment

**Technical information**

Hydraulic height-adjustment:  
600 – 840 mm

Padded seat: Ø 350 mm, black

Pad thickness: 100 mm

Max. load: 200 kg

5 double castors (Ø 50 mm)

Electrically conductive

**Available versions:**

- 4634.01A0 without back rest
- 4634.01C0 with padded back rest



**4602.3402**  
**OR swivel stool**

- Mobile swivel stool for flexible use in the operating theatre
- Round padded seat
- 5 double castors for stability

**Technical information**

Height adjustment manual:  
460 – 670 mm

Padded seat: Ø 330 mm

Pad thickness: 70 mm

Max. load: 200 kg

Electrically conductive

5 double swivel castors (Ø 50 mm)



# 10 Overview **Accessories matrix and index**

A photograph of two healthcare professionals, a man and a woman, wearing dark blue scrubs. They are standing in what appears to be a medical or dental office, looking at a piece of equipment or a procedure tray. The man is in the background, focused on the equipment. The woman is in the foreground, looking towards the camera with a slight smile. The background shows a white wall with some green text and a window.

**The most important information at a glance: Use the accessories matrix to quickly and easily find out which accessory can be used with any given OR table.**

The accessories are sorted by article number, and symbols are used to identify the most important information. Firstly, the OR tables that the accessory can be used with and, secondly, what type of mounting point it has. You can also see what page the accessory is on.

If you do not know the article number, the index will help. It lists all the accessories in the catalog alphabetically. At the end of the chapter there is a page for making notes and an order form.

# Accessories matrix and index

## for easy orientation

Explanation of  
the accessory matrix

		Page	Maquet Magnus 1180.10A0	Maquet Magnus 1180.16A1/A2/A3/A5/A6	Maquet Otesus 1160.10A0/D0	Maquet Otesus 1160.30A0/D0	Maquet Otesus 1160.16A0/A1/A2	Alphamaquet 1150.16B0	Alphamaquet 1150.20B0/D0	Alphamaquet 1150.30B0/D0	Corin 7700.01A0/B0/A2/B2	Alphamaxx 1133.22B4/B5	Maquet Meera 7200.01B0/B2	Maquet Meera ST 7100.01B0/B2	Maquet Meera CL 7000.01B0	Maquet Lyra 1118.10B0/K0	Betaclassic 1118.01B0/K0	Maquet Yuno II 1433.02B0
Article number	Article name		b	b	b	b	b	b	b	b	b	b	b	b	b	b	b	
0802.0783	Wire basket	28	b	b	b	b	b	b	b	b	b	b	b	b	b	b	b	
1000.24A0	Padded roll for countertraction post	121	e	e	e	e	e	e	e	e	e	e	e	e	e	e	e	

- a** Positioning aid
- b** Accessory trolley
- c** Medical furniture
- d** Can be fitted to OR table mounting point
- e** May be only used on the OR table mounting point in conjunction with other accessories
- f** Accessories for side rails
- g** Side rail accessories, only suitable for use in combination with other accessories

		a	b	c	d	e	f	g	Page	Maquet Magnus 1180.10AO	Maquet Magnus 1180.16AI/A2/A3/A5/A6	Maquet Otesus 1160.10AO/D0	Maquet Otesus 1160.30AO/D0	Maquet Otesus 1160.16AO/A1/A2	Alphamaquet 1150.16B0	Alphamaquet 1150.20B0/D0*	Alphamaquet 1150.30B0/D0*	Corin 7700.01AO/B0/A2/B2	Alphamaxx 1133.22B4/B5	Maquet Meera ST 7100.01B0/B2	Maquet Meera CL 7000.01B0	Maquet Lyra 1118.10B0/K0	Betaclassic 1118.01B0/K0	Maquet Yuno II 1433.02B0
0802.0783	Wire basket		b	b	b	b	b	b	32						b	b	b	b	b	b	b	b		
1000.24A0	Padded roll for countertraction post	e		e	e				135						e	e	e	e	e	e	e	e		
1000.5600	Pad	a	a	a	a	a	a	a	134						a	a	a	a	a	a	a	a		
1000.5700	Head ring	a	a	a	a	a	a	a	126						a	a	a	a	a	a	a	a		
1000.68C0	Pad	a	a	a	a	a	a	a	134						a	a	a	a	a	a	a	a		
1000.6900	Plexus cushion	a	a	a	a	a	a	a	133						a	a	a	a	a	a	a	a		
1000.77A0	Tunnel cushion	a	a	a	a	a	a	a	133						a	a	a	a	a	a	a	a		
1000.78A0	Vacuum mattress	a	a	a	a	a	a	a	135						a	a	a	a	a	a	a	a		
1001.40A0	Arm protector <sup>1</sup>	a	a	a	a	a	a	a	52						a	a	a	a	a	a	a	a		
1001.40B0	Arm protector, <sup>2</sup> curved	a	a	a	a	a	a	a	52						a	a	a	a	a	a	a	a		
1001.42A0	Arm support <sup>3</sup>	e	d	e	e	g	d	e	52						e	e	e	e	e	e	e	e		
1001.44E0	Arm support	f	g	f	f	g	g	f	46						f	f	f	f	f	f	f	f		
1001.44F0	Arm support	f	g	f	f	g	g	f	46						f	f	f	f	f	f	f	f		
1001.44D0	Arm positioning device PUR	f	g	f	f	g	g	f	46						f	f	f	f	f	f	f	f		
1001.45C0	Upper arm posturing plate	f		f	f				102						f	f	f	f	f	f	f	f		
1001.4600	Arm restraint cuff	g	g	g	g	g	g	g	50						g	g	g	g	g	g	g	g		
1001.4700	Leg restraint cuff	a		a	a				83						a	a	a	a	a	a	a	a		
1001.48A0	Weinberger arm restraint cuff	e	e	e	e	e	e	e	101						e	e	e	e	e	e	e	e		
1001.54A0	Side rail extension	f		f	f				28						f	f		f	f	f	f	f		
1001.56A0	Body strap	f	f	f	f	f	f	f	29						f	f	f	f	f	f	f	f		
1001.56B0	Body strap	f	f	f	f	f	f	f	29						f	f	f	f	f	f	f	f		
1001.57A0	Leg strap	a		a	a				83						a	a	a	a	a	a	a	a		
1001.58A0	Body strap	a	a	a	a	a	a	a	30						a	a	a	a	a	a	a	a		
1001.59A0	Body strap	f	g	f	f	g	g	f	29						f	f	f	f	f	f	f	f		
1001.59B0	Body strap	f	g	f	f	g	g	f	30						f	f	f	f	f	f	f	f		
1001.6000	Arm support	f	g	f	f	g	g	f	47						f	f	f	f	f	f	f	f		
1001.63A0	Multi-purpose plate for arm surgery	e	g	e	e	g	g	e	50						e	e	e	e	e	e	e	e		
1001.64X0	Adapter for CF table top	e	d			d			51															
1001.64C0	Adapter for CF table top (not for 1160.16A2)			e	e	d	d		51						e	e	e	e	e	e	e	e		
1001.65A0	Leg holder	g		g	g				72						g	g	g	g	g	g	g	g		
1001.66A0	Leg support	g		g	g				82						g	g	g	g	g	g	g	g		
1001.73A0	Leg holder	g		g	g				73						g	g	g	g	g	g	g	g		

<sup>1</sup>suitable 1160.10/30 with SFC, 7.700.01B0/B2<sup>2</sup>suitable 1160.10/30 with SFC, 7.700.01B0/B3<sup>3</sup>suitable 1160.10/30 with SFC, 7.700.01B0/B4

		Page	Maquet Magnus 1180.10A0	Maquet Magnus 1180.16A1/A2/A3/A5/A6	Maquet Otesus 1160.10A0/D0	Maquet Otesus 1160.30A0/D0	Maquet Otesus 1160.16A0/A1/A2	Alphamaquet 1150.16B0	Alphamaquet 1150.20B0/D0*	Alphamaquet 1150.30B0/D0*	Corin 7700.01A0/B0/A2/B2	Alphamaxx 1133.22B4/B5	Maquet Meera ST7100.01B0/B2	Maquet Meera CL7000.01B0/B2	Maquet Meera CL7000.01B0	Maquet Lyra 1118.10E0/K0	Betaclassic 1118.01B0/K0	Maquet Yuno II 1433.02B0
1001.74B0	Bariatric set, EU	65		d						d								
1001.75A0	Table width extension, long	25	f	f f					f f f	f f f	f f f	f f f f	f f f	f f f	f f f			
1001.76A0	Table width extension, short	26	f	f f					f f f	f f f	f f f	f f f f	f f f	f f f	f f f			
1001.86C0	Foot plate	82	f	f f					f f f	f f f	f f f	f f f f	f f f	f f f	f f f			
1001.8700	Foot plate, adult	99	e	e e					e e f	e e e	e e e	e e e e	e e e	e e e	e e e			
1001.8800	Traction boot, adult	100	e	e e					e e e	e e e	e e e	e e e e	e e e	e e e	e e e			
1001.9000	Foot plate, child	100	e	e e					e e e	e e e	e e e	e e e e	e e e	e e e	e e e			
1001.9100	Traction boot, child	101	e	e e					e e e	e e e	e e e	e e e e	e e e	e e e	e e e			
1001.92C0	Armpit support	100	f	f f					f f f	f f f	f f f	f f f f	f f f	f f f	f f f			
1001.94A0	Leg rest	134	a a a a a a a a a a a a a a a a															
1001.97A0	Foot plate	98	e	e e					e e e	e e e	e e e	e e e e	e e e	e e e	e e e			
1002.03A0	Horseshoe head rest	114	e d e e e															e
1002.04B0	Horseshoe head rest	116	e	e e	d				e e e	e e e	e e e	e e e e	e e e	e e e	e e e			
1002.07A0	Head rest adapter	36	e	e e					e e e	e e e	e e e	e e e e	e e e	e e e	e e e			
1002.09C0	Shoulder support	25	f	f f					f f f	f f f	f f f	f f f f	f f f	f f f	f f f			
1002.10A0	Adjustable head rest adapter	37		e e												e		
1002.11A0	Back/buttocks support	23	g g g g g g g g g g													g g g g g g g g g g		
1002.11B0	Pubis/sternum support	23	g g g g g g g g g g													g g g g g g g g g g		
1002.11C0	Lateral support	23	g g g g g g g g g g													g g g g g g g g g g		
1002.11D0	Supporting roll	23	g g g g g g g g g g													g g g g g g g g g g		
1002.11E0	Buttocks support	24	g g g g g g g g g g													g g g g g g g g g g		
1002.15A0	Head support for shoulder operations	42	g	g g g g g					g g g g g	g g g g g	g g g g g	g g g g g g	g g g g g	g g g g g	g g g g g			
1002.17A0	Double lateral support	25	f g f f	g g f					f f f	f f f	f f f	f f f f	f f f	f f f	f f f			
1002.18A0	Support bar	30	e	e e					e e e	e e e	e e e	e e e e	e e e	e e e	e e e			
1002.19C0	Fixture for body supports	22	f g f f	g g f f					f f f f	f f f f	f f f f	f f f f f	f f f f	f f f f	f f f f			
1002.21C0	Lateral support	24	f g f f	g g f f					f f f f	f f f f	f f f f	f f f f f	f f f f	f f f f	f f f f			
1002.2300	Leg holder	72	g	g g					g g g g g	g g g g g	g g g g g	g g g g g g	g g g g g	g g g g g	g g g g g			
1002.24C0	Arm restraint cuff	53	f g f f	g g f f					f f f f	f f f f	f f f f	f f f f f	f f f f	f f f f	f f f f			
1002.25A0	Arm protector	53	f g f f	g g f f					f f f f	f f f f	f f f f	f f f f f	f f f f	f f f f	f f f f			
1002.30A0	Trimano Fortis	49	f g f f	g g f f					f f f f	f f f f	f f f f	f f f f f	f f f f	f f f f	f f f f			
1002.31A0	Adapter Trimano Fortis	102	g g g g	g g g g					g g g g g	g g g g g	g g g g g	g g g g g g	g g g g g	g g g g g	g g g g g			
1002.32A0	Arm support	49	g g g	g g g					g g g g g	g g g g g	g g g g g	g g g g g g	g g g g g	g g g g g	g g g g g			

		Page	<b>a</b>	<b>b</b>	<b>c</b>	<b>d</b>	<b>e</b>	<b>f</b>	<b>g</b>	<b>Maquet Magnus 1180.10AO</b>	<b>Maquet Magnus 1180.16AI/A2/A3/A5/A6</b>	<b>Maquet Otesus 1160.10AO/D0</b>	<b>Maquet Otesus 1160.30AO/D0</b>	<b>Maquet Otesus 1160.16AO/A1/A2</b>	<b>Alpha maquet 1150.16B0</b>	<b>Alpha maquet 1150.20B0/D0*</b>	<b>Alpha maquet 1150.30B0/D0*</b>	<b>Corin 7700.01AO/B0/A2/B2</b>	<b>Alphamaxx 1133.22B4/B5</b>	<b>Maquet Meera 7200.01B0/B2</b>	<b>Maquet Meera ST 7100.01B0/B2</b>	<b>Maquet Meera CL 7000.01B0</b>	<b>Maquet Lyra 1118.10B0/K0</b>	<b>Beta classic 1118.01B0/K0</b>	<b>Maquet Yuno II 1433.02B0</b>
1002.36A0	Lateral support	24	f																						
1002.40A0	Pin-joint arm for body supports	22	g	g	g	g	g	g	g																
1002.42A0	Trimano Adapter	103	g	g	g	g	g	g	g																
1002.43A0	Arm rest for lateral position	103	g	g	g	g	g	g	g																
1002.43B0	Arm rest for beach chair position	103	g	g	g	g	g	g	g																
1002.45A0	Trimano elbow countertraction post	103	g	g	g	g	g	g	g																
1002.48A0	Trimano finger fixation	102	g	g	g	g	g	g	g																
1002.49A0	Arm rest	49	g	g	g	g	g	g	g																
1002.52A0	Disposable arm rest	103	g	g	g	g	g	g	g																
1002.54A0	Anesthesia frame	18	g	g	g	g	g	g	g																
1002.55A0	Tube holder	19	g	g	g	g	g	g	g																
1002.57A0	Anesthesia screen	19	g	g	g	g	g	g	g																
1002.59A0	Anesthesia screen extension	19	g	g	g	g	g	g	g																
1002.65A0	Fixture	37	e		e	e																			
1002.66A0	Horseshoe head rest with one-handed adjustment	38	e		e	e																			
1002.72A0	Horseshoe head rest – two-section	37	e		e	e																			
1002.73A0	Flat head rest	37	e		e	e																			
1002.81D0	Head rest	38	e		e	e																			
1002.82A0	Rigid head rest	115	e	d	e	e	d																		
1002.83A0	Head rest that can be angled	115		d	e	e	d																		
1002.93A0	X-ray cassette slide	26	d		d	d						d		d	d	d	d	d	d	d	d	d	d		
1002.94A0	X-ray cassette holder	26	f		f	f						f		f	f	f	f	f	f	f	f	f	f		
1002.97A0	Body support	24	g	g	g	g	g	g	g																
1002.98A0	Instrument table	21			d	d						d		d	d	d	d	d	d	d	d	d	d		
1003.22C0	Standard clamp	18	f	g	f	f	g	g	f																
1003.23C0	Radial setting clamp	18	f	g	f	f	g	g	f																
1003.32C0	Mayo instrument stand	21	f	g	f	f	g	g	f																
1003.34A0	Rotating and tilting clamp	94	e		e	e																			
1003.35A0	Traction stirrup clamp with rotation	94	e		e	e																			
1003.3600	Pelvis plaster cast device	98	e		e	e						d		d	d	d	d	d	d	d	d	d	d		
1003.3700	Screw tension device	95	e		e	e						e		e	e	e	e	e	e	e	e	e	e		
1003.44A0	Soiled instrument bowl	21			d	d						d		d	d	d	d	d	d	d	d	d	d		

		Page	<b>a</b>	<b>b</b>	<b>c</b>	<b>d</b>	<b>e</b>	<b>f</b>	<b>g</b>	<b>Maquet Magnus 1180.10A0</b>	<b>Maquet Magnus 1180.16A1/A2/A3/A5/A6</b>	<b>Maquet Otesus 1160.10A0/D0</b>	<b>Maquet Otesus 1160.30A0/D0</b>	<b>Maquet Otesus 1160.16A0/A1/A2</b>	<b>Alphamaquet 1150.16B0</b>	<b>Alphamaquet 1150.20B0/D0*</b>	<b>Alphamaquet 1150.30B0/D0*</b>	<b>Corin 7700.01A0/B0/A2/B2</b>	<b>Alphamaxx 1133.22B4/B5</b>	<b>Maquet Meera ST7100.01B0/B2</b>	<b>Maquet Meera CL7000.01B0</b>	<b>Maquet Lyra 1118.10E0/K0</b>	<b>Betaclassic 1118.01B0/K0</b>	<b>Maquet Yuno II 1433.02B0</b>
1003.45D0	TUR rinsing set	22	e																					
1003.46A0	Trolley	22	b				b	b								b	b	b	b	b	b	b	b	b
1003.48A0	Accessory trolley	31	b	b	b	b	b	b	b							b	b	b	b	b	b	b	b	b
1003.49B0	Foot plate mount	95	e			e	e									e	e	e	e	e	e	e	e	e
1003.50C0	Countertraction post for tibia and fibula	93	e		e	e										d	e	e	e	e	e	e	e	e
1003.5100	Guiding bar	93	e		e	e										e	e	e	e	e	e	e	e	e
1003.54A0	Bar extension	94	e		e	e										e	e	e	e	e	e	e	e	e
1003.55A0	Traction bar, carbon-fiber version	91	a		e	e										d	e	e	e	e	e	e	e	e
1003.57B0	Seat plate extension, carbon fiber	92	e		e	e										d	e	e	e	e	e	e	e	e
1003.58B0	Sliding clamp	91	e		e	e										e	e	e	e	e	e	e	e	e
1003.59V0	Telescopic bar	96	e		e	e										d	e	e	e	e	e	e	e	e
1003.60D0	Clip-on device for minimally invasive surgery	86	e		e	e										d	e	e	e	e	e	e	e	e
1003.61A0	Radial setting clamp	18	f	g	f	f	g	g	g	f	f	f	f	f	f	f	f	f	f	f	f	f	f	f
1003.7400	Pad	132	a	a	a	a	a	a	a	a	a	a	a	a	a	a	a	a	a	a	a	a	a	
1003.75A0	Traction boot	98	e		e	e										e	e	e	e	e	e	e	e	e
1003.75C0	Traction boot, small	99	e		e	e										e	e	e	e	e	e	e	e	e
1003.76A0	Disposable inlay and mounting brackets, big size	98	e		e	e										e	e	e	e	e	e	e	e	e
1003.76C0	Disposable inlay and mounting brackets, small size	98	e		e	e										e	e	e	e	e	e	e	e	e
1003.77A0	Reusable inlay	99	e		e	e										e	e	e	e	e	e	e	e	e
1003.78A0	Disposable mounting brackets	99	e		e	e										e	e	e	e	e	e	e	e	e
1003.80A0	Leg holder	70	g		g	g	g									g	g	g	g	g	g	g	g	g
1003.81A0	Knee crutch, standard	70	g		g	g										g	g	g	g	g	g	g	g	g
1003.82A0	Knee crutch, adipositas	70	g		g	g	g									g	g	g	g	g	g	g	g	g
1003.24A0	Clamp with blade interface	70	f		f	f										f	f	f	f	f	f	f	f	f
1003.86A0	Accessory trolley for carbon-fiber insertable plates	57			b	b										b								b
1003.87A0	Accessory stand for carbon-fiber back plate	58			b	b										b	b	b	b	b	b	b	b	b
1004.07A0	Column protection device	31															d	d	d					
1004.15A0	Lateral protection	19	f		f	f										f	f	f	f	f	f	f	f	f
1004.23C0	Elbow support	101	f		f	f										f	f	f	f	f	f	f	f	f
1004.42B0	Joint-supporting arm	94	e		e	e										e	e	e	e	e	e	e	e	e
1004.75A0	Wrist support	121	e		e	e										e	e	e	e	e	e	e	e	e
1004.8000	Humerus counter traction post	101	f		f	f										f	f	f	f	f	f	f	f	f

		a	b	c	d	e	f	g	Page	Maquet Magnus 1180.10A0	Maquet Magnus 1180.16A1/A2/A3/A5/A6	Maquet Otesus 1160.10A0/D0	Maquet Otesus 1160.30A0/D0	Maquet Otesus 1160.16A0/A1/A2	Alphamaquet 1150.16B0	Alphamaquet 1150.20B0/D0*	Alphamaquet 1150.30B0/D0*	Corin 7700.01A0/B0/A2/B2	Alphamaxx 1133.22B4/B5	Maquet Meera 7200.01B0/B2	Maquet Meera ST 7100.01B0/B2	Maquet Meera CL 7000.01B0	Maquet Lyra 1118.10B0/K0	Betaclassic 1118.01B0/K0	Maquet Yuno II 1433.02B0
1004.84A0	Knee positioning device	106	f							f	f				f	f	f	f	f	f	f	f	f	f	
1004.84B0	Knee positioning device	107	f							f	f				f	f	f	f	f	f	f	f	f	f	
1004.85B0	Countertraction post for femur	91	e			e						d	e	e	e	e	e	e	e	e	e	e	e	e	
1004.86B0	Universal support	96	e			e						e	e	e	e	e	e	e	e	e	e	e	e	e	
1004.8700	Leg plate clamp	92	e			e						e	e	e	e	e	e	e	e	e	e	e	e	e	
1004.8800	Side rail clamp	97	e			e						e	e	e	e	e	e	e	e	e	e	e	e	e	
1004.91A0	Side rail extension	28	f			f						f	f	f	f	f	f	f	f	f	f	f	f	f	
1004.91B0	Side rail extension	28	f			f						f	f	f	f	f	f	f	f	f	f	f	f	f	
1004.93B0	Condyle fixation	93	e			e						e	e	e	e	e	e	e	e	e	e	e	e	e	
1004.9800	Humerus positioning device	101	f			f						f	f	f	f	f	f	f	f	f	f	f	f	f	
1005.01B0	Knee crutches	75	e			e						e	e	e	e	e	e	e	e	e	e	e	e	e	
1005.22A0	Extension rail	29									g														
1005.2300	Cross-bar attachment	112	g			g						g	g	g	g	g	g	g	g	g	g	g	g	g	
1005.30A0	Fisso Arm support lateral	50	f			f						f	f	f	f	f	f	f	f	f	f	f	f	f	
1005.40A0	Locking device for side rails	28	f			f						f	f	f	f	f	f	f	f	f	f	f	f	f	
1005.48B0	Skull clamp holder (not 1160.16A1)	112	e	d	e	e	d				e	e	e	e	e	e	e	e	e	e	e	e	e		
1005.49B0	Skull clamp radiolucent	112	e	e	e	e	e				e	e	e	e	e	e	e	e	e	e	e	e	e		
1005.50A0	Doro® Adjustable Base Unit	110	e			e						e	e	e	e	e	e	e	e	e	e	e	e	e	
1005.51A0	Doro® Swivel Adaptor	111	e			e						e	e	e	e	e	e	e	e	e	e	e	e	e	
1005.52C0	Doro® QR3 Skull Clamp	110	e			e						e	e	e	e	e	e	e	e	e	e	e	e	e	
1005.53A0	Doro® Reusable pins for children	111	e	e	e	e	e				e	e	e	e	e	e	e	e	e	e	e	e	e		
1005.53B0	Doro® Reusable pins for adults	111	e	e	e	e	e				e	e	e	e	e	e	e	e	e	e	e	e	e		
1005.56A0	Doro® Swivel Horseshoe Head Rest, adult	111	e			e						e	e	e	e	e	e	e	e	e	e	e	e	e	
1005.63A0	Doro® Transitional Member Radiolucent, long	113	e			e						e	e	e	e	e	e	e	e	e	e	e	e	e	
1005.63B0	Doro® Transitional Member Radiolucent, short	113	e			e						e	e	e	e	e	e	e	e	e	e	e	e	e	
1005.64A0	Doro® Swivel Adaptor Radiolucent	113	e			e						e	e	e	e	e	e	e	e	e	e	e	e	e	
1005.67A0	Doro® Sterile Disposable Skull Pins, adult	111	e	e	e	e	e				e	e	e	e	e	e	e	e	e	e	e	e	e		
1005.71A0	Doro® Table Adaptor Maquet, radiolucent	113	e			e						d	e	e	e	e	e	e	e	e	e	e	e	e	
1005.72A0	Doro® Interface Skull Clamp Radiolucent	114	e	e	e	e	e				e	e	e	e	e	e	e	e	e	e	e	e	e		
1005.78C0	Pediatric operating table top	66														d	d	d	d	d	d	d	d		
1005.88A0	Safety side rails, pair	20	f	f	f	f	f				f	f	f	f	f	f	f	f	f	f	f	f	f		
1005.89A0	Cover for safety side rails	20	g	g	g	g	g				g	g	g	g	g	g	g	g	g	g	g	g	g		

			a	Positioning aid	b	Accessory trolley	c	Medical furniture	d	Can be fitted to OR table mounting point	e	May be only used on the OR table mounting point in conjunction with other accessories	f	Accessories for side rails	g	Side rail accessories, only suitable for use in combination with other accessories	Page	Maquet Magnus 1180.10A0	Maquet Magnus 1180.16A1/A2/A3/A5/A6	Maquet Otesus 1160.10A0/D0	Maquet Otesus 1160.30A0/D0	Maquet Otesus 1160.16A0/A1/A2	Alphamaquet 1150.16B0	Alphamaquet 1150.20B0/D0*	Alphamaquet 1150.30B0/D0*	Corin 7700.01A0/B0/A2/B2	Alphamaxx 1133.22B4/B5	Maquet Meera ST 7100.01B0/B2	Maquet Meera CL 7000.01B0/B2	Maquet Lyra 1118.10E0/K0	Betaclassic 1118.01B0/K0	Maquet Yuno II 1433.02B0
1005.95A0	Carbon-fiber arm surgery table	51	f		f		f						f		f		f															
1007.04BC	Kneeling frame	120			d	d							d		d	d	d	d														
1007.04D0	Kneeling frame	120	d																													
1007.05A0	Sitting bracket with pelvis support	121	g		g	g							g		g	g	g	g	g	g	g	g	g	g	g							
1007.06A0	Accessory trolley	32	b																													
1007.07A0	Trolley	121		b	b					b	b	b	b	b	b	b	b	b	b	b	b	b	b	b								
1007.07D0	Trolley	104	b																													
1007.12A0	Guiding roller for head-side traction	114	e	e	e					e	e	e	e	e	e	e	e	e	e	e	e	e	e	e								
1007.16A0	Head rest adapter	36	e	e	e					e	e	e	e	e	e	e	e	e	e	e	e	e	e	e								
1007.18B0	Back plate for shoulder operations	104		d	d								d	d	d	d	d	d	d	d	d	d	d	d								
1007.19BC	Back plate for shoulder operations	105								d																						
1007.20A0	Trolley	104		b	b				b	b	b	b	b	b	b	b	b	b	b	b	b	b	b	b								
1007.21B0	Back plate for shoulder operations	106		d	d					d	d	d	d						d					d								
1007.24A1	Universal frame for patient positioning	116	e	e	e					e	e	e	e	e	e	e	e	e	e	e	e	e	e	e								
1007.25A0	Side rail clamp	118	e	e	e					e	e	e	e	e	e	e	e	e	e	e	e	e	e	e								
1007.26A0	Short support plate	117	e	e	e					e	e	e	e	e	e	e	e	e	e	e	e	e	e	e								
1007.26B0	Long support plate	117	e	e	e					e	e	e	e	e	e	e	e	e	e	e	e	e	e	e								
1007.27A0	Adapter for universal frame for Magnus	117	e																													
1007.28B0	Adjustable positioning elements	118	e	e	e					e	e	e	e	e	e	e	e	e	e	e	e	e	e	e								
1007.30A0	Adapter for radiolucent spine surgery frame	118	e	e	e					e	e	e	e	e	e	e	e	e	e	e	e	e	e	e								
1007.40A0	Traction bar with ball joint	89																						d								
1007.41A0	Traction bar	90																						d								
1007.42AC	Pair of leg plates	78																						d								
1007.43A0	Screw tension device	95	e	e	e					e	e	e	e	e	e	e	e	e	e	e	e	e	e	e								
1007.44A0	Sliding clamp with side rail	90																						e								
1007.45A0	Support plate	97																						e								
1007.46A0	Trolley for traction bar	90																						b								
1007.47A0	Accessory trolley	90																						b								
1007.48A0	Frame for sterile drape	97	f		f	f				f	f	f	f	f	f	f	f	f	f	f	f	f	f									
1007.49A0	Extension frame	97	e		e	e				e	e	e	e	e	e	e	e	e	e	e	e	e	e									
1007.50AC	Adapter clamp	92																						e								
1007.51A0	Vertical adjustment, long	96																						e								



		Page	Maquet Magnus 1180.10A0	Maquet Magnus 1180.16A1/A2/A3/A5/A6	Maquet Otesus 1160.10A0/D0	Maquet Otesus 1160.30A0/D0	Maquet Otesus 1160.16A0/A1/A2	Alphamaquet 1150.16B0	Alphamaquet 1150.20B0/D0*	Alphamaquet 1150.30B0/D0*	Corin 770.01A0/B0/A2/B2	Alphamaxx 1133.22B4/B5	Maquet Meera ST 7100.01B0/B2	Maquet Meera CL 7000.01B0/B2	Maquet Meera CL 7000.01B0	Maquet Lyra 1118.10E0/K0	Betaclassic 1118.01B0/K0	Maquet Yuno II 1433.02B0
1130.55B0	Seat plate extension	65															d	
1130.64C0	Head rest	39		e e					e e e e	e e e e						d e		
1130.64G0	Head rest	39		e e					e e e e	e e e e						d e		
1130.65A0	Transfer board	73		d d					d d d d	d d d d						d d d d		
1130.67B0	Head rest	40		e e					e e e e	e e e e						d e		
1130.70AC	Maquetmatic leg plate	75		d d					d d d d	d d d d						d		
1130.71B0	Filler piece	75														d		
1130.81A0	Head rest adapter	38		d d					d d d d	d d d d						d		
1131.31BC	Extension plate	62		d d					d d d d	d d d d						d		
1131.55BC	Seat plate extension	65		d d					d d d d	d d d d						d		
1132.34A0	Back plate for shoulder operations	105		d d					d d d d	d d d d						d		
1132.40A0	Accessory trolley	31	b b	b b	b b	b b	b b	b b	b b b b	b b b b						b b b b		
1132.45AC	Back plate	58		d d					d d d d	d d d d						d		
1132.65A0	Transfer board	74		d d					d d d d	d d d d						d d d d		
1132.81A0	Head rest adapter	38														d d		
1133.53BC	Pair of leg plates	80		d d					d d d d	d d d d						d d d d		
1133.58BC	Leg plate	79		d d					d d d d	d d d d						d		
1133.67BC	Pair of carbon-fiber leg plates	77		d d					d d d d	d d d d						d d d d		
1133.73AC	Pair of leg plates	82		d d					d d d d	d d d d						d d d d		
1133.73BC	Pair of leg plates	81		d d					d d d d	d d d d						d d d d		
1150.31B0	Back plate	61							d									
1150.31D0	Back plate	61							d d									
1150.45BC	Carbon-fiber multi-purpose plate	58							d									
1150.55HC	Seat plate extension	64							d d									
1150.59AC	Extension device	87							d									
1150.64B0	Pair of leg plates	79	e	e e					d e e e	e e e e						e e e e		
1150.64E0	Pair of leg plates	79														d		
1150.70A0	Accessory adapter	59	e						d	e e e e	e e e e					e e e e		
1150.71B0	Head rest	43							d									
1150.71C0	Head rest	43							e									
1150.72A0	Accessory adapter	59							d d	e e e e	e e e e					e e e e		
1150.72B0	Accessory adapter	49							e							e		

		Page	Maquet Magnus 1180.10A0	Maquet Magnus 1180.16A1/A2/A3/A5/A6	Maquet Otesus 1160.10A0/D0	Maquet Otesus 1160.30A0/D0	Maquet Otesus 1160.16A0/A1/A2	Alphamaquet 1150.16B0	Alphamaquet 1150.20B0/D0*	Alphamaquet 1150.30B0/D0*	Corin 7700.01A0/B0/A2/B2	Alphamaxx 1133.22B4/B5	Maquet Meera ST 7100.01B0/B2	Maquet Meera CL 7000.01B0	Maquet Lyra 1118.10B0/K0	Betaclassic 1118.01B0/K0	Maquet Yuno II 1433.02B0
1150.73BC	Pair of leg plates	76						d									
1150.73DC	Pair of leg plates	66						d									
1160.32AC	Extension plate	60	d	d					d	d	d	d	d	d	d	d	
1160.32BC	Extension plate	60	d	d					d	d	d	d	d	d	d	d	
1160.32DC	Extension plate, washable	60	d	d													
1160.33BC	Extension plate,	60	d	d					d	d	d	d	d	d	d	d	
1160.33DC	Extension plate, washable	60	d	d													
1160.35AC	Back plate	61	d	d					d	d	d	d	d	d	d	d	
1160.35BC	Back plate	61	d	d					d	d	d	d	d	d	d	d	
1160.36A0	Retrofit kit for standard holder for Doro® Skull Clamps	60	e	e					e	e	e	e	e	e	e	e	
1160.36B0	Retrofit kit for standard holder for Sugita Skull Clamps	61	e	e					e	e	e	e	e	e	e	e	
1160.45AC	Carbon-fiber insertable plate	56	d	d					d								
1160.45BC	Carbon-fiber insertable plate	56	d	d					d								
1160.50AC	Pair of leg plates	78	d	d					d	d	d	d	d	d	d	d	
1160.50BC	Pair of leg plates	78	d	d					d	d	d	d	d	d	d	d	
1160.50DC	Pair of leg plates	78	d	d													
1160.53AC	Head rest	41	d	d					d	d	d	d	d	d	d	d	
1160.53BC	Head rest	36	d	d					d	d	d	d	d	d	d	d	
1160.55AC	Seat plate extension	64	d	d					d	d	d	d	d	d	d	d	
1160.55BC	Seat plate extension	53	d	d					d	d	d	d	d	d	d	d	
1160.55DC	Seat plate extension	53	d	d													
1160.57A0	Accessory trolley	89	b	b					b								
1160.59BC	Support plate for extension	88	d	d					d								
1160.64AC	Head rest	40	d	d					d	d	d	d	d	d	d	d	
1160.64BC	Head rest	40	d	d					d	d	d	d	d	d	d	d	
1180.11A0	Motorized joint module	62	d														
1180.11A1	Padded plate	63	e														
1180.11B0	Motorized joint module	62	d														
1180.11B1	Padded plate	63	e														
1180.11C1	Urology seat plate	63	d														
1180.19A0	Extension device	86	e														
1180.31A0	Back plate	59	e														

		Page	a	Positioning aid	b	Accessory trolley	c	Medical furniture	d	Can be fitted to OR table mounting point	e	May be only used on the OR table mounting point in conjunction with other accessories	f	Accessories for side rails	g	Side rail accessories, only suitable for use in combination with other accessories	Maquet Magnus 1180.10A0	Maquet Magnus 1180.16A1/A2/A3/A5/A6	Maquet Otesus 1160.10A0/D0	Maquet Otesus 1160.30A0/D0	Maquet Otesus 1160.16A0/A1/A2	Alphamaquet 1150.16B0	Alphamaquet 1150.20B0/D0*	Alphamaquet 1150.30B0/D0*	Corin 770.01A0/B0/A2/B2	Alphamaxx 1133.22B4/B5	Maquet Meera ST7100.01B0/B2	Maquet Meera CL7000.01B0/B2	Maquet Lyra 1118.10E0/K0	Betaclassic 1118.01B0/K0	Maquet Yuno II 1433.02B0
1180.32A0	Extension plate	62	d																												
1180.34A0	Shoulder module	104	e																												
1180.34T0	Trolley	104	b																												
1180.36A0	Connection bracket	36	d																												
1180.37A0	Carbon-fiber back plate	57	e																												
1180.38A0	Universal extension plate	61	d																												
1180.41A0	Pad for rectal positioning	81	e																												
1180.44AC	Carbon-fiber multi-purpose plate for lithotomy position	57	d																												
1180.45A0	Carbon-fiber multi-purpose plate	57	d																												
1180.46A0	Extension plate	42	e		e	e																	e								
1180.47A0	Catheter holder	27		f			f																								
1180.48B0	Lightweight leg plate	76	e																												
1180.49A0	Side rail adapter pair	27		f			f																								
1180.50A0	Head rest	41	d																												
1180.51A0	Adapter clamp with transfer board	74	e																												
1180.53A0	Head rest	42	d																												
1180.54A0	Pair of leg plates	80	e																												
1180.54B0	Pair of leg plates	80	d																												
1180.55A0	Universal module	64	e																												
1180.55A1	Universal module	63	e																												
1180.56A0	Transfer board pad	74	d																												
1180.57A0	Transfer board	74	d																												
1180.72X0	Accessory adapter	59	e	d	e	e	d									e						e									
1419.01B0	Traction device	87															e	e	e												
1419.01C0	Traction device	87																e			e	e									
1419.01HC	Traction device	87														e															
1419.01JC	Traction device	87															e	e	e												
1433.33AC	Carbon-fiber back plate	58		d	d											d	d	d	d	d	d	d									
1433.34AC	Carbon-fiber back plate for shoulder operations	105		d	d											d	d	d	d	d	d	d									
1433.41AC	Adapter plate for traction	88																					d								
1433.42A0	Femur hook	91																					f								
1433.45AC	Carbon-fiber plate for insertion	56																					d								

<b>a</b>	Positioning aid																
<b>b</b>	Accessory trolley																
<b>c</b>	Medical furniture																
<b>d</b>	Can be fitted to OR table mounting point																
<b>e</b>	May be only used on the OR table mounting point in conjunction with other accessories																
<b>f</b>	Accessories for side rails																
<b>g</b>	Side rail accessories, only suitable for use in combination with other accessories																
		Page															
1433.45BC	Carbon-fiber insertable plate	56															<b>d</b>
1433.66AC	Carbon-fiber extension plate with 3 holes	89															<b>d</b>
1433.66BC	Carbon-fiber extension plate with 1 hole	89															<b>d</b>
1433.67A0	Tibia adapter	92															<b>e</b>
4000.05A0	Pad	140	c	c	c	c	c	c	c	c	c	c	c	c	c	c	
4001.59A0	Bowl	142	c	c	c	c	c	c	c	c	c	c	c	c	c	c	
4001.60A0	Clamp ring	142	c	c	c	c	c	c	c	c	c	c	c	c	c	c	
4006.01A0	Oasis Elite Closed Head Ring Adolescent	124	a	a	a	a	a	a	a	a	a	a	a	a	a	a	
4006.02A0	Oasis Elite Closed Head Ring Adult	124	a	a	a	a	a	a	a	a	a	a	a	a	a	a	
4006.03A0	Oasis Elite Open Head Ring Adolescent	124	a	a	a	a	a	a	a	a	a	a	a	a	a	a	
4006.04A0	Oasis Elite Open Head Ring Adult	124	a	a	a	a	a	a	a	a	a	a	a	a	a	a	
4006.05A0	Universal operating table pad	127	a	a	a	a	a	a	a	a	a	a	a	a	a	a	
4006.06A0	Oasis ¾ Length Table Pad	127	a	a	a	a	a	a	a	a	a	a	a	a	a	a	
4006.07A0	Oasis Full Length Table Pad	127	a	a	a	a	a	a	a	a	a	a	a	a	a	a	
4006.08A0	Oasis Torso Section	127	a	a	a	a	a	a	a	a	a	a	a	a	a	a	
4006.09A0	Oasis Perineal Table Pad	128	a	a	a	a	a	a	a	a	a	a	a	a	a	a	
4006.10A0	Oasis Universal Patient Positioner	132	a	a	a	a	a	a	a	a	a	a	a	a	a	a	
4006.11A0	Oasis Universal Patient Positioner	132	a	a	a	a	a	a	a	a	a	a	a	a	a	a	
4006.12A0	Oasis Armboard Pad	129	a	a	a	a	a	a	a	a	a	a	a	a	a	a	
4006.13A0	Oasis Armboard Pad	129	a	a	a	a	a	a	a	a	a	a	a	a	a	a	
4006.14A0	Oasis Crutch Stirrup Pads	130	a	a	a	a	a	a	a	a	a	a	a	a	a	a	
4006.15A0	Oasis Crutch Stirrup Pads	130	a	a	a	a	a	a	a	a	a	a	a	a	a	a	
4006.16A0	Oasis Elite Heel Pad	131	a	a	a	a	a	a	a	a	a	a	a	a	a	a	
4006.17A0	Oasis Thigh Pad	131	a	a	a	a	a	a	a	a	a	a	a	a	a	a	
4006.18A0	Oasis Elite Lateral Positioner	133	a	a	a	a	a	a	a	a	a	a	a	a	a	a	
4006.19A0	Oasis Elite Prone Head Rest, large	125	a	a	a	a	a	a	a	a	a	a	a	a	a	a	
4006.20A0	Oasis Elite Prone Head Rest, medium	125	a	a	a	a	a	a	a	a	a	a	a	a	a	a	
4006.21A0	Oasis Elite Supine Head Rest Adult	125	a	a	a	a	a	a	a	a	a	a	a	a	a	a	
4006.22A0	Oasis Elite Supine Head Rest Adolescent	125	a	a	a	a	a	a	a	a	a	a	a	a	a	a	
4006.23A0	Azure Head Protector	126	a	a	a	a	a	a	a	a	a	a	a	a	a	a	
4006.24A0	Azure Sacral Protector, small	128	a	a	a	a	a	a	a	a	a	a	a	a	a	a	
4006.25A0	Oasis Elite Flat Bottom Chest Roll	132	a	a	a	a	a	a	a	a	a	a	a	a	a	a	

		Page	a	b	c	d	e	f	g	Maquet Magnus 1180.10A0	Maquet Magnus 1180.16A1/A2/A3/A5/A6	Maquet Otesus 1160.10A0/D0	Maquet Otesus 1160.30A0/D0	Maquet Otesus 1160.16A0/A1/A2	Alphamaquet 1150.16B0	Alphamaquet 1150.20B0/D0*	Alphamaquet 1150.30B0/D0*	Corin 7700.01A0/B0/A2/B2	Alphamaxx 1133.22B4/B5	Maquet Meera ST 7100.01B0/B2	Maquet Meera CL 7000.01B0/B2	Maquet Meera CL 7000.01B0	Maquet Lyra 1118.10E0/K0	Betaclassic 1118.01B0/K0	Maquet Yuno II 1433.02B0
4006.26A0	Azure Arm Protector, short	129	a	a	a	a	a	a	a																
4006.27A0	Azure Arm Protector, long	129	a	a	a	a	a	a	a																
4006.28A0	Azure Leg Protector	130	a	a	a	a	a	a	a																
4006.29A0	Azure Heel Protectors	131	a	a	a	a	a	a	a																
4006.3100	Prone positioning pad	134	a	a	a	a	a	a	a																
4006.3200	Lateral positioning pad	133	a	a	a	a	a	a	a																
4009.3000	Infusion stand	21	f	g	f	f	f	g	f																
4402.9002	Hand and arm positioning table	140	c	c	c	c	c	c	c																
4403.9302	Instrument stand	138	c	c	c	c	c	c	c																
4404.32A3	Instrument table	139	c	c	c	c	c	c	c																
4404.32B3	Instrument table	139	c	c	c	c	c	c	c																
4404.32C3	Instrument table	139	c	c	c	c	c	c	c																
4405.32A3	Instrument table	139	c	c	c	c	c	c	c																
4405.32B3	Instrument table	139	c	c	c	c	c	c	c																
4405.32C3	Instrument table	139	c	c	c	c	c	c	c																
4406.32A3	Instrument table	140	c	c	c	c	c	c	c																
4406.32B3	Instrument table	140	c	c	c	c	c	c	c																
4406.32C3	Instrument table	140	c	c	c	c	c	c	c																
4464.9500	Instrument stand	138	c	c	c	c	c	c	c																
4464.9600	Instrument stand	138	c	c	c	c	c	c	c																
4464.98A0	Mayo instruments table	138	c	c	c	c	c	c	c																
4464.9X00	Instrument stand	138	c	c	c	c	c	c	c																
4602.3402	OR swivel stool	144	c	c	c	c	c	c	c																
4632.01A0	OR swivel stool pneumatic	143	c	c	c	c	c	c	c																
4632.01E0	OR swivel stool pneumatic	143	c	c	c	c	c	c	c																
4634.01A0	OR swivel stool hydraulic	144	c	c	c	c	c	c	c																
4634.01C0	OR swivel stool hydraulic	144	c	c	c	c	c	c	c																
4805.91A3	IV pole MRI	142	c	c	c	c	c	c	c																
4805.91B3	Infusion stand	142	c	c	c	c	c	c	c																
4809.9003	Bowl stand	138	c	c	c	c	c	c	c																
4901.3503	Disposal trolley	141	c	c	c	c	c	c	c																
4902.3503	Disposal trolley	141	c	c	c	c	c	c	c																



# Index

## A

Accessory adapter	1150.70A0.....	59
	1150.72A0.....	59
	1180.72X0.....	59
	6005.25A0.....	117
Accessory stand for carbon-fiber back plate	1003.87A0.....	58
Accessory trolley	1003.48A0.....	31
	1007.06A0.....	32
	1007.47A0.....	90
	1132.40A0.....	31
	1160.57A0.....	89
Accessory trolley for carbon-fiber insertable plates	1003.86A0.....	57
Adapter clamp	1007.50AC.....	92
Adapter clamp with transfer board	1180.51A0.....	74
Adapter for CF table top	1001.64X0.....	51
Adapter for radiolucent spine surgery frame	1007.30A0.....	118
Adapter for universal frame for Magnus	1007.27A0.....	117
Adapter plate for extension	1433.41AC .....	88
Adapter plate for traction	1433.41XC.....	76
Adapter Trimano Fortis	1002.31A0.....	102
Doro® Adjustable Base Unit	1005.50A0.....	110
Adjustable head rest adapter	1002.10A0.....	37
Adjustable positioning elements	1007.28B0.....	118
Anesthesia frame	1002.54A0.....	18
Anesthesia screen	1002.57A0.....	19
Anesthesia screen extension	1002.59A0.....	19
Arm protector	1001.40A0 .....	52
	1002.25A0.....	53
Arm protector, curved	1001.40B0 .....	52
Arm rest	1002.49A0.....	49
Arm rest for beach chair position	1002.43B0 .....	103
Arm rest for lateral position	1002.43A0.....	103
Arm restraint cuff	1001.4600.....	50
	1002.24C0.....	53
Arm support	1001.42A0.....	52
	1001.44E0.....	46
	1001.44F0.....	46
	1001.6000.....	47
	1002.32A0.....	49
Armpit support	1001.92C0 .....	100
Arthroscopic leg holder	1008.14C0 .....	107
Azure Arm Protector, long	4006.27A0 .....	129
Azure Arm Protector, short	4006.26A0.....	129
Azure Head Protector	4006.23A0.....	126
Azure Heel Protectors	4006.29A0.....	131
Azure Leg Protector	4006.28A0.....	116
Azure Sacral Protector, small	4006.24A0.....	128
<b>B</b>		
Back plate	1132.45AC .....	58
	1150.31B0.....	61
	1160.35AC .....	61
	1180.31A0 .....	59
Back plate for shoulder operations	1007.18B0 .....	104
	1007.19BC.....	105
	1007.21B0 .....	106
	1132.34A0.....	105
Back/buttocks support	1002.11A0.....	23
Bar extension	1003.54A0.....	94
	1007.52A0.....	95
Bariatric set, EU	1001.74B0 .....	65
Body strap	1001.56A0 .....	29
	1001.56B0.....	29
	1001.58A0 .....	30
	1001.59A0.....	29
	1001.59B0.....	30
Body support	1002.97A0 .....	24
Bowl	4001.59A0.....	142
Bowl stand	4809.9003 .....	138
Buttocks support	1002.11E0.....	24
<b>C</b>		
Carbon-fiber arm surgery table	1005.95A0.....	51
Carbon-fiber back plate	1433.33AC.....	58
	1180.37A0.....	57
Carbon-fiber pair of leg plates	1133.67BC.....	77
Carbon-fiber back plate for shoulder operations	1433.34AC .....	105
Carbon-fiber extension plate with 3 holes	1433.66AC.....	89
Carbon-fiber extension plate with 1 hole	1433.66BC.....	89
Carbon-fiber insertable plate	1160.45XC .....	56
Carbon-fiber insertable plate	1433.45BC.....	46
Carbon-fiber multi-purpose plate	1180.45A0.....	47
Carbon-fiber multi-purpose plate for lithotomy position	1180.44AC.....	57
Carbon-fiber multi-purpose plate	1150.45BC .....	58
Catheter holder	1180.47A0 .....	27
Clamp ring	4001.60A0.....	142
Clamp with blade interface	1003.24A0.....	70
Clip-on device for minimally invasive surgery	1003.60D0 .....	86
Column protection device	1004.07A0 .....	31
Condyle fixation	1004.93B0 .....	93
Connection bracket	1130.54B0 .....	36
	1180.36A0.....	36
Countertraction post for tibia and fibula	1003.50C0.....	93
Countertraction post for femur	1004.85B0.....	91
Cover for safety side rails	1005.89A0.....	20

Cross-bar attachment 1005.2300.....	112	Trimano finger fixation 1002.48A0.....	102	Horseshoe head rest – two section 1002.72A0.....	37
Curve comfort covers 1008.03A0.....	119	Fixture 1002.65A0.....	37	Horseshoe head rest with one-handed adjustment 1002.66A0.....	38
Curve standard covers 1008.03B0.....	119	Fixture for body supports 1002.19C0.....	22	Humerus counter traction post 1004.8000.....	101
<b>D</b>		Flat head rest 1002.73A0.....	37	Humerus positioning device 1004.9800.....	101
Disposable arm rest 1002.52A0.....	103	Foot plate 1001.86C0.....	82	<b>I</b>	
Disposable inlay and mounting brackets, big size 1003.76C0.....	98	Foot plate 1001.97A0.....	98	Infusion stand 1009.01C0.....	20
Disposable inlay and mounting brackets, small size 1003.76A0.....	98	Foot plate, adult 1001.8700.....	99	4009.3000.....	21
Disposable mounting brackets 1003.78A0.....	99	Foot plate, child 1001.9000.....	100	4464.9X00.....	138
Disposal trolley 4901.3503.....	129	Foot plate mount 1003.49B0.....	95	4805.91B3.....	142
Doro® Interface Skull Clamp, radiolucent 1005.64A0.....	113	Frame for sterile drape 1007.48A0.....	97	Inlay for arthroscopic leg holder 1008.14B0.....	107
Doro® Sterile Disposable Skull Pins, adult 1005.67A0.....	111	<b>G</b>		Instrument stand 4403.9302.....	138
Doro® Table Adaptor Maquet, radiolucent 1005.71A0.....	113	Guiding bar 1003.5100.....	93	Instrument table 1002.98A0.....	21
Doro® Transitional Member Radiolucent 1005.63A0.....	113	Guiding roller for head-side traction 1007.12A0 .....	114	4404.32X3 .....	139
Doro® Transitional Member Radiolucent 1005.63B0.....	113	<b>H</b>		4405.32X3 .....	139
Double lateral support 1002.17A0 .....	25	Hand and arm positioning table 4402.9002.....	140	4406.32X3 .....	140
<b>E</b>		Head block 1008.03C0.....	119	Intermediate adaptor Doro® 1005.72A0 .....	114
Trimano elbow countertraction post 1002.45A0.....	103	Head rest 1002.81D0.....	38	IV pole MRI 4805.91A3.....	142
Elbow support 1004.23C0.....	101	1130.64G0.....	39	<b>J</b>	
Extension device 1150.59AC .....	87	1130.53B0.....	39	Joint-supporting arm 1004.42B0 .....	94
Extension frame 1007.49A0 .....	97	1130.67B0.....	40	<b>K</b>	
Extension plate 1131.31BC.....	62	1150.71C0 .....	37	Knee crutches, standard 1003.81A0.....	70
1160.32AC.....	60	1160.64AC.....	40	Knee crutches, adipositas 1003.82A0.....	70
1180.46A0.....	42	1160.53AC.....	41	Knee crutches 1005.01B0.....	75
1180.32A0.....	62	1180.50A0.....	41	Knee crutch lift assist 1008.10A0.....	73
Extension rail 1005.22A0.....	29	1180.53AO.....	42	Knee positioning device 1004.84A0.....	106
<b>F</b>		Head rest that can be angled 1002.83A0.....	115	1004.84B0.....	107
Femur hook 1433.42A0 .....	91	Head rest adapter 1002.07A0 .....	36	Kneeling frame 1007.04D0 .....	120
Filler piece 1130.71B0.....	75	1007.16A0 .....	36	1007.53A0 .....	120
Fisso Arm support lateral 1005.30A0.....	50	1130.81A0 .....	38	KTEK 250 Stirrup – Junior 1008.08A0 .....	71
		1132.81A0 .....	38	KTEK Comfort Stirrup 800 1008.09A0 .....	71
		Head ring 1000.5700 .....	126	KTEK Curve Cart 1008.02A0 .....	119
		Head support for shoulder operations 1002.15A0.....	42	KTEK Curve Spine Frame 1008.01A0 .....	118

KTEK Nissen Straps, standard 1008.06B0.....	82
KTEK Nissen Straps, bariatric 1008.06D0 .....	83
KTEK Stirrup Cart 1008.02B0.....	72
KTEK Armboard Swivel, large 1008.17A0.....	46
KTEK Armboard Swivel, large 1008.17B0.....	47
KTEK Trigger Armboard 1008.15A0.....	48
<b>L</b>	
Lateral positioning pad 4006.3200 .....	133
Lateral protection 1004.15A0.....	19
Lateral support 1002.11C0 .....	23
1002.21C0 .....	24
1002.36A0.....	24
Leg holder 1001.65A0.....	72
1001.73A0.....	73
1002.2300 .....	72
1003.80A0.....	70
1005.06B0.....	59
Leg plate 1133.58BC .....	79
Leg plate clamp 1004.8700 .....	92
Leg rest 1001.94A0 .....	134
Leg restraint cuff 1001.4700 .....	83
Leg strap 1001.57A0.....	83
Leg support 1001.66A0 .....	82
Lightweight leg plate 1180.48B0.....	76
Locking device for side rails 1005.40A0.....	28
Long support plate 1007.26B0.....	117
<b>M</b>	
Maquetmatic leg plate 1130.70AC.....	75
Mayo instrument stand 1003.32C0.....	21
Mayo instruments table 4464.98A0.....	138
Meniscus positioning device 1009.02C0.....	106

Motorized joint module 1180.11A0 .....	62
1180.11B0 .....	62
Multi-purpose plate for arm surgery 1001.63A0.....	50
<b>O</b>	
Oasis ¾ Length Table Pad 4006.06A0.....	127
Oasis Armboard Pad 4006.12A0.....	129
4006.13A0.....	129
Oasis Crutch Stirrup Pads 4006.14A0.....	130
4006.15A0.....	130
Oasis Elite Flat Bottom Chest Roll 4006.25A0 .....	132
Oasis Elite Open Head Ring Adolescent 4006.03A0.....	124
Oasis Elite Lateral Positioner 4006.18A0.....	133
Oasis Elite Open Head Ring Adult 4006.04A0.....	124
Oasis Elite Heel Pad 4006.16A0.....	131
Oasis Elite Prone Head Rest, large 4006.19A0.....	125
Oasis Elite Prone Head Rest, medium 4006.20A0.....	125
Oasis Elite Supine Head Rest Adolescent 4006.22A0.....	125
Oasis Elite Supine Head Rest Adult 4006.21A0.....	125
Oasis Elite Closed Head Ring Adolescent 4006.01A0.....	124
Oasis Elite Closed Head Ring Adult 4006.02A0.....	124
Oasis Full Length Table Pad 4006.07A0 .....	127
Oasis Perineal Table Pad 4006.09A0.....	114
Oasis Thigh Pad 4006.17A0 .....	116
Oasis Torso Section 4006.08A0.....	127
Oasis Universal Patient Positioner 4006.10A0.....	132
4006.11A0.....	132
OR step stool 4906.9003.....	141
4907.9003.....	141
OR swivel stool 4602.3402.....	144
OR swivel stool hydraulic 4634.01A0.....	144

**P**

Pad 1000.5600.....	134
1000.68C0 .....	134
1003.7400.....	132
4000.05A0.....	140
Pad for rectal positioning 1180.41A0 .....	81
Padded roll for countertraction post 1000.24A0.....	135
Padded plate 1180.11A1 .....	63
1180.11B1 .....	63
Patient safety strap, medium 1008.12A0.....	30
Pediatric operating table top 1005.78C0.....	66
Pair of leg plates 1007.42AC.....	78
1118.60B0 .....	76
1118.50B0 .....	77
1133.53BC.....	80
1133.73AC.....	82
1133.73BC.....	81
1150.64B0.....	79
1150.73BC.....	76
1160.50AC.....	78
1180.54A0.....	80
Pelvis plaster cast device 1003.3600 .....	98
Pin-joint arm for body supports 1002.40A0.....	22
Plexus cushion 1000.6900.....	133
Prone positioning pad 4006.3100.....	134
Pubis/sternum support 1002.11B0.....	23
<b>R</b>	
Radial setting clamp 1003.23C0.....	18
1003.61A0.....	18
Radiation protection 1008.11A0 .....	26
Retrofit kit for standard holder for Doro® Skull Clamps 1160.36A0.....	60
Retrofit kit for standard holder for Sugita Skull Clamps 1160.36B0.....	61
Reusable inlay 1003.77A0 .....	99
Reusable pins 1005.53X0.....	96
Rigid head rest 1002.82A0.....	115
Rotating and tilting clamp 1003.34A0.....	94

## S

Safety side rails, pair 1005.88A0.....	20
Screw tension device 1003.3700 .....	95
1007.43A0 .....	95
Seat plate extension 1130.55B0.....	65
1131.55BC.....	65
1150.55HC.....	64
1160.55AC.....	64
Seat plate extension, carbon fiber 1003.57B0.....	92
Secure release clamp EU 1008.05A0.....	72
Sensor Drive 1009.69A0.....	27
Short support plate 1007.26A0 .....	117
Shoulder module 1180.34A0.....	104
Shoulder support 1002.09C0.....	25
Side rail adapter pair 1180.49A0.....	27
Side rail clamp 1004.8800.....	97
1007.25A0.....	118
Side rail extension 1001.54A0 .....	28
1004.91A0 .....	28
1004.91B0 .....	28
Sitting bracket with pelvis support 1007.05A0 .....	121
Skull clamp, aluminum 1005.52C0.....	110
Skull clamp holder 1005.48B0.....	112
Skull clamp radiolucent 1005.49B0.....	112
Sliding clamp 1003.58B0.....	91
Sliding clamp with side rail 1007.44A0 .....	90
Soiled instrument bowl 1003.44A0.....	21
Standard clamp 1003.22C0.....	18
Support bar 1002.18A0.....	30
Support plate 1007.45A0 .....	97
Support plate for extension 1160.59BC .....	88
Supporting roll 1002.11D0 .....	23
Doro® Swivel Adaptor 1005.51A0.....	111

## U

Universal extension plate 1180.38A0.....	61
---	----

Universal frame for patient positioning 1007.24A1.....	116
---	-----

Universal module 1180.55A1.....	63
1180.55A0.....	64

Universal operating table pad 4006.05A0.....	127
---	-----

Universal support 1004.86B0.....	96
-------------------------------------	----

Upper arm posturing plate 1001.45C0 .....	102
--	-----

Urology seat plate 1180.11C1.....	63
--------------------------------------	----

## V

Vacuum mattress 1000.78A0 .....	135
------------------------------------	-----

Vertical adjustment, long 1007.51A0.....	96
---	----

Vertical adjustment, short 1007.51B0.....	96
--	----

## W

Weinberger arm restraint cuff 1001.48A0 .....	101
--	-----

Wire basket 0802.0783 .....	28
--------------------------------	----

Wrist support 1004.75A0 .....	121
----------------------------------	-----

## X

X-ray cassette holder 1002.94A0.....	26
---	----

X-ray cassette slide 1002.93A0 .....	26
---	----

This information is intended for an international audience outside the US.

This information is aimed exclusively at healthcare professionals or other professional audiences and are for informational purposes only, is not exhaustive and therefore should not be relied upon as a replacement of the Instructions for Use, service manual or medical advice. Getinge shall bear no responsibility or liability for any action or omission of any party based upon this material, and reliance is solely at the user's risk.

Any therapy, solution or product mentioned might not be available or allowed in your country. Information may not be copied or used, in whole or in part, without written permission by Getinge.

**Manufacturer** · Maquet GmbH · Kehler Str. 31 · 76437 Rastatt · Germany · [info@getinge.com](mailto:info@getinge.com)

© 2024 Getinge | Getinge and **GETINGE**  are trademarks or registered trademarks of Getinge AB, its subsidiaries or affiliates.  
DMS-0007834 | All rights reserved.

**GETINGE** 