



Clinical literature

NAVA, NIV NAVA and
Edi monitoring for neonatal
and pediatric patients



Meta-analyses & Systematic reviews

→ Meta-analyses & Systematic reviews

Reviews & Retrospective reviews

Randomized controlled trials

Edi levels & Neural breathing pattern

Reducing central apneas

Reducing sedation needs
& improving comfort

Improving synchrony

Improving oxygenation

Reducing inspiratory pressure

Improving breathing
variability & hemodynamics

Promoting weaning
& extubation

Managing BPD

Supporting adjunctive therapies

Abbreviations

| Year | Article title | Author | Patients | No | Modes | Link |
|------|--|---------|----------------------------|-----|------------------|-------------------|
| 2022 | Outcomes of noninvasive neurally adjusted ventilatory assist and nasal continuous positive airway pressure in preterm infants: a systematic review and meta-analysis | Xu | Preterm neonatal | 173 | NIV NAVA | 📄 |
| 2021 | Neurally Adjusted Ventilator Assist in Infants With Acute Respiratory Failure: A Literature Scoping Review. | Harris | Neonatal and pediatric ARF | 407 | NAVA | 📄 |
| 2021 | Neurally-Adjusted Ventilatory Assist (NAVA) versus Pneumatically Synchronized Ventilation Modes in Children Admitted to PICU. | Sugunan | Pediatric | 285 | NAVA | 📄 |
| 2020 | Diaphragm-triggered non-invasive respiratory support in preterm infants. | Goel | Preterm neonatal | 23 | NIV NAVA | 📄 |
| 2019 | Clinical Application of Neurally Adjusted Ventilatory Assist in Neonates with Respiratory Distress: A Systematic Review. | Kadivar | Mixed neonatal RDS | 186 | NAVA NIV NAVA | 📄 |
| 2017 | Neurally adjusted ventilatory assist compared to other forms of triggered ventilation for neonatal respiratory support. | Rosor | Term & preterm neonatal | 60 | NAVA | 📄 |
| 2016 | Neurally-adjusted ventilatory assist (NAVA) in children: a systematic review. | Beck | Neonatal and pediatric | 457 | NAVA NIV NAVA | 📄 |



Reviews & Retrospective reviews

Meta-analyses & Systematic reviews

→ Reviews & Retrospective reviews

Randomized controlled trials

Edi levels & Neural breathing pattern

Reducing central apneas

Reducing sedation needs & improving comfort

Improving synchrony

Improving oxygenation

Reducing inspiratory pressure

Improving breathing variability & hemodynamics

Promoting weaning & extubation

Managing BPD

Supporting adjunctive therapies

Abbreviations

| Year | Article title | Author | Patients | No | Modes | Link |
|------|---|------------------|------------------|-----|------------------|-------------------|
| 2022 | Implementation of neurally adjusted ventilatory assist and high flow nasal cannula in very preterm infants in a tertiary level NICU. | Piatek | Preterm infants | 193 | NAVA NIV NAVA | 📄 |
| 2021 | Implementation of noninvasive neurally adjusted ventilatory assist in pediatric acute respiratory failure: a controlled before-after quality improvement study. | Chidini | Pediatric AHRF | 64 | NIV NAVA | 📄 |
| 2021 | Is noninvasive neurally adjusted ventilatory assistance (NIV-NAVA) an alternative to NCPAP in preventing extubation failure in preterm infants? | Yagui | Preterm neonatal | 49 | NIV NAVA | 📄 |
| 2021 | Neurally adjusted ventilatory assist (NAVA) in very preterm infants: A single tertiary neonatal unit's experience. | Shetty | Preterm neonates | 54 | NAVA NIV NAVA | 📄 |
| 2021 | Neurally Adjusted Ventilatory Assist in Newborns. | Beck | Neonatal | – | NAVA NIV NAVA | 📄 |
| 2021 | Proportional assist and neurally adjusted ventilation: Clinical knowledge and future trials in newborn infants. | Sindelar | Neonatal | – | NAVA NIV NAVA | 📄 |
| 2021 | A narrative review of advanced ventilator modes in the pediatric intensive care unit. | Miller | Pediatric | – | NAVA | 📄 |
| 2019 | Neurally adjusted ventilatory assist versus conventional ventilation in the pediatric population: Are there benefits? | Karikari | Pediatric | – | NAVA NIV NAVA | 📄 |
| 2017 | Neurally adjusted ventilatory assist in pediatrics: why, when, and how? | Andrade | Mixed pediatric | 278 | NAVA | 📄 |
| 2016 | Neurally adjusted ventilator assist in very low birthweight infants: Current status. | Narchi | VLBW neonatal | 41 | NAVA NIV NAVA | 📄 |
| 2016 | Non-invasive ventilation with neurally adjusted ventilatory assist in newborns. | Stein | Neonatal | – | NIV NAVA | 📄 |
| 2013 | Interest of Monitoring Diaphragmatic Electrical Activity in the Pediatric Intensive Care Unit. | Ducharme-Crevier | Pediatric | – | Edi mon | 📄 |



Meta-analyses & Systematic reviews

Reviews & Retrospective reviews

→ **Randomized controlled trials**

Edi levels & Neural breathing pattern

Reducing central apneas

Reducing sedation needs
& improving comfort

Improving synchrony

Improving oxygenation

Reducing inspiratory pressure

Improving breathing
variability & hemodynamics

Promoting weaning
& extubation

Managing BPD

Supporting adjunctive therapies

Abbreviations

Randomized controlled trials

| Year | Article title | Author | Patients | No | Modes | Link |
|------|--|---------|----------------------------|-----|----------|-------------------|
| 2022 | Noninvasive Neurally Adjusted Ventilation in Postextubation Stabilization of Preterm Infants: A Randomized Controlled Study. | Shin | Preterm neonatal <30 weeks | 78 | NIV NAVA | 📄 |
| 2020 | Comparison of extubation success using noninvasive positive pressure ventilation (NIPPV) versus noninvasive neurally adjusted ventilatory assist (NI-NAVA). | Makker | Preterm neonatal | 30 | NIV NAVA | 📄 |
| 2019 | Nasal continuous positive airway pressure (NCPAP) or noninvasive neurally adjusted ventilatory assist (NIV-NAVA) for preterm infants with respiratory distress after birth: A randomized controlled trial. | Yagui | Neonatal VLBW | 123 | NIV NAVA | 📄 |
| 2019 | NIV NAVA versus Nasal CPAP in Premature Infants: A Randomized Clinical Trial. | Kallio | Preterm neonatal | 40 | NIV NAVA | 📄 |
| 2016 | Early Noninvasive Neurally Adjusted Ventilatory Assist Versus Noninvasive Flow-Triggered Pressure Support Ventilation in Pediatric Acute Respiratory Failure: A Physiologic Randomized Controlled Trial. | Chidini | Pediatric ARF | 18 | NIV NAVA | 📄 |
| 2016 | Neurally adjusted ventilatory assist (NAVA) in preterm newborn infants with respiratory distress syndrome – a randomized controlled trial. | Kallio | Preterm neonatal RDS | 60 | NAVA | 📄 |
| 2015 | Neurally adjusted ventilatory assist (NAVA) in pediatric intensive care – a randomized controlled trial. | Kallio | Mixed pediatric | 170 | NAVA | 📄 |
| 2014 | Neurally adjusted ventilatory assist vs pressure support ventilation in infants recovering from severe acute respiratory distress syndrome: nested study. | Piastra | Mixed pediatric ARDS | 30 | NAVA | 📄 |



Edi levels & Neural breathing pattern

Table 1 of 2

Meta-analyses & Systematic reviews

Reviews & Retrospective reviews

Randomized controlled trials

→ **Edi levels & Neural breathing pattern**

Reducing central apneas

Reducing sedation needs & improving comfort

Improving synchrony

Improving oxygenation

Reducing inspiratory pressure

Improving breathing variability & hemodynamics

Promoting weaning & extubation

Managing BPD

Supporting adjunctive therapies

Abbreviations

| Year | Article title | Author | Patients | No | Modes | Link |
|------|--|--------------|---------------------------|----|---------------------|-------------------|
| 2022 | Reference Values For Diaphragm Electrical Activity (Edi) In Newborn Infants | Gurumahan | Neonatal | 24 | Edi mon | 📄 |
| 2021 | Neurally adjusted ventilatory assist in neonates with congenital diaphragmatic hernia | Kurland | Neonatal CDH | 16 | NAVA | 📄 |
| 2021 | Backup ventilation during neurally adjusted ventilatory assist in preterm infants. | Lee | Preterm neonatal | 18 | NAVA NIV NAVA | 📄 |
| 2021 | Non-invasive neurally adjusted ventilatory assist in preterm infants with RDS: effect of changing NAVA levels. | Lefeverre | Preterm neonatal | 12 | Edi mon | 📄 |
| 2020 | Can visual inspection of the electrical activity of the diaphragm improve the detection of patient-ventilator asynchronies by pediatric critical care physicians? | Di Nardo | Mixed pediatric | 10 | Edi mon | 📄 |
| 2019 | Electrical Activity of the Diaphragm in a Small Cohort of Preterm Infants on Noninvasive Neurally Adjusted Ventilatory Assist and Continuous Positive Airway Pressure. | Gupta | Preterm neonatal | 10 | Edi mon | 📄 |
| 2018 | A Randomised Cross-Over Study Showed No Difference in Diaphragm Activity During Weaning From Respiratory Support. | Brenne | Preterm neonatal | 21 | Edi mon | 📄 |
| 2018 | Neural breathing patterns in preterm newborns supported with non-invasive neurally adjusted ventilatory assist. | Garcia-Munoz | Preterm neonatal | 19 | Edi mon NIV NAVA | 📄 |
| 2018 | Neural Breathing Pattern and Patient-Ventilator Interaction During Neurally Adjusted Ventilatory Assist and Conventional Ventilation in Newborns. | Mally | Preterm and term neonatal | 23 | Edi mon NIV NAVA | 📄 |
| 2018 | Rapid respiratory transition at birth as evaluated by electrical activity of the diaphragm in very preterm infants supported by nasal CPAP. | Oda | Preterm neonatal | 8 | Edi mon | 📄 |
| 2018 | Neurally adjusted ventilatory assist in extremely low-birthweight infants. | Oda | ELBW neonatal | 8 | NAVA | 📄 |
| 2017 | Neural breathing pattern in newborn infants pre- and post extubation. | Iyer | Preterm neonatal | 25 | Edi mon | 📄 |
| 2017 | Patient-ventilator asynchrony during conventional mechanical ventilation in children. | Mortamet | Mixed pediatric | 52 | Edi mon | 📄 |
| 2016 | Impact of feeding method on diaphragm electrical activity and central apnea in preterm infants (FEAdi study). | Ng | VLBW Neonatal | 10 | Edi mon | 📄 |



Edi levels & Neural breathing pattern

Table 2 of 2

Meta-analyses & Systematic reviews

Reviews & Retrospective reviews

Randomized controlled trials

→ **Edi levels & Neural breathing pattern**

Reducing central apneas

Reducing sedation needs & improving comfort

Improving synchrony

Improving oxygenation

Reducing inspiratory pressure

Improving breathing variability & hemodynamics

Promoting weaning & extubation

Managing BPD

Supporting adjunctive therapies

Abbreviations

| Year | Article title | Author | Patients | No | Modes | Link |
|------|---|----------|-----------------------------------|----|-----------------------------|-------------------|
| 2015 | The effect of caffeine citrate on neural breathing pattern in preterm infants. | Parikka | Preterm neonatal | 17 | Edi mon | 📄 |
| 2015 | Electrical activity of the diaphragm during neurally adjusted ventilatory assist in pediatric patients. | Kallio | Mixed pediatric | 81 | Edi mon NAVA | 📄 |
| 2015 | Tonic diaphragmatic activity in critically ill children with and without ventilatory support. | Larouche | Mixed pediatric | 55 | Edi mon | 📄 |
| 2015 | High-flow nasal cannulae are associated with increased diaphragm activation compared with nasal continuous positive airway pressure in preterm infants. | Nasef | VLBW neonatal | 10 | Edi mon | 📄 |
| 2015 | The effect of caffeine citrate on neural breathing pattern in preterm infants. | Parikka | Preterm neonatal | 17 | Edi mon | 📄 |
| 2015 | Electrical activity of the diaphragm during neurally adjusted ventilatory assist in pediatric patients. | Kallio | Mixed pediatric | 81 | Edi mon NAVA | 📄 |
| 2015 | Tonic diaphragmatic activity in critically ill children with and without ventilatory support. | Larouche | Mixed pediatric | 55 | Edi mon | 📄 |
| 2015 | High-flow nasal cannulae are associated with increased diaphragm activation compared with nasal continuous positive airway pressure in preterm infants. | Nasef | VLBW neonatal | 10 | Edi mon | 📄 |
| 2014 | Evolution of inspiratory diaphragm activity in children over the course of the PICU stay. | Emeriaud | Mixed pediatric | 55 | Edi mon | 📄 |
| 2013 | Electrical activity of the diaphragm (Edi) values and Edi catheter placement in non-ventilated preterm neonates. | Stein | Preterm neonatal (non-ventilated) | 17 | Edi mon | 📄 |
| 2012 | Synchronized mechanical ventilation using electrical activity of the diaphragm in neonates. | Stein | Term neonatal | 3 | Edi mon | 📄 |
| 2011 | Characterization of Neural Breathing Pattern in Spontaneously Breathing Preterm Infants. | Beck | Preterm neonatal | 10 | Edi mon | 📄 |
| 2009 | Patient-Ventilator Interaction During Neurally Adjusted Ventilatory Assist in Very Low Birth Weight. | Beck | LBW neonatal | 7 | Edi mon NAVA NIV NAVA | 📄 |
| 2006 | Diaphragm electrical activity during expiration in mechanically ventilated infants. | Emeriaud | Ready-to-wean pediatric | 16 | Edi mon | 📄 |



Reducing central apneas

Meta-analyses & Systematic reviews

Reviews & Retrospective reviews

Randomized controlled trials

Edi levels & Neural breathing pattern

→ **Reducing central apneas**

Reducing sedation needs
& improving comfort

Improving synchrony

Improving oxygenation

Reducing inspiratory pressure

Improving breathing
variability & hemodynamics

Promoting weaning
& extubation

Managing BPD

Supporting adjunctive therapies

Abbreviations

| Year | Article title | Author | Patients | No | Modes | Link |
|------|---|-----------|-----------------------|--------|----------|-------------------|
| 2021 | Effect of electrical activity of the diaphragm waveform patterns on SpO2 for extremely preterm infants ventilated with neurally adjusted ventilatory assist | Araki | Preterm infants | (105h) | NAVA | 📄 |
| 2020 | Nasal continuous positive airway pressure versus noninvasive NAVA in preterm neonates with apnea of prematurity: a pilot study with a novel approach. | Firestone | Preterm neonatal | 17 | NIV NAVA | 📄 |
| 2019 | NAVA-synchronized compared to nonsynchronized noninvasive ventilation for apnea, bradycardia, and desaturation events in VLBW infants. | Tabacuru | VLBW neonatal | 108 | NIV NAVA | 📄 |
| 2018 | Neural Breathing Pattern and Patient-Ventilator Interaction During Neurally Adjusted Ventilatory Assist and Conventional Ventilation in Newborns. | Mally | Preterm neonatal | 23 | NAVA | 📄 |
| 2018 | Non-invasive neurally adjusted ventilatory assist versus nasal intermittent positive-pressure ventilation in preterm infants born before 30 weeks' gestation. | Yonehara | Preterm neonatal | 34 | NIV NAVA | 📄 |
| 2017 | Feasibility and physiological effects of noninvasive neurally adjusted ventilatory assist in preterm infants. | Gibu | Preterm neonatal | 8 | NIV NAVA | 📄 |
| 2015 | The effect of caffeine citrate on neural breathing pattern in preterm infants. | Parikka | Preterm neonatal | 17 | Edi mon | 📄 |
| 2014 | Neurally adjusted ventilatory assist in preterm neonates with acute respiratory failure. | Longhini | Preterm neonatal | 12 | NAVA | 📄 |
| 2014 | The effects of skin-to-skin care on the diaphragmatic electrical activity in preterm infants. | Soukka | Preterm neonatal | 17 | Edi mon | 📄 |
| 2013 | Neurally adjusted ventilatory assist (NAVA) mode as an adjunct diagnostic tool in congenital central hypoventilation syndrome. | Rahmani | CCHS preterm neonatal | 1 | Edi mon | 📄 |
| 2013 | Monitoring diaphragm electrical activity and the detection of congenital central hypoventilation syndrome in a newborn. | Szczapa | CCHS term neonate | 1 | Edi mon | 📄 |



Reducing sedation needs & improving comfort

Meta-analyses & Systematic reviews

Reviews & Retrospective reviews

Randomized controlled trials

Edi levels & Neural breathing pattern

Reducing central apneas

→ **Reducing sedation needs & improving comfort**

Improving synchrony

Improving oxygenation

Reducing inspiratory pressure

Improving breathing variability & hemodynamics


Promoting weaning & extubation

Managing BPD

Supporting adjunctive therapies

Abbreviations

| Year | Article title | Author | Patients | No | Modes | Link |
|------|---|-------------|-------------------------------|-----|---------------|-------------------|
| 2021 | Brain growth in extremely preterm infants before and after implementing NAVA ventilation. | Soukka | Preterm neonatal | 136 | NAVA | 📄 |
| 2020 | Application of Neurally Adjusted Ventilatory Assist in Premature Neonates Less Than 1,500 Grams With Established or Evolving Bronchopulmonary Dysplasia. | Rong | VLBW neonatal BPD | 30 | NAVA NIV NAVA | 📄 |
| 2018 | Comparison of neurally-adjusted ventilator assist in infants before and after extubation. | Longhini | Term neonatal | 10 | NAVA NIV NAVA | 📄 |
| 2018 | Neurally adjusted ventilatory assist in extremely low-birthweight infants. | Oda | ELWB neonatal | 35 | NAVA | 📄 |
| 2017 | Neurally adjusted ventilatory assist for infants under prolonged ventilation. | Lee | Preterm neonatal Prolonged MV | 14 | NAVA | 📄 |
| 2016 | Neurally adjusted ventilatory assist (NAVA) in preterm newborn infants with respiratory distress syndrome-a randomized controlled trial. | Kallio | Preterm neonatal RDS | 60 | NAVA | 📄 |
| 2015 | Effects of propofol on diaphragmatic electrical activity in mechanically ventilated pediatric patients. | Amigoni | Mixed pediatric | 20 | Edi mon NAVA | 📄 |
| 2015 | Electrical activity of the diaphragm during neurally adjusted ventilatory assist in pediatric patients. | Kallio | Mixed pediatric | 81 | Edi mon NAVA | 📄 |
| 2015 | Neurally adjusted ventilatory assist (NAVA) in pediatric intensive care--a randomized controlled trial. | Kallio | Mixed pediatric | 170 | NAVA | 📄 |
| 2015 | Neurally adjusted ventilatory assist in preterm neonates with acute respiratory failure. | Longhini | Preterm neonatal ARF | 14 | NAVA | 📄 |
| 2014 | Neurally adjusted ventilatory assist vs pressure support ventilation in infants recovering from severe acute respiratory distress syndrome: nested study. | Piastra | Pediatric ARDS | 30 | NAVA | 📄 |
| 2013 | Neurally adjusted ventilatory assist: assessing the comfort and feasibility of use in neonates and children. | Duyndham | Mixed neonatal & pediatric | 21 | NAVA | 📄 |
| 2012 | Asynchrony, neural drive, ventilatory variability and COMFORT: NAVA versus pressure support in pediatric patients. A non-randomized cross-over trial. | de la Oliva | Mixed pediatric | 12 | NAVA | 📄 |



Improving synchrony

Table 1 of 2

Meta-analyses & Systematic reviews

Reviews & Retrospective reviews

Randomized controlled trials

Edi levels & Neural breathing pattern

Reducing central apneas

Reducing sedation needs
& improving comfort

→ **Improving synchrony**

Improving oxygenation

Reducing inspiratory pressure

Improving breathing
variability & hemodynamics


Promoting weaning
& extubation

Managing BPD

Supporting adjunctive therapies

Abbreviations

| Year | Article title | Author | Patients | No | Modes | Link |
|------|--|------------------|-------------------------------------|-----|------------------|-------------------|
| 2022 | Neurally Adjusted Ventilatory Assist vs. Conventional Mechanical Ventilation in Adults and Children With Acute Respiratory Failure. | Wu | Pediatric and adult | 926 | NIV NAVA NAVA | 📄 |
| 2021 | Can visual inspection of the electrical activity of the diaphragm improve the detection of patient-ventilator asynchronies by pediatric critical care physicians? | Di Nardo | Pediatric | 10 | Edi mon | 📄 |
| 2021 | Application of neurally adjusted ventilatory assist in ventilator weaning of infants ventilator weaning. | Xiao | Pediatric | 25 | NAVA | 📄 |
| 2020 | Work of Breathing in Premature Neonates: Noninvasive Neurally-Adjusted Ventilatory Assist versus Noninvasive Ventilation. | Matlock | Preterm neonates | 15 | NIV NAVA NAVA | 📄 |
| 2020 | Pressure Support Ventilation (PSV) versus Neurally Adjusted Ventilatory Assist (NAVA) in difficult to wean pediatric ARDS patients: a physiologic crossover study. | Spinazzola | Pediatric ARDS Difficult to wean | 12 | NAVA | 📄 |
| 2018 | Neural Breathing Pattern and Patient-Ventilator Interaction During Neurally Adjusted Ventilatory Assist and Conventional Ventilation in Newborns. | Mally | Preterm neonatal | 23 | NAVA | 📄 |
| 2016 | Early Noninvasive Neurally Adjusted Ventilatory Assist Versus Noninvasive Flow-Triggered Pressure Support Ventilation in Pediatric Acute Respiratory Failure: A Physiologic Randomized Controlled Trial. | Chidini | Pediatric ARF | 18 | NIV NAVA | 📄 |
| 2015 | Neurally adjusted ventilator assist (NAVA) reduces asynchrony during non-invasive ventilation for severe bronchiolitis. | Baudin | Pediatric RSV bronchiolitis | 11 | NIV NAVA | 📄 |
| 2015 | Neurally adjusted ventilatory assist (NAVA) allows patient-ventilator synchrony during pediatric noninvasive ventilation: a crossover physiological study. | Ducharme-Crevier | Mixed pediatric | 13 | NIV NAVA | 📄 |
| 2015 | Non-invasive neurally adjusted ventilatory assist in preterm infants: a randomised phase II crossover trial. | Lee | Preterm infants | 15 | NIV NAVA | 📄 |
| 2015 | Neurally adjusted ventilatory assist in preterm neonates with acute respiratory failure. | Longhini | Preterm neonatal ARF | 14 | NIV NAVA | 📄 |
| 2013 | Optimizing patient-ventilator synchrony during invasive ventilator assist in children and infants remains a difficult task | Vignaux | Mixed pediatric | 19 | NAVA | 📄 |



Improving synchrony

Table 2 of 2

Meta-analyses & Systematic reviews

Reviews & Retrospective reviews

Randomized controlled trials

Edi levels & Neural breathing pattern

Reducing central apneas

Reducing sedation needs
& improving comfort

→ **Improving synchrony**

Improving oxygenation

Reducing inspiratory pressure

Improving breathing
variability & hemodynamics

Promoting weaning
& extubation

Managing BPD

Supporting adjunctive therapies

Abbreviations

| Year | Article title | Author | Patients | No | Modes | Link |
|------|---|-------------|-------------------------|----|----------|-------------------|
| 2013 | Patient-ventilator asynchrony during noninvasive pressure support ventilation and neurally adjusted ventilatory assist in infants and children. | Vignaux | Mixed pediatric | 6 | NIV NAVA | 📄 |
| 2012 | Neurally adjusted ventilatory assist improves patient – ventilator interaction in infants as compared with conventional ventilation. | Bordessoule | Mixed pediatric | 10 | NAVA | 📄 |
| 2012 | Asynchrony, neural drive, ventilatory variability and COMFORT: NAVA versus pressure support in pediatric patients. A non-randomized cross-over trial. | de la Oliva | Mixed pediatric | 12 | NAVA | 📄 |
| 2011 | Neurally triggered breaths reduce trigger delay and improve ventilator response times in ventilated infants with bronchiolitis. | Clement | Pediatric bronchiolitis | 23 | NAVA | 📄 |
| 2011 | Comparison of pressure-, flow-, and NAVA-triggering in pediatric and neonatal ventilatory care. | Ålander | Mixed pediatric | 18 | NAVA | 📄 |



Improving oxygenation

Table 1 of 2

Meta-analyses & Systematic reviews

Reviews & Retrospective reviews

Randomized controlled trials

Edi levels & Neural breathing pattern

Reducing central apneas

Reducing sedation needs
& improving comfort

Improving synchrony

→ **Improving oxygenation**

Reducing inspiratory pressure

Improving breathing
variability & hemodynamics

Promoting weaning
& extubation

Managing BPD

Supporting adjunctive therapies

Abbreviations

| Year | Article title | Author | Patients | No | Modes | Link |
|------|--|------------|-------------------------------------|-----|------------------|-------------------|
| 2021 | Neurally adjusted ventilatory assist in ventilated very preterm infants: A crossover study | Oda | Preterm infants | 19 | NAVA | 📄 |
| 2021 | The using of a neurally adjusted ventilatory assist in premature infants | Anuriev | Preterm infants | 46 | NAVA | 📄 |
| 2020 | Proportional Assist Ventilation (PAV) Versus Neurally Adjusted Ventilator Assist (NAVA): Effect on Oxygenation in Infants With Evolving or Established Bronchopulmonary Dysplasia. | Hunt | Preterm neonatal BPD | 18 | NAVA | 📄 |
| 2020 | Pressure Support Ventilation (PSV) versus Neurally Adjusted Ventilatory Assist (NAVA) in difficult to wean pediatric ARDS patients: a physiologic crossover study. | Spinazzola | Pediatric ARDS Difficult to wean | 12 | NAVA | 📄 |
| 2019 | When the Children Control the Ventilator, They Adopt an Appropriate Ventilation with a Strict Control of Blood pH | Veillet | Pediatric | 52 | NAVA | 📄 |
| 2019 | NAVA-synchronized compared to nonsynchronized noninvasive ventilation for apnea, bradycardia, and desaturation events in VLBW infants. | Tabacuru | VLBW neonatal | 108 | NIV NAVA | 📄 |
| 2018 | Neurally Adjusted Ventilatory Assist After Pediatric Cardiac Surgery: Clinical Experience and Impact on Ventilation Pressures. | Crulli | Post-op cardiac pediatric | 28 | NAVA NIV NAVA | 📄 |
| 2017 | Feasibility and physiological effects of noninvasive neurally adjusted ventilatory assist in preterm infants. | Gibu | Preterm neonatal | 11 | NAVA | 📄 |
| 2017 | Crossover study of assist control ventilation and neurally adjusted ventilatory assist. | Shetty | Preterm neonatal BPD / ARDS | 9 | NAVA | 📄 |
| 2016 | Early Noninvasive Neurally Adjusted Ventilatory Assist Versus Noninvasive Flow-Triggered Pressure Support Ventilation in Pediatric Acute Respiratory Failure. | Chidini | Pediatric ARF | 18 | NAVA | 📄 |
| 2016 | Neurally Adjusted Ventilatory Assist in Preterm Infants With Established or Evolving Bronchopulmonary Dysplasia on High-Intensity Mechanical Ventilatory Support. | Jung | Preterm neonatal BPD / RDS | 29 | NAVA | 📄 |
| 2016 | Neurally adjusted ventilatory assist (NAVA) in preterm newborn infants with respiratory distress syndrome-a randomized controlled trial. | Kallio | Preterm neonatal RDS | 60 | NAVA | 📄 |



Improving oxygenation

Table 2 of 2

Meta-analyses & Systematic reviews

Reviews & Retrospective reviews

Randomized controlled trials

Edi levels & Neural breathing pattern

Reducing central apneas

Reducing sedation needs
& improving comfort

Improving synchrony

→ **Improving oxygenation**

Reducing inspiratory pressure

Improving breathing
variability & hemodynamics

Promoting weaning
& extubation

Managing BPD

Supporting adjunctive therapies

Abbreviations

| Year | Article title | Author | Patients | No | Modes | Link |
|------|---|-----------|-----------------------------|-----|----------|-------------------|
| 2016 | Physiological effects of invasive ventilation with neurally adjusted ventilatory assist (NAVA) in a crossover study. | Liet | Post-op cardiac pediatric | 6 | NAVA | 📄 |
| 2016 | Mechanical Ventilation After Bidirectional Superior Cavopulmonary Anastomosis for Single-Ventricle Physiology: A Comparison of PSV and NAVA. | Zhu | Post-op BCPA pediatric | 21 | NAVA | 📄 |
| 2015 | Neurally adjusted ventilator assist (NAVA) reduces asynchrony during non-invasive ventilation for severe bronchiolitis. | Baudin | Post-op BCPA pediatric | 11 | NIV NAVA | 📄 |
| 2015 | Neurally adjusted ventilatory assist (NAVA) in pediatric intensive care – a randomized controlled trial. | Kallio | Mixed pediatric | 170 | NAVA | 📄 |
| 2014 | Neurally adjusted ventilatory assist vs pressure support ventilation in infants recovering from severe acute respiratory distress syndrome: nested study. | Piastra | Mixed pediatric ARDS | 30 | NAVA | 📄 |
| 2013 | Neurally adjusted ventilatory assist in weaning of neonates affected by congenital diaphragmatic hernia. | Gentili | Neonatal CDH | 12 | NAVA | 📄 |
| 2012 | Neurally adjusted ventilatory assist in neonates weighing <1500 grams: a retrospective analysis. | Stein | Neonatal CDH | 52 | NAVA | 📄 |
| 2012 | Randomized crossover study of neurally adjusted ventilatory assist in preterm infants. | Lee | Preterm neonatal | 26 | NAVA | 📄 |
| 2012 | Synchronized mechanical ventilation using electrical activity of the diaphragm in neonates. | Stein | Preterm neonatal | 5 | NAVA | 📄 |
| 2011 | Neurally adjusted ventilatory assist mode used in congenital diaphragmatic hernia. | Durrani | Term neonatal | 1 | NAVA | 📄 |
| 2011 | Respiratory support by neurally adjusted ventilatory assist (NAVA) in severe RSV-related bronchiolitis: a case series report. | Liet | Pediatric RSV bronchiolitis | 3 | NAVA | 📄 |
| 2011 | Comparison of pressure-, flow-, and NAVA-triggering in pediatric and neonatal ventilatory care. | Ålander | Mixed pediatric | 18 | NAVA | 📄 |
| 2010 | A prospective crossover comparison of neurally adjusted ventilatory assist and pressure-support ventilation in a pediatric and neonatal intensive care unit population. | Breatnach | Mixed neonatal & pediatric | 16 | NAVA | 📄 |



Reducing inspiratory pressure

Table 1 of 2

Meta-analyses & Systematic reviews

Reviews & Retrospective reviews

Randomized controlled trials

Edi levels & Neural breathing pattern

Reducing central apneas

Reducing sedation needs
& improving comfort

Improving synchrony

Improving oxygenation

→ **Reducing inspiratory pressure**

Improving breathing variability & hemodynamics

Promoting weaning & extubation

Managing BPD

Supporting adjunctive therapies

Abbreviations

| Year | Article title | Author | Patients | No | Modes | Link |
|------|--|------------|-------------------------------------|----|------------------|-------------------|
| 2021 | Application of neurally adjusted ventilatory assist in ventilator weaning of infants ventilator weaning | Xiao | Pediatric | 25 | NAVA | 📄 |
| 2020 | Pressure Support Ventilation (PSV) versus Neurally Adjusted Ventilatory Assist (NAVA) in difficult to wean pediatric ARDS patients: a physiologic crossover study. | Spinazzola | Pediatric ARDS Difficult to wean | 12 | NAVA | 📄 |
| 2018 | Neurally Adjusted Ventilatory Assist After Pediatric Cardiac Surgery: Clinical Experience and Impact on Ventilation Pressures. | Crulli | Post-op cardiac pediatric | 28 | NAVA NIV NAVA | 📄 |
| 2018 | Neurally adjusted ventilatory assist in extremely low-birthweight infants. | Oda | ELWB neonatal | 35 | NAVA | 📄 |
| 2018 | The impact of neurally adjusted ventilatory assist mode on respiratory severity score and energy expenditure in infants: a randomized crossover trial. | Rosterman | Mixed neonatal | 24 | NAVA | 📄 |
| 2017 | Feasibility and physiological effects of noninvasive neurally adjusted ventilatory assist in preterm infants. | Gibu | Preterm neonatal | 11 | NIV NAVA | 📄 |
| 2017 | Crossover study of assist control ventilation and neurally adjusted ventilatory assist. | Shetty | Preterm neonatal BPD / ARDS | 9 | NAVA | 📄 |
| 2016 | Early Noninvasive Neurally Adjusted Ventilatory Assist Versus Noninvasive Flow-Triggered Pressure Support Ventilation in Pediatric Acute Respiratory Failure. | Chidini | Pediatric ARF | 18 | NIV NAVA | 📄 |
| 2016 | Neurally adjusted ventilatory assist (NAVA) in preterm newborn infants with respiratory distress syndrome-a randomized controlled trial. | Kallio | Preterm neonatal RDS | 60 | NAVA | 📄 |
| 2016 | Neurally Adjusted Ventilatory Assist in Preterm Infants With Established or Evolving Bronchopulmonary Dysplasia on High-Intensity Mechanical Ventilatory Support. | Jung | Preterm neonatal BPD / RDS | 29 | NAVA | 📄 |
| 2016 | Physiological effects of invasive ventilation with neurally adjusted ventilatory assist (NAVA) in a crossover study. | Liet | Post-op cardiac pediatric | 6 | NAVA | 📄 |
| 2016 | Comparing changing neurally adjusted ventilatory assist (NAVA) levels in intubated and recently extubated neonates. | LoVerde | Preterm neonatal | 15 | NAVA NIV NAVA | 📄 |
| 2016 | Mechanical Ventilation After Bidirectional Superior Cavopulmonary Anastomosis for Single-Ventricle Physiology: A Comparison of PSV and NAVA. | Zhu | Post-op BCPA pediatric | 21 | NAVA | 📄 |



Reducing inspiratory pressure

Table 2 of 2

| Year | Article title | Author | Patients | No | Modes | Link |
|------|---|-----------|-----------------------------|-----|------------------|----------------------|
| 2015 | Non-invasive neurally adjusted ventilatory assist in preterm infants: a randomised phase II crossover trial. | Lee | Preterm infants | 15 | NIV NAVA | Link |
| 2015 | Effect of changing NAVA levels on peak inspiratory pressures and electrical activity of the diaphragm in premature neonates. | Firestone | Preterm neonates NICU | 21 | NAVA NIV NAVA | Link |
| 2015 | Neurally adjusted ventilatory assist (NAVA) in pediatric intensive care--a randomized controlled trial. | Kallio | Mixed pediatric | 170 | NAVA | Link |
| 2015 | Neurally adjusted ventilatory assist in preterm neonates with acute respiratory failure. | Longhini | Preterm neonatal ARF | 14 | NAVA | Link |
| 2014 | Neurally adjusted ventilatory assist vs pressure support ventilation in infants recovering from severe acute respiratory distress syndrome: nested study. | Piastra | Pediatric ARDS | 30 | NAVA | Link |
| 2013 | Neurally adjusted ventilatory assist: assessing the comfort and feasibility of use in neonates and children. | Duyndam | Mixed neonatal & pediatric | 21 | NAVA | Link |
| 2013 | Neurally adjusted ventilatory assist in weaning of neonates affected by congenital diaphragmatic hernia. | Gentili | Neonatal CDH | 12 | NAVA | Link |
| 2013 | Prospective crossover comparison between NAVA and pressure control ventilation in premature neonates less than 1500 grams. | Stein | VLBW neonatal | 5 | NAVA | Link |
| 2012 | Randomized crossover study of neurally adjusted ventilatory assist in preterm infants. | Lee | Preterm neonatal | 26 | NAVA | Link |
| 2012 | Neurally adjusted ventilatory assist in neonates weighing <1500 grams: a retrospective analysis. | Stein | Neonatal VLBW | 52 | NAVA | Link |
| 2011 | Respiratory support by neurally adjusted ventilatory assist (NAVA) in severe RSV-related bronchiolitis: a case series report. | Liet | Pediatric RSV bronchiolitis | 3 | NAVA | Link |
| 2010 | Neurally adjusted ventilatory assist in children: an observational study. | Bengtsson | Mixed neonatal & pediatric | 21 | NAVA | Link |
| 2010 | A prospective crossover comparison of neurally adjusted ventilatory assist and pressure-support ventilation in a pediatric and neonatal intensive care unit population. | Breatnach | Mixed neonatal & pediatric | 16 | NAVA | Link |

Meta-analyses & Systematic reviews

Reviews & Retrospective reviews

Randomized controlled trials

Edi levels & Neural breathing pattern

Reducing central apneas

Reducing sedation needs & improving comfort

Improving synchrony

Improving oxygenation

→ **Reducing inspiratory pressure**

Improving breathing variability & hemodynamics

Promoting weaning & extubation

Managing BPD

Supporting adjunctive therapies

Abbreviations



Improving breathing variability & hemodynamics

Meta-analyses & Systematic reviews

Reviews & Retrospective reviews

Randomized controlled trials

Edi levels & Neural breathing pattern

Reducing central apneas

Reducing sedation needs & improving comfort

Improving synchrony

Improving oxygenation

Reducing inspiratory pressure

→ **Improving breathing variability & hemodynamics**


Promoting weaning & extubation

Managing BPD

Supporting adjunctive therapies

Abbreviations

| Year | Article title | Author | Patients | No | Modes | Link |
|------|---|----------------|---------------------------|-----|------------------|----------------------|
| 2022 | Comparing ventilation modes by electrical impedance segmentography in ventilated children | Brandt | Pediatric | 8 | NAVA | Link |
| 2021 | Cardiorespiratory effects of NIV-NAVA, NIPPV, and NCPAP shortly after extubation in extremely preterm infants: A randomized crossover trial | Latremouille | Preterm neonatal | 23 | NIV NAVA | Link |
| 2020 | Effects of NAVA Compared to SIMV Ventilation on Cardiac Function in Preterm Neonates. | Hovespyan | Preterm neonatal | 14 | NAVA | Link |
| 2019 | Utilization of Neurally Adjusted Ventilatory Assist (NAVA) Mode in Infants and Children Undergoing Congenital Heart Surgery: A Retrospective Review. | Baez-Hernandez | CDH post-op pediatric | 81 | NAVA NIV NAVA | Link |
| 2019 | Neurally Adjusted Ventilatory Assist Mode of Mechanical Ventilation in Neonates with Hypoxic-Ischemic Encephalopathy. | Surkov | Term neonatal Acute HIE | 16 | NAVA | Link |
| 2019 | NAVA-synchronized compared to nonsynchronized noninvasive ventilation for apnea, bradycardia, and desaturation events in VLBW infants. | Tabacuru | VLBW neonatal | 108 | NIV NAVA | Link |
| 2016 | Physiological effects of invasive ventilation with neurally adjusted ventilatory assist (NAVA) in a crossover study. | Liet | Post-op cardiac pediatric | 6 | NAVA | Link |
| 2016 | Mechanical Ventilation After Bidirectional Superior Cavopulmonary Anastomosis for Single-Ventricle Physiology. | Zhu | Post-op BCPA pediatric | 21 | NAVA | Link |
| 2015 | Effect of changing NAVA levels on peak inspiratory pressures and electrical activity of the diaphragm in premature neonates. | Firestone | Preterm neonates | 21 | NAVA NIV NAVA | Link |
| 2014 | Impact of Ventilatory Modes on the Breathing Variability in Mechanically Ventilated Infants. | Baudin | Mixed pediatric | 11 | NAVA | Link |
| 2014 | Neurally adjusted ventilatory assist vs pressure support ventilation in infants recovering from severe acute respiratory distress syndrome: nested study. | Piastra | Pediatric ARDS | 30 | NAVA | Link |
| 2012 | Neurally adjusted ventilatory assist improves patient-ventilator interaction in infants as compared with conventional ventilation. | Bordessoule | Mixed pediatric | 10 | NAVA | Link |
| 2012 | Asynchrony, neural drive, ventilatory variability and COMFORT: NAVA versus pressure support in pediatric patients. A non-randomized cross-over trial. | de la Oliva | Mixed pediatric | 12 | NAVA | Link |
| 2009 | Application of neurally adjusted ventilatory assist in infants who underwent cardiac surgery for congenital heart disease. | Zhu | Post-op CDH neonatal | 21 | NAVA | Link |



Promoting weaning & extubation

Table 1 of 2

Meta-analyses & Systematic reviews

Reviews & Retrospective reviews

Randomized controlled trials

Edi levels & Neural breathing pattern

Reducing central apneas

Reducing sedation needs
& improving comfort

Improving synchrony

Improving oxygenation

Reducing inspiratory pressure

Improving breathing
variability & hemodynamics


→ **Promoting weaning
& extubation**

Managing BPD

Supporting adjunctive therapies

Abbreviations

| Year | Article title | Author | Patients | No | Modes | Link |
|------|--|-----------|----------------------------|------|---------------|-------------------|
| 2022 | Noninvasive Neurally Adjusted Ventilation in Postextubation Stabilization of Preterm Infants: A Randomized Controlled Study. | Shin | Preterm neonate < 30 weeks | 78 | NIV NAVA | 📄 |
| 2022 | Respiratory and Gastrointestinal Management of an Infant with a Birth Weight of 258 Grams. | Itoshima | Preterm neonate | 1 | NIV NAVA | 📄 |
| 2021 | Implementation of noninvasive neurally adjusted ventilatory assist in pediatric acute respiratory failure: a controlled before-after quality improvement study. | Chidini | Pediatric AHRF | 64 | NIV NAVA | 📄 |
| 2021 | Is noninvasive neurally adjusted ventilatory assistance (NIV-NAVA) an alternative to NCPAP in preventing extubation failure in preterm infants? | Yagui | Preterm neonatal | 49 | NIV NAVA | 📄 |
| 2020 | Comparison of extubation success using noninvasive positive pressure ventilation (NIPPV) versus noninvasive neurally adjusted ventilatory assist (NI-NAVA). | Makker | Preterm neonates | 30 | NIV NAVA | 📄 |
| 2020 | Neurally-Adjusted Ventilatory Assist Can Facilitate Extubation in Neonates With Congenital Diaphragmatic Hernia. | Meinen | Neonatal CDH | 10 | NAVA NIV NAVA | 📄 |
| 2019 | Neurally adjusted ventilatory assist mitigates ventilator-induced diaphragm injury in rabbits. | Shimatani | Rabbits 2.4–2.9 kg | (20) | NAVA | 📄 |
| 2019 | Feasibility of Non-invasive Neurally Adjusted Ventilator Assist After Congenital Diaphragmatic Hernia Repair. | Amin | CDH post-op neonatal | 7 | NIV NAVA | 📄 |
| 2019 | Neurally adjusted ventilatory assist decreases work of breathing during non-invasive ventilation in infants with severe bronchiolitis. | Baudin | Neonatal Bronchiolitis | 7 | NIV NAVA | 📄 |
| 2019 | Weaning in Neurally Adjusted Ventilatory Assist (NAVA): a prospective interventional study in neonates. | Cosi | Mixed neonatal | 34 | NAVA | 📄 |
| 2019 | Comparison of NIV-NAVA and NCPAP in facilitating extubation for very preterm infants. | Lee | Preterm neonatal | 30 | NIV NAVA | 📄 |
| 2019 | Nasal continuous positive airway pressure (NCPAP) or noninvasive neurally adjusted ventilatory assist (NIV-NAVA) for preterm infants with respiratory distress after birth: A randomized controlled trial. | Yagui | Neonatal VLBW | 123 | NIV NAVA | 📄 |
| 2018 | Predicting extubation readiness by monitoring the electrical activity of the diaphragm after prolonged mechanical ventilation: a pediatric case report. | Naito | Pediatric Prolonged MV | 1 | NAVA | 📄 |



Promoting weaning & extubation

Table 2 of 2

| Year | Article title | Author | Patients | No | Modes | Link |
|------|---|--------------|------------------------------|----|-----------------|-------------------|
| 2018 | Neurally adjusted ventilatory assist can be used to wean infants with congenital diaphragmatic hernias off respiratory support. | Oda | Neonatal CDH | 14 | NAVA Edi mon | 📄 |
| 2018 | Does Diaphragmatic Electrical Activity in Preterm Infants Predict Extubation Success? | Singh | Preterm neonatal RDS | 21 | Edi mon | 📄 |
| 2018 | Non-invasive neurally adjusted ventilatory assist versus nasal intermittent positive-pressure ventilation in preterm infants born before 30 weeks' gestation. | Yonehara | Preterm neonatal | 34 | NIV NAVA | 📄 |
| 2017 | Neural breathing pattern in newborn infants pre- and postextubation. | Iyer | Preterm neonatal | 25 | Edi mon | 📄 |
| 2017 | Patient-ventilator asynchrony during conventional mechanical ventilation in children. | Mortamet | Mixed pediatric | 52 | Edi mon | 📄 |
| 2017 | Noninvasive Neurally Adjusted Ventilatory Assist in Premature Infants Postextubation. | Colaizy | VLBW neonatal | 24 | NIV NAVA | 📄 |
| 2016 | Neurally adjusted ventilatory assist (NAVA) in preterm newborn infants with respiratory distress syndrome-a randomized controlled trial. | Kallio | Preterm neonatal RDS | 60 | NAVA | 📄 |
| 2015 | Feasibility Study on Neurally Adjusted Ventilatory Assist in Noninvasive Ventilation After Cardiac Surgery in Infants. | Houtekie | Post-op cardiac pediatric | 10 | NIV NAVA | 📄 |
| 2015 | The Effect of High Flow Nasal Cannula Therapy on the Work of Breathing in Infants with Bronchiolitis. | Pham | Neonatal CHD /Bronchiolitis | 28 | Edi mon | 📄 |
| 2014 | Neurally adjusted ventilatory assist vs pressure support ventilation in infants recovering from severe acute respiratory distress syndrome: nested study. | Piastra | Pediatric ARDS | 30 | NAVA | 📄 |
| 2013 | Neurally adjusted ventilatory assist in weaning of neonates affected by congenital diaphragmatic hernia. | Gentili | Neonatal CDH | 12 | NAVA | 📄 |
| 2012 | Mechanisms of ventilator dependence in children with neuromuscular and respiratory control disorders identified by monitoring diaphragm electrical activity. | Fine-Goulden | Pediatric NMD | 6 | Edi mon | 📄 |
| 2011 | Electrical activity of the diaphragm during extubation readiness testing in critically ill children. | Wolf | Mixed pediatric (during ERT) | 20 | Edi mon | 📄 |

Meta-analyses & Systematic reviews

Reviews & Retrospective reviews

Randomized controlled trials

Edi levels & Neural breathing pattern

Reducing central apneas

Reducing sedation needs & improving comfort

Improving synchrony

Improving oxygenation

Reducing inspiratory pressure

Improving breathing variability & hemodynamics

→ **Promoting weaning & extubation**

Managing BPD

Supporting adjunctive therapies

Abbreviations



Managing BPD

Meta-analyses & Systematic reviews

Reviews & Retrospective reviews

Randomized controlled trials

Edi levels & Neural breathing pattern

Reducing central apneas

Reducing sedation needs
& improving comfort

Improving synchrony

Improving oxygenation

Reducing inspiratory pressure

Improving breathing
variability & hemodynamics

Promoting weaning & extubation

→ **Managing BPD**

Supporting adjunctive therapies

Abbreviations

| Year | Article title | Author | Patients | No | Modes | Link |
|------|--|----------|-----------------------------|-----|---------------|----------------------|
| 2021 | Neurally Adjusted Ventilatory Assist in Very Prematurely Born Infants with Evolving/Established Bronchopulmonary Dysplasia. | Shetty | Preterm neonatal BPD | 54 | NAVA NIV NAVA | Link |
| 2021 | Non-invasive Neurally Adjusted Ventilatory Assist (NAVA) in the pediatric ICU: assessing optimal Edi compliance | Lamsal | Pediatric bronchiolitis | 63 | NIV NAVA | Link |
| 2020 | Proportional Assist Ventilation (PAV) Versus Neurally Adjusted Ventilator Assist (NAVA): Effect on Oxygenation in Infants With Evolving or Established Bronchopulmonary Dysplasia. | Hunt | Preterm neonatal BPD | 18 | NAVA | Link |
| 2020 | Multicenter Experience with Neurally Adjusted Ventilatory Assist in Infants with Severe Bronchopulmonary Dysplasia. | McKinney | Neonatal BPD | 112 | NAVA | Link |
| 2020 | Application of Neurally Adjusted Ventilatory Assist in Premature Neonates Less Than 1,500 Grams With Established or Evolving Bronchopulmonary Dysplasia. | Rong | VLBW neonatal BPD | 30 | NAVA NIV NAVA | Link |
| 2017 | Crossover study of assist control ventilation and neurally adjusted ventilatory assist. | Shetty | Preterm neonatal BPD / ARDS | 9 | NAVA | Link |
| 2016 | Neurally Adjusted Ventilatory Assist in Preterm Infants With Established or Evolving Bronchopulmonary Dysplasia on High-Intensity Mechanical Ventilatory Support. | Jung | Preterm neonatal BPD / RDS | 29 | NAVA | Link |



Supporting adjunctive therapies

Table 1 of 2

| Year | Article title | Author | Patients | No | Modes | Link |
|------|--|---------------------|---------------------------|----|------------------|----------------------|
| 2022 | Diaphragmatic Electrical Activity in Preterm Infants on Non-Invasive High Frequency Oscillatory Ventilation (DEAP-NHFO Study) | Wong | Preterm neonatal | 20 | Edi mon | Link |
| 2022 | Spontaneous breathing during high-frequency oscillation revealed by diaphragm electrical activity | Takahashi | Preterm neonatal | 2 | Edi mon | Link |
| 2022 | Improved nutritional outcomes with neurally adjusted ventilatory assist (NAVA) in premature infants: a single tertiary neonatal unit's experience | Benn | Preterm neonatal | 54 | NAVA NIV NAVA | Link |
| 2022 | Effect of doxapram on the electrical activity of the diaphragm waveform pattern of preterm infants | Araki | Preterm neonatal | 10 | Edi mon NAVA | Link |
| 2021 | Parent-infant skin-to-skin contact reduces the electrical activity of the diaphragm and stabilizes respiratory function in preterm infants | Lee | Preterm neonatal | 17 | Edi mon | Link |
| 2021 | Effects of skin-to-skin care on electrical activity of the diaphragm in preterm infants during neurally adjusted ventilatory assist | Kato | Preterm neonatal | 14 | Edi mon | Link |
| 2021 | Effects of heliox and non-invasive neurally adjusted ventilatory assist (NIV-NAVA) in preterm infants | Neumann-Klimasinska | Neonatal preterm | 23 | Edi mon NIV NAVA | Link |
| 2020 | Effective neurally-adjusted ventilatory assist weaning off mechanical ventilation in separated conjoined thoraco-omphalopagus twins with sternal MEDPOR implant patch | Rossetti | Conjoined twins | 1 | NAVA | Link |
| 2019 | Neurally adjusted ventilatory assist for children on veno-venous ECMO. | Assy | Pediatric ARF/Trauma | 6 | NAVA Edi mon | Link |
| 2019 | Physiological Effect of Prone Position in Children with Severe Bronchiolitis: A Randomized Cross-Over Study (BRONCHIO-DV). | Baudin | Preterm and term neonatal | 14 | Edi mon | Link |
| 2019 | The evaluation of the efficacy and safety of non-invasive neurally adjusted ventilatory assist in combination with INTubation-SURfactant-Extubation technique for infants at 28 to 33 weeks of gestation with respiratory distress syndrome. | Miyahara | Preterm neonatal | 15 | NIV NAVA | Link |

Meta-analyses & Systematic reviews

Reviews & Retrospective reviews

Randomized controlled trials

Edi levels & Neural breathing pattern

Reducing central apneas

Reducing sedation needs & improving comfort

Improving synchrony

Improving oxygenation

Reducing inspiratory pressure

Improving breathing variability & hemodynamics

Promoting weaning & extubation

Managing BPD

→ **Supporting adjunctive therapies**

Abbreviations



Supporting adjunctive therapies

Table 2 of 2

Meta-analyses & Systematic reviews

Reviews & Retrospective reviews

Randomized controlled trials

Edi levels & Neural breathing pattern

Reducing central apneas

Reducing sedation needs
& improving comfort

Improving synchrony

Improving oxygenation

Reducing inspiratory pressure

Improving breathing
variability & hemodynamics

Promoting weaning & extubation

Managing BPD

→ **Supporting adjunctive
therapies**

Abbreviations

| Year | Article title | Author | Patients | No | Modes | Link |
|------|--|------------|--------------------------|----|---------|----------------------|
| 2017 | Combined use of Neurally Adjusted Ventilatory Assist (NAVA) and Vertical Expandable Prosthetic Titanium Rib (VEPTR) in a patient with Spondylocostal dysostosis and associated bronchomalacia. | Pons-Odena | Pediatric JLS | 1 | NAVA | Link |
| 2015 | The effect of caffeine citrate on neural breathing pattern in preterm infants. | Parikka | Preterm neonatal | 17 | Edi mon | Link |
| 2014 | The effects of skin-to-skin care on the diaphragmatic electrical activity in preterm infants. | Soukka | Preterm neonatal | 17 | Edi mon | Link |
| 2010 | Neurally adjusted ventilatory assist and lung transplant in a child: A case report. | Vitale | Pediatric CF | 1 | NAVA | Link |
| 2010 | Effect of prone or spine position on mechanically ventilated neonates after cardiac surgery with acute lung injury. | Zhu | Post-op cardiac neonatal | 15 | NAVA | Link |



Meta-analyses & Systematic reviews

Reviews & Retrospective reviews

Randomized controlled trials

Edi levels & Neural breathing pattern

Reducing central apneas

Reducing sedation needs
& improving comfort

Improving synchrony

Improving oxygenation

Reducing inspiratory pressure

Improving breathing
variability & hemodynamics

Promoting weaning & extubation

Managing BPD

Supporting adjunctive therapies

→ **Abbreviations**

Abbreviations

| Abbreviation | Meaning |
|--------------|---|
| ARDS | Acute respiratory distress syndrome |
| BCPA | Bidirectional superior cavopulmonary anastomosis |
| BPD | Bronchopulmonary dysplasia |
| CHS | Central hypoventilation syndrome |
| CDH | Congenital heart disease |
| CF | Cystic fibrosis |
| Edi | Electrical activity of the diaphragm |
| Edi mon | Edi monitoring |
| ELBW | Extremely low birthweight , which is less than 1000 g |
| HIE | Hypoxic-ischemic encephalopathy |
| NAVA | Neurally adjusted ventilatory assist |
| NIV | Non-invasive ventilation |
| NIV NAVA | Non-invasive Neurally adjusted ventilatory assist |
| NMD | Neuromuscular disorder |
| PSV | Pressure support ventilation |
| RDS | Respiratory distress syndrome |
| RSV | Respiratory syncytial virus |
| VLBW | Very low birthweight , which is less than 1500 g |



Getinge is a global provider of innovative solutions for operating rooms, intensive care units, sterilization departments and for life science companies and institutions. Based on our firsthand experience and close partnerships with clinical experts, healthcare professionals and medtech specialists, we are improving the everyday life for people – today and tomorrow.

The views, opinions and assertions stated by the physician are strictly those of the physician and their practice and do not necessarily reflect the views of Getinge.

This document is intended to provide information to an international audience outside of the US.

Manufacturer · Maquet Critical Care AB · Röntgentvägen 2 SE-171 54 Solna · Sweden · +46 (0)10 335 73 00

www.getinge.com